

# Checklist of Plants of Santa Paula Canyon, Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	WIS	Family
<i>Acer macrophyllum</i> var. <i>macrophyllum</i>	Bigleaf Maple	T	FAC	Aceraceae
<i>Achillea millefolium</i> var. <i>californica</i>	California White Yarrow	PH	FACU	Asteraceae
<i>Achnatherum coronatum</i>	Giant Needlegrass	PG	.	Poaceae
<i>Acourtia microcephala</i>	Sacapellote	PH	.	Asteraceae
<i>Adenostoma fasciculatum</i>	Chamise	S	.	Rosaceae
<i>Adiantum capillus-veneris</i>	Southern Maidenhair	PF	FACW	Pteridaceae
<i>Adiantum jordanii</i>	Maidenhair Fern	PF	(FAC+)	Pteridaceae
<i>Agrostis exarata</i>	Western or Spike Bentgrass	PG	FACW	Poaceae
<i>Agrostis semiverticillata</i> *	Green Bentgrass	PG	OBL	Poaceae
<i>Alnus rhombifolia</i>	White Alder	T	FACW	Betulaceae
<i>Ambrosia psilostachya</i> var. <i>californica</i>	Western Ragweed	BH	FAC	Asteraceae
<i>Amorpha californica</i> var. <i>californica</i>	California False Indigo	S	FACU	Fabaceae
<i>Amsinckia menziesii</i> var. <i>intermedia</i>	Rancher's Fire	AH	.	Boraginaceae
<i>Antirrhinum multiflorum</i>	Sticky Snapdragon	S	.	Veronicaceae
<i>Arabis sparsiflora</i> var. <i>sparsiflora</i>	Few-flowered Rock Cress	PH	.	Brassicaceae
<i>Arctostaphylos glauca</i>	Bigberry Manzanita	S	.	Ericaceae
<i>Artemisia californica</i>	California Sagebrush	S	.	Asteraceae
<i>Artemisia douglasiana</i>	Mugwort	PH	FACW	Asteraceae
<i>Asclepias californica</i> ssp. <i>californica</i>	California Milkweed	AH	.	Apocynaceae
<i>Astragalus trichopodus</i> var. <i>phoxus</i>	Antisell Three-pod Milkvetch	PH	.	Fabaceae
<i>Atriplex lentiformis</i> ssp. <i>breweri</i>	Brewer Saltbush	S	FAC	Chenopodiaceae
<i>Atriplex rosea</i> *	Redscale	AH	FACU	Chenopodiaceae
<i>Avena barbata</i> *	Slender Wild Oats	AG	.	Poaceae
<i>Baccharis pilularis</i> ssp. <i>consanguinea</i>	Coyote Brush	S	(FAC-)	Asteraceae
<i>Baccharis salicifolia</i>	Mulefat	S	FACW	Asteraceae
<i>Bowlesia incana</i>	Hoary Bowlesia	AH	FACU*	Apiaceae
<i>Brachypodium distachyon</i> *	Short-pediceled Brome	AH	.	Poaceae
<i>Brassica nigra</i> *	Black Mustard	AH	.	Brassicaceae
<i>Brickellia californica</i>	California Brickellbush	S	FACU	Asteraceae
<i>Brickellia nevinii</i>	Nevin Brickellbush	S	.	Asteraceae
<i>Bromus diandrus</i> *	Ripgut Grass	AG	(FACU)	Poaceae
<i>Bromus hordeaceus</i> *	Soft Chess	AG	FACU-	Poaceae
<i>Bromus laevipes</i>	Woodland Brome	PG	.	Poaceae
<i>Bromus madritensis</i> ssp. <i>madritensis</i> *	Madrid Brome, Foxtail Chess	AG	.	Poaceae
<i>Bromus madritensis</i> ssp. <i>rubens</i> *	Red Brome	AG	NI	Poaceae
<i>Calochortus albus</i>	Fairy Lantern	PG	.	Liliaceae
<i>Calystegia macrostegia</i> ssp. <i>intermedia</i>	Intermediate Morning-glory	PV	.	Convolvulaceae
<i>Calystegia malacophylla</i> ssp. <i>pedicellata</i>	Sierra Morning-glory	PV	.	Convolvulaceae
<i>Carduus pycnocephalus</i> *	Italian Thistle	AH	.	Asteraceae
<i>Carex senta</i>	Rough Sedge	PG	OBL	Cyperaceae
<i>Castilleja applegatei</i> ssp. <i>martinii</i>	Martin Indian Paintbrush	PH	.	Orobanchaceae
<i>Castilleja foliolosa</i>	Woolly Indian Paintbrush	PH	.	Orobanchaceae
<i>Ceanothus crassifolius</i> var. <i>crassifolius</i>	Snowball	S	.	Rhamnaceae
<i>Ceanothus leucodermis</i>	Chaparral Whitethorn	S	.	Rhamnaceae
<i>Ceanothus megacarpus</i> var. <i>megacarpus</i>	Bigpod Ceanothus	S	.	Rhamnaceae
<i>Ceanothus oliganthus</i> var. <i>oliganthus</i>	Hoary Ceanothus	S	.	Rhamnaceae
<i>Centaurea melitensis</i> *	Tocalote, Napa Thistle	AH	.	Asteraceae
<i>Cercocarpus betuloides</i> var. <i>betuloides</i>	Birchleaf Mountain Mahogany	S	.	Rosaceae
<i>Chamomilla suaveolens</i>	Pineapple Weed	AH	FACU	Asteraceae
<i>Chenopodium berlandieri</i>	Pitseed Goosefoot	AH	(FAC)	Chenopodiaceae
<i>Chenopodium californicum</i>	California Goosefoot	PH	.	Chenopodiaceae
<i>Chlorogalum pomeridianum</i> var. <i>pomeridianum</i>	Soap Lily	PG	.	Liliaceae
<i>Chorizanthe staticoides</i> var. <i>staticoides</i>	Turkish Rugging	AH	.	Polygonaceae

# Checklist of Plants of Santa Paula Canyon, Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	WIS	Family
<i>Cirsium occidentale</i> var. <i>occidentale</i>	Cobweb Thistle	BH	.	Asteraceae
<i>Clarkia bottae</i>	Punchbowl Godetia	AH	.	Onagraceae
<i>Clarkia unguiculata</i>	Elegant Farwell-to-Spring	AH	.	Onagraceae
<i>Claytonia perfoliata</i> ssp. <i>mexicana</i>	Mexican Miner's Lettuce	AH	FAC	Portulacaceae
<i>Claytonia perfoliata</i> ssp. <i>perfoliata</i>	Miner's Lettuce	AH	FAC	Portulacaceae
<i>Clematis lasiantha</i>	Pipestem Clematis	PV	.	Ranunculaceae
<i>Collinsia heterophylla</i> var. <i>heterophylla</i>	Chinese Houses	AH	.	Veronicaceae
<i>Conyza canadensis</i>	Horseweed	AH	FAC	Asteraceae
<i>Cordylanthus rigidus</i> ssp. <i>rigidus</i>	Rigid Birds-beak	AH	.	Orobanchaceae
<i>Corethrogyne filaginifolia</i> var. <i>filaginifolia</i>	California Cudweed-aster	PH	.	Asteraceae
<i>Cryptantha decipiens</i>	Gravel Forget-Me-Not	AH	.	Boraginaceae
<i>Cryptantha muricata</i>	Jones Prickly Forget-Me-Not	AH	.	Boraginaceae
<i>Cyperus eragrostis</i>	Umbrella-sedge	PG	FACW	Cyperaceae
<i>Datisca glomerata</i>	Durango Root	PH	FACW	Datiscaceae
<i>Datura wrightii</i>	Jimson Weed	AH	.	Solanaceae
<i>Daucus pusillus</i>	Southwestern Carrot	AH	.	Apiaceae
<i>Deinandra fasciculata</i>	Fasciculed Tarplant	AH	.	Asteraceae
<i>Delphinium cardinale</i>	Scarlet Larkspur	PH	.	Ranunculaceae
<i>Delphinium parryi</i> ssp. ?	Purple Larkspur	PH	.	Ranunculaceae
<i>Dichelostemma capitatum</i> ssp. <i>capitatum</i>	Blue Dicks	PG	.	Themidaceae
<i>Dryopteris arguta</i>	Coastal Wood Fern	PF	.	Dryopteridaceae
<i>Dudleya lanceolata</i>	Lanceleaf Live-forever	PH	.	Crassulaceae
<i>Dudleya pulverulenta</i> ssp. <i>pulverulenta</i>	Chalky Live-forever	PH	.	Crassulaceae
<i>Elymus glaucus</i> ssp. <i>glaucus</i>	Blue or Woodland Wildrye	PG	FACU	Poaceae
<i>Emmenanthe penduliflora</i>	Whispering Bells	AH	.	Boraginaceae
<i>Encelia californica</i>	California Bush Sunflower	S	.	Asteraceae
<i>Epilobium canum</i> ssp. <i>canum</i>	California Fuchia	PH	.	Onagraceae
<i>Epilobium ciliatum</i> ssp. <i>ciliatum</i>	Northern Willow-herb	AH	FACW	Onagraceae
<i>Epipactis gigantea</i>	Stream Orchid	PH	OBL	Orchidaceae
<i>Equisetum arvense</i>	Common or Field Horsetail	PF	FAC	Equisetaceae
<i>Eriastrum densifolium</i> ssp. <i>elongatum</i>	Elongate Woolly Star	PH	.	Polemoniaceae
<i>Erigeron foliosus</i> var. <i>foliosus</i>	Leafy Fleabane or Daisy	PH	.	Asteraceae
<i>Eriodictyon crassifolium</i> var. <i>nigrescens</i>	Thickleaf Yerba Santa	S	.	Boraginaceae
<i>Eriogonum covilleianum</i>	Coville Buckwheat	AH	.	Polygonaceae
<i>Eriogonum elongatum</i> var. <i>elongatum</i>	Long-stemmed Buckwheat	PH	.	Polygonaceae
<i>Eriogonum fasciculatum</i> var. <i>foliolosum</i>	Leafy California Buckwheat	S	.	Polygonaceae
<i>Eriogonum parvifolium</i> var. <i>paynei</i>	Payne Dune Buckwheat	S	.	Polygonaceae
<i>Eriophyllum confertiflorum</i> var. <i>confertiflorum</i>	Golden Yarrow	PH	.	Asteraceae
<i>Erodium botrys</i> *	Broadleaf Filaree	AH	.	Geraniaceae
<i>Erucastrum [Hirschfeldia] incanum</i> *	Summer Mustard	PH	.	Brassicaceae
<i>Erysimum capitatum</i> var. <i>capitatum</i>	Western Wallflower	BH	.	Brassicaceae
<i>Eucrypta chrysanthemifolia</i> var. <i>chrysanthemifolia</i>	Eucrypta	AH	.	Hydrophyllaceae
<i>Filago gallica</i> *	Woolly Filago	AH	.	Asteraceae
<i>Fraxinus dipetala</i>	California Flowering Ash	S	.	Oleaceae
<i>Fritillaria ojaiensis</i>	Ojai Fritillary	PG	.	Liliaceae
<i>Galium angustifolium</i> ssp. <i>angustifolium</i>	Chaparral Bedstraw	S	.	Rubiaceae
<i>Galium aparine</i>	Goose Grass	AH	FACU	Rubiaceae
<i>Garrya veatchiana</i>	Veatch's Silk-tassel Bush	S	.	Garryaceae
<i>Gilia australis</i>	Southern Gilia	AH	.	Polemoniaceae
<i>Gilia capitata</i> ssp. <i>abrotanifolia</i>	Blue Field Gilia	AH	.	Polemoniaceae
<i>Grindelia camporum</i> var. <i>camporum</i>	Great Valley Gumplant	S	FACU	Asteraceae
<i>Hazardia squarrosa</i> var. ?	Sawtooth Goldenbush	S	.	Asteraceae
<i>Helenium bigelovii</i>	Bigelow Sneezeweed	PH	OBL	Asteraceae

# Checklist of Plants of Santa Paula Canyon, Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	WIS	Family
<i>Hesperoyucca</i> [ <i>Yucca</i> ] <i>whipplei</i> ssp. <i>whipplei</i>	Our Lord's Candle	S	.	Agavaceae
<i>Heteromeles arbutifolia</i>	Toyon	S	.	Rosaceae
<i>Heterotheca grandiflora</i>	Telegraph Weed	PH	.	Asteraceae
<i>Heterotheca sessiliflora</i> ssp. <i>echioides</i>	Hairy Golden-Aster	PH	.	Asteraceae
<i>Heterotheca sessiliflora</i> ssp. <i>fastigiata</i>	Hairy Golden-Aster	PH	.	Asteraceae
<i>Hoita macrostachya</i>	Leather Root	PH	OBL	Fabaceae
<i>Hordeum marinum</i> ssp. <i>gussoneanum</i> *	Mediterranean Barley	AG	FAC	Poaceae
<i>Juglans californica</i> var. <i>californica</i>	Southern California Black Walnut	T	FAC	Juglandaceae
<i>Juncus macrophyllus</i>	Large-leaf Rush	PG	FACW*	Juncaceae
<i>Juncus rugulosus</i>	Wrinkled Rush	PG	OBL	Juncaceae
<i>Juncus textilis</i>	Basket Rush	PG	OBL	Juncaceae
<i>Keckiella cordifolia</i>	Heart-leaved Bush Penstemon	S	.	Veronicaceae
<i>Keckiella ternata</i> var. <i>septentrionalis</i>	Blue-stemmed Bush Penstemon	S	.	Veronicaceae
<i>Lactuca serriola</i> *	Prickly Wild Lettuce	AH	FAC	Asteraceae
<i>Lasthenia gracilis</i>	Common Goldfields	AH	FACU*	Asteraceae
<i>Lathyrus vestitus</i> ssp. <i>laevicarpus</i>	Pacific Peavine	PV	.	Fabaceae
<i>Lepechinia calycina</i>	Pitcher Sage	S	.	Lamiaceae
<i>Lepidospartum squamatum</i>	Scalebroom	S	(FACW)	Asteraceae
<i>Leptodactylon californicum</i> ssp. <i>californicum</i>	Prickly Phlox	S	.	Polemoniaceae
<i>Elymus condensatus</i>	Giant Wildrye	PG	FACU	Poaceae
<i>Elymus triticoides</i>	Creeping Wildrye	PG	FAC+	Poaceae
<i>Lithophragma</i> sp.	Woodland Star	PH	.	Saxifragaceae
<i>Lobelia dunnii</i> var. <i>serrata</i>	Dunn Lobelia	PH	FACW-	Campanulaceae
<i>Lolium multiflorum</i> *	Italian Ryegrass	AG	FAC*	Poaceae
<i>Lonicera subspicata</i> var. <i>denudata</i>	Southern Honeysuckle	S	.	Caprifoliaceae
<i>Lotus purshianus</i> var. <i>purshianus</i>	Spanish Clover	AH	.	Fabaceae
<i>Lotus salsuginosus</i> var. <i>salsuginosus</i>	Coastal Lotus	AH	.	Fabaceae
<i>Lotus scoparius</i> var. <i>scoparius</i>	Deerweed	PH	.	Fabaceae
<i>Lotus strigosus</i> var. <i>strigosus</i>	Strigose Lotus or Hosackia	AH	.	Fabaceae
<i>Lotus wrangelianus</i>	Chile Lotus	AH	.	Fabaceae
<i>Lupinus albifrons</i> var. <i>albifrons</i>	Silver Bush Lupine	S	.	Fabaceae
<i>Lupinus hirsutissimus</i>	Nettle Lupine	AH	.	Fabaceae
<i>Lupinus latifolius</i> var. <i>latifolius</i>	Broad-leaved Lupine	PH	(OBL)	Fabaceae
<i>Lupinus sparsiflorus</i> ssp. <i>sparsiflorus</i>	Few-flowered Lupine	AH	.	Fabaceae
<i>Lupinus succulentus</i>	Fleshy Lupine	AH	.	Fabaceae
<i>Lythrum californicum</i>	California Loosestrife	PH	OBL	Lythraceae
<i>Madia gracilis</i>	Slender Tarplant or Madia	AH	.	Asteraceae
<i>Malacothamnus fasciculatus</i> var. <i>fasciculatus</i>	Chaparral Bushmallow	S	.	Malvaceae
<i>Malacothrix saxatilis</i> var. <i>tenuifolia</i>	Tenuated Cliff-aster	PH	.	Asteraceae
<i>Malosma laurina</i>	Laurelleaf Sumac	S	.	Anacardiaceae
<i>Marah fabaceus</i> var. <i>agrestis</i>	California Man-root	PV	.	Cucurbitaceae
<i>Marrubium vulgare</i> *	White Horehound	PH	FAC	Lamiaceae
<i>Medicago lupulina</i> *	Black Medick	AH	FAC	Fabaceae
<i>Melica imperfecta</i>	Coast Melic Grass	PG	.	Poaceae
<i>Melilotus indica</i> *	Yellow Sweetclover	AH	FAC	Fabaceae
<i>Mentzelia laevicaulis</i>	Blazing Star	AH	.	Loasaceae
<i>Mimulus aurantiacus</i> var. <i>aurantiacus</i>	Bush Monkeyflower	S	.	Phrymaceae
<i>Mimulus cardinalis</i>	Scarlet Monkeyflower	PH	OBL	Phrymaceae
<i>Mimulus guttatus</i>	Common Streamside Monkeyflower	PH	OBL	Phrymaceae
<i>Mimulus longiflorus</i> var. <i>longiflorus</i>	Sticky Bush Monkeyflower	S	.	Phrymaceae
<i>Mimulus pilosus</i>	Pilose or Downy Monkeyflower	AH	.	Phrymaceae
<i>Monardella lanceolata</i>	Mustang Mint	AH	.	Lamiaceae
<i>Nassella lepida</i>	Foothill Needlegrass	PG	.	Poaceae

# Checklist of Plants of Santa Paula Canyon, Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	WIS	Family
<i>Nicotiana glauca</i> *	Tree Tobacco	S	FAC	Solanaceae
<i>Opuntia littoralis</i>	Coastal Prickly Pear	S	.	Cactaceae
<i>Paeonia californica</i>	California Peony	PH	.	Paeoniaceae
<i>Parietaria hespera</i> var. <i>californica</i>	California Pellitory	AH	.	Urticaceae
<i>Parietaria hespera</i> var. <i>hespera</i>	Southwest Pellitory	AH	.	Urticaceae
<i>Pellaea andromedifolia</i> var. <i>andromedifolia</i>	Coffee Fern	PF	.	Pteridaceae
<i>Pellaea mucronata</i>	Birdsfoot Trefoil	PF	.	Pteridaceae
<i>Pentagramma triangularis</i> ssp. <i>triangularis</i>	Goldenback Fern	PF	.	Pteridaceae
<i>Phacelia cicutaria</i> var. <i>hispida</i>	Hispid Caterpillar Phacelia	AH	.	Boraginaceae
<i>Phacelia longipes</i>	Long-stalked Phacelia	AH	.	Boraginaceae
<i>Phacelia viscida</i>	Sticky Phacelia	AH	UPL*	Boraginaceae
<i>Pholistoma auritum</i> var. <i>auritum</i>	Blue Fiesta Flower	AH	.	Boraginaceae
<i>Picris echioides</i> *	Bristly Ox-tongue	AH	FAC*	Asteraceae
<i>Piptatherum miliaceum</i> *	Smilo Grass	PG	(FACU-)	Poaceae
<i>Platanus racemosa</i> var. <i>racemosa</i>	California Sycamore	T	FACW	Platanaceae
<i>Poa annua</i>	Annual Bluegrass	AG	FACW-	Poaceae
<i>Poa secunda</i> ssp. <i>secunda</i>	One-sided Bluegrass	PG	.	Poaceae
<i>Polygala cornuta</i> var. <i>fishiae</i>	Fish's Milkwort	S	(FAC)	Polygalaceae
<i>Polypodium californicum</i>	California Polypody	PF	.	Polypodiaceae
<i>Polypogon monspeliensis</i> *	Rabbistsfoot Beardgrass	AG	FACW+	Poaceae
<i>Populus trichocarpa</i>	Black Cottonwood	T	FACW	Salicaceae
<i>Populus fremontii</i> ssp. <i>fremontii</i>	Fremont Cottonwood	T	FACW	Salicaceae
<i>Prunus ilicifolia</i> ssp. <i>ilicifolia</i>	Hollyleaf Cherry	S	.	Rosaceae
<i>Pseudognaphalium bioletti</i>	Bicolored Everlasting	A/BH	.	Asteraceae
<i>Pseudognaphalium californicum</i>	Green Everlasting	BH	.	Asteraceae
<i>Pseudognaphalium luteoalbum</i> *	Cudweed Everlasting	AH	FACW-	Asteraceae
<i>Pseudognaphalium microcephalum</i>	White Everlasting	AH	.	Asteraceae
<i>Pseudotsuga macrocarpa</i>	Bigcone Spruce	T	.	Pinaceae
<i>Pterostegia drymarioides</i>	Fairy Mist	AH	.	Polygonaceae
<i>Quercus agrifolia</i> var. <i>agrifolia</i>	Coast Live Oak	T	.	Fagaceae
<i>Quercus berberidifolia</i>	California Scrub Oak	S	.	Fagaceae
<i>Rhamnus californica</i>	California Coffeeberry	S	.	Rhamnaceae
<i>Rhamnus crocea</i>	Spiny Redberry	S	.	Rhamnaceae
<i>Rhamnus ilicifolia</i>	Hollyleaf Redberry	S	.	Rhamnaceae
<i>Rhamnus tomentella</i> ssp. <i>tomentella</i>	Hoary Coffeeberry	S	.	Rhamnaceae
<i>Ribes</i> sp.	Currant	S	.	Grossulariaceae
<i>Ribes</i> sp.	Gooseberry	S	.	Grossulariaceae
<i>Rosa californica</i>	California Wild Rose	S	FAC+	Rosaceae
<i>Rubus ursinus</i>	Pacific Blackberry	PV	FACW*	Rosaceae
<i>Salix exigua</i>	Narrow-leaved Willow	S	OBL	Salicaceae
<i>Salix laevigata</i>	Red Willow	T	FACW	Salicaceae
<i>Salix lasiolepis</i> var. <i>lasiolepis</i>	Arroyo Willow	T	FACW	Salicaceae
<i>Salvia apiana</i>	White Sage	S	.	Lamiaceae
<i>Salvia columbariae</i>	Chia	AH	.	Lamiaceae
<i>Salvia leucophylla</i>	Purple Sage	S	.	Lamiaceae
<i>Salvia mellifera</i>	Black Sage	S	.	Lamiaceae
<i>Sambucus mexicana</i>	Blue Elderberry	S	FAC	Caprifoliaceae
<i>Sanicula crassicaulis</i> var. <i>crassicaulis</i>	Pacific Sanicle	PH	.	Apiaceae
<i>Senecio flaccidus</i> var. <i>douglasii</i>	Shrubby Butterweed	S	.	Asteraceae
<i>Senecio vulgaris</i> *	Common Groundsel	AH	NI*	Asteraceae
<i>Silene gallica</i> *	Windmill Pink	AH	.	Caryophyllaceae
<i>Silene laciniata</i> ssp. <i>major</i>	Mexican or Indian Pink	PH	.	Caryophyllaceae
<i>Solanum americanum</i> *	White Nightshade	A/PH	FAC	Solanaceae

# Checklist of Plants of Santa Paula Canyon, Ventura County, California

By David L. Magney

Scientific Name	Common Name	Habit	WIS	Family
<i>Solanum douglasii</i>	Douglas Nightshade	PH	FAC	Solanaceae
<i>Solanum xanti</i> var. <i>xanti</i>	Chaparral Nightshade	S	.	Solanaceae
<i>Sonchus oleraceus</i> *	Common Sow-thistle	AH	NI*	Asteraceae
<i>Stachys albens</i>	Woolly Hedge Nettle	PH	OBL	Lamiaceae
<i>Stachys bullata</i>	Pink Hedge Nettle	PH	.	Lamiaceae
<i>Stephanomeria cichoriacea</i>	Chicory-leaved Milk-aster	PH	.	Asteraceae
<i>Stephanomeria virgata</i> ssp. <i>virgata</i>	Twiggy Wreath Plant	AH	.	Asteraceae
<i>Tamarix ramosissima</i> *	Saltcedar	T	FAC	Tamarixaceae
<i>Thysanocarpus laciniatus</i>	Lace Pod	AH	.	Brassicaceae
<i>Torilis arvensis</i>	Hedge-parsley	AH	.	Apiaceae
<i>Torilis nodosa</i>	Rattlesnake Weed	AH	.	Apiaceae
<i>Toxicodendron diversilobum</i>	Western Poison Oak	S/V	(FACU)	Anacardiaceae
<i>Trichostema lanatum</i>	Woolly Bluecurls	S	.	Lamiaceae
<i>Trifolium willdenovii</i>	Tomcat Clover	AH	.	Fabaceae
<i>Turricula parryi</i>	Poodle-dog Bush	S	.	Boraginaceae
<i>Typha domingensis</i>	Southern Cattail	PH	OBL	Typhaceae
<i>Typha latifolia</i>	Broad-leaved Cattail	PG	OBL	Typhaceae
<i>Umbellularia californica</i> var. <i>californica</i>	California Bay	T	FAC	Lauraceae
<i>Urospermum picroides</i> *	Prickly Goldenfleece	AH	.	Asteraceae
<i>Venegasia carpesioides</i>	Canyon Sunflower	PH/S	.	Asteraceae
<i>Verbena lasiostachys</i> var. <i>lasiostachys</i>	Western Verbena	AH	FAC-	Verbenaceae
<i>Vinca minor</i> *	Lesser Periwinkle	PV	.	Apocynaceae
<i>Viola pedunculata</i> ssp. <i>pedunculata</i>	Johnny-Jump-Up	PH	.	Violaceae
<i>Vulpia bromoides</i> *	Slender Fescue	AG	FACW	Poaceae
<i>Vulpia myuros</i> var. <i>hirsuta</i> *	Foxtail Fescue	AG	FACU*	Poaceae

Notes: Scientific nomenclature follows Flora of North America Committee (1993-2010), Bailey and Bailey (1976)

for ornamentals, and CNPS (2010) for special-status species (**bold typeface**).

Plants in smaller font are not supported by a voucher collection.

An \* indicates non-native taxa that have become naturalized or persist without cultivation.

A + indicates ornamental or agricultural plant species that are actively cultivated.

Common names follow Abrams and Ferris (1960), Bailey and Bailey (1976) for ornamentals, and Hickman (1993),

Niehaus and Ripper (1976), DeGarmo (1980), and Weedon (1986) for natives; some are devised by the author.

Growth habit definitions:

AF = annual fern or fern ally.

AG = annual grass or graminoid.

AH = annual herb.

AV = annual vine.

BH = biennial herb.

PF = perennial fern or fern ally.

PG = perennial grass or graminoid.

PH = perennial herb.

PV = perennial vine.

S = shrub.

T = tree.

Wetland indicator status (Reed 1988): OBL = obligate wetland species, occurs almost always in wetlands (>99% probability)

FACW = facultative wetland species, usually found in wetlands (67-99% probability).

FAC = facultative species, equally likely to occur in wetlands or nonwetlands (34-67% probability).

FACU = facultative upland species, usually occur in nonwetlands (67-99% probability).

+ or - symbols are modifiers that indicate greater or lesser affinity for wetland habitats.

NI = no indicator has been assigned due to a lack of information to determine indicator status.

\* = a tentative assignment to that indicator status by Reed (1988).

A period "." indicates that no wetland indicator status has been given in Reed (1988).

Parentheses around an indicator status indicates the wetland status as suggested by David L. Magney.

This list was compiled based on searches of the Consortium of California Herbaria, Calflora, and field surveys

by David Magney on 4 April 1987, 9 April 1988, 3 July 2007, 30 September and 2 October 2008, and 9 February 2009.