

Checklist of Ventura County Rare Plants¹

By David L. Magney
California Native Plant Society, Rare Plant Program, Locally Rare Project
Updated 22 April 2020

Ventura County is located in southern California, USA, along the east edge of the Pacific Ocean. The coastal portion occurs along the south and southwestern quarter of the County. Ventura County is bounded by Santa Barbara County on the west, Kern County on the north, Los Angeles County on the east, and the Pacific Ocean generally on the south (Figure 1, General Location Map of Ventura County).

Ventura County extends north to 34.9014°N latitude at the northwest corner of the County. The County extends westward at Rincon Creek to 119.47991°W longitude, and eastward to 118.63233°W longitude at the west end of the San Fernando Valley just north of Chatsworth Reservoir. The mainland portion of the County reaches southward to 34.04567°N latitude between Solromar and Sequit Point west of Malibu. When including Anacapa and San Nicolas Islands, the southernmost extent of the County occurs at 33.21°N latitude and the westernmost extent at 119.58°W longitude, on the south side and west sides of San Nicolas Island, respectively.

Ventura County occupies 480,996 hectares [ha] (1,188,562 acres [ac]) or 4,810 square kilometers [sq. km] (1,857 sq. miles [mi]), which includes Anacapa and San Nicolas Islands. The mainland portion of the county is 474,852 ha (1,173,380 ac), or 4,748 sq. km (1,833 sq. mi.) in area and ranges in elevation from sea level on the southwest to 2,692 meters [m] (8,831 feet [ft.]) above sea level at its northern border on Mount Piños (Figure 2, Shade Relief Map of Mainland Ventura County). There appears to be some discrepancy in the actual area covered by Ventura County, depending on the source. For example, according to the California County Fact Book, 1983 edition (California Supervisors Association of California 1983), Ventura County occupies an area of 482,668 ha (1,192,680 ac) or 2,999 sq. km (1,863.6 sq. mi), with 3,254 ha (8,040 ac) or 20.3 sq. km (12.6 sq. mi) of that as water. The discrepancy appears to be a little over 2,469 ha (6,100 ac), which does not correspond to the area occupied by the two islands within the County. However, the difference does appear to match the area occupied by a rectangular portion of the county in the northeast corner, where the Ventura County Board of Supervisors voted to give away approximately 6,100 acres to Kern County to accommodate a proposed development that Ventura County felt it could not provide adequate County services to.

Mainland Ventura County is located between 34°00' and 35°00'N latitude and 118°38' and 119°28'W longitude, excluding Anacapa and San Nicolas Islands, and is generally longer than wide. Anacapa Islands are the smallest and easternmost of the northern Channel Islands while San Nicolas Island is an outer southern Channel Island.

¹ This document should be cited as: Magney, D.L. 2020. Checklist of Ventura County Rare Plants. 22 April 2020, Twenty-fifth Edition. California Native Plant Society, Channel Islands Chapter, Ojai, California. (Previous published update dated 21 March 2019.)

Figure 1. General Location Map of Ventura County





Figure 2. Shade Relief Map of Mainland Ventura County



The flora of Ventura County is comprised of approximately **2,827** native and naturalized vascular plant taxa, including those expected to occur but for which no vouchers are known (146 taxa) (Magney 2020²). A total of 2,581 taxa (91.3%) are known to occur in the county, which are supported by voucher specimens, with another 50 that have been observed by the author or reported by others, representing 93.1% of the county flora. Approximately 1,940 taxa (73.7%) of the flora are native, and another 691 (26.3%) taxa are not native (based on a flora of 2,581 taxa). A small percentage (10.9%) of the flora taxa (286 taxa) are quite common (dominant or common), on a scale ranging from dominant to rare (common, occasional, scattered, uncommon, and rare). Many more of the plant taxa in Ventura County are uncommon to quite rare.

All the species (including varieties and subspecies, which are lower taxonomic units than full species) of native and naturalized plants are important components of the biodiversity of life in Ventura County. While most species do not recognize political boundaries, such as county boundaries, our government agencies set policies and manage land use and resources based on such jurisdictional boundaries.

This list represents a compilation of known records and observations (many by the author) of all native vascular plant species:

- With ten (10) or fewer populations within Ventura County;
- Listed by the California Native Plant Society (CNPS) on a statewide basis (CNPS 2001³, 2020⁴);
- Listed by the US Fish and Wildlife Service as Threatened or Endangered under the federal Endangered Species Act;
- Listed by the California Fish and Game Commission as Rare, Threatened, or Endangered;
- Are at the limits of their distribution range (southernmost, northernmost, westernmost extent); or
- The Type Locality occurs within the County (then only the Type Locality is considered sensitive).

Some taxa are considered rare or uncommon throughout California, as established by CNPS in its *Inventory of Rare and Endangered Plants of California*, sixth edition (CNPS 2001), and the continuously updated online version (CNPS 2020) even though more than ten populations are known from Ventura County, including Anacapa Islands and San Nicolas Island. Such taxa known to occur within Ventura County are included, but lack an “R” or “U” designation if there are more than the 5 or 10 populations, respectively. Currently there are **1,246**⁵ taxa (47.4% of the known county flora of 2,631 taxa) included on this list of locally rare plants of Ventura County (including taxa that are rare statewide), present on the mainland and the two islands (Anacapa and San Nicolas). Another 145 (5.1% of the expected flora of 2,827 taxa) were appended that are likely to occur in the County but for which no voucher specimens or reliable locality data are available. These are included at the end of this list. Many of these potential additions are known to occur in adjacent counties and expected to occur in Ventura County. A total of 62 plants (2.4%) considered rare in Ventura County occur only on the Channel Islands (Anacapa and San Nicolas Islands) portion of the county. A number of taxa were deleted from this list when over ten (10) occurrences are known to occur in Ventura County.

² Magney, David L. 2020. Checklist of Vascular Plants of Ventura County, California. David Magney Environmental Consulting, Cedar Ridge, California, published on www.venturaflora.com. Based on Magney’s *A Flora of Ventura County: Annotated Catalogue of Vascular Plants*. Unpublished manuscript of 22 April 2020. David Magney Environmental Consulting, Cedar Ridge, California.

³ California Native Plant Society. 2001. *Inventory of Rare and Endangered Plants of California*. Sixth edition. (Special Publication No. 1.) Rare Plant Scientific Advisory Committee, David Tibor, Convening Editor, Sacramento, California. September.

⁴ California Native Plant Society. 2020. *Inventory of Rare and Endangered Plants of California*. (Online edition, v8-03 0.39.) 22 April 2020. Rare Plant Program, Sacramento, California.

⁵ This number is forty-six (46) more taxa than included on the previous edition of this list.

This list was compiled as the results of extensive research of the flora of Ventura County. It is based on extensive field searches; examination of specimens collected by others housed at public herbaria; and published reports. The author began research on the Ventura County flora in the late 1970s.

To be published in the future separately, *Ventura County Rare Plants* will provide much more information about those plants included in this checklist, including: a brief description of the plant, habitat preferences, associated plant communities, elevation range, and blooming period. That publication will include additional information for each taxon, including complete scientific name, known synonyms, common name(s), habit and size, rarity status, months it is in bloom or identifiable, and general and specific locality data, with supporting voucher collection information. Each specimen cited for a specific location includes the name of the collector, the collection number (or collection date if no number was assigned), and the herbarium in which it is stored (some duplicate specimens have been deposited in more than one herbarium). Location information is provided at two levels: a general geographic area, and then specific locations.

This list should be considered the best available information at the time of publication, as our knowledge of the Ventura County flora is dynamic, and growing with each botanical survey or foray. This checklist will be updated periodically and revised according to all new verifiable information provided. Occurrences of vascular plants found in Ventura County that add to or could change the status of any plant listed here should be submitted to the author via CNPS (attention: David Magney) or via email to [david\(at\)magney\(dot\)org](mailto:david(at)magney(dot)org). Any lists submitted must be supported by voucher specimens that are deposited in a public herbarium, according to CNPS and California Botanical Society policies based on Ferren et al. (1995⁶).

Plants not included in CNPS's *Inventory*, or listed by federal and state agencies, that have more than ten populations in Ventura County will be dropped from this list, except for those plants:

- representing range limits, such as the westernmost limit of the taxon's range; or
- the "Type Locality" sites ("Type Locality" sites are the sites from which the plant was originally collected and formally described from, and is represented by a "Type Specimen", for which a note occurs after the herbarium at which it is deposited as "Holotype" or "Isotype").

For those plants that are otherwise relatively common in Ventura County, only the populations that represent the limit of a plant's range should be considered of concern (as sensitive), with the remaining population(s) noted to provide perspective, but not considered sensitive/rare for the purposes of this checklist. *Artemisia tridentata* var. *tridentata* is an example of this, where it should be considered of local concern when it occurs in the western portion of the Santa Clara River Valley (the limit of its range) while the populations in the Upper Sespe Creek watershed and the northern part of the county are not of concern from a rarity perspective.

Special-status species are plants that are either listed as endangered or threatened under the Federal or California Endangered Species Acts; or considered to be rare under the California Native Plant Protection Act; or considered to be rare (but not formally listed) by resource agencies, professional organizations (e.g. California Native Plant Society), and the scientific community. For the purposes of this checklist, special-status species are further defined in Table 1, Definitions of Special-Status Plant Species.

Listed species are those taxa that are formally listed as endangered or threatened by the federal government (e.g. U.S. Fish and Wildlife Service [USFWS]) pursuant to the national Endangered

⁶ Ferren, W.R., Jr., D.L. Magney, and T.A. Sholars. 1995. The Future of California Floristics and Systematics: Collecting Guidelines and Documentation Techniques. *Madroño* 42(2):197-210.

Species Act or as endangered, threatened, or rare (for plants only) by the State of California (i.e. California Fish and Game Commission) pursuant to the California Endangered Species Act or the California Native Plant Protection Act.

The CNDDB Element Ranking system provides a numeric global and state ranking system for all special-status plant and wildlife species and rare habitats tracked by the CNDDB. The global rank (G-rank) is a reflection of the overall condition of an element (species or natural community) throughout its global range. The state ranking (S-rank) is assigned much the same way as the global rank, except state ranks in California often also contain a threat designation attached to the S-rank. This Element Ranking system is defined below in Table 2, Natural Diversity Data Base Element Ranking System. Not all special-status species considered in this checklist are tracked by the CNDDB, nor have global or state rarity ranking been given to them; therefore, the author has applied the rules described above to "rank" those special-status species lacking such ranking. Taxa for which Global and State rarity ranking have been devised here are followed by a "?" in parentheses, denoting tentative assignment.

Table 1. Definitions of Special-Status Plant Species

1. Plants legally protected under the California and Federal Endangered Species Acts or under other regulations.
2. Plants considered sufficiently rare by the scientific community to qualify for such listing; or
3. Plants considered to be sensitive because they are unique, declining regionally or locally, or are at the extent of their natural range.
Special-Status Plant Species
<ul style="list-style-type: none">◆ Plants listed or proposed for listing as threatened or endangered under the Federal Endangered Species Act (50 CFR 17.12 for listed plants and various notices in the Federal Register for proposed species).◆ Plants that are Category 1 or 2 (species of special concern) candidates for possible future listing as threatened or endangered under the Federal Endangered Species Act (55 CFR 6184, February 21, 1990).◆ Plants that meet the definitions of rare or endangered species under the CEQA (<i>State CEQA Guidelines</i>, Section 15380).◆ Plants considered by the CNPS to be "rare, threatened, or endangered" in California (Lists 1A, 1B, and 2 in CNPS [2001]⁷).◆ Plants listed by CNPS as plants about which we need more information and plants of limited distribution (Lists 3 and 4 in CNPS [2001]).◆ Plants listed or proposed for listing by the State of California as threatened or endangered under the California Endangered Species Act (14 CCR 670.5).◆ Plants listed under the California Native Plant Protection Act (California Fish and Game Code 1900 <i>et seq.</i>).◆ Plants considered sensitive by other federal agencies (i.e. U.S. Forest Service, Bureau of Land Management) or state and local agencies or jurisdictions.◆ Plants considered sensitive or unique by the scientific community or occurring at the limits of its natural range (<i>State CEQA Guidelines</i>, Appendix G).

CNPS's *Inventory of Rare and Endangered Plants of California*⁸ categorizes rare California plants into one of five lists or Ranks (1A, 1B, 2A, 2B, 3, & 4) representing the five levels of species status, one of which is assigned to a sensitive species to indicate its status of rarity or endangerment and distribution. A CNPS List is a more general designation than the three separate sets of information provided in a CNPS R-E-D Code (see the CNPS *Inventory* for definitions). However, the CNPS List is a significant designation in terms of a species' overall status throughout all of California, and it works well in conjunction to the specifications of the R-E-D Code. The CNPS R-E-D Code is a three-numbered numeric ranking, which is assigned to a special-status species, consisting of one number (1, 2, or 3) for

⁷ California Native Plant Society. 2001. *Inventory of Rare and Endangered Plants of California*. Sixth Edition.
Sacramento, California. September.

⁸ Ibid.

each of the three categories (Rarity-Endangerment-Distribution). Each number accurately describes the species' population levels and distribution patterns within each category.

As described for the NDDB ranking, not all special-status species (most) considered in this checklist are tracked by CNPS, nor have R-E-D codes been given to them; however, the author has applied the rules described above to "rank" those special-status species lacking such ranking to either "rare" or "uncommon"; however, these rankings are not included in the checklist. Rather the occurrence rankings for each are provided in the *Ventura County Rare Plants* and in the *Flora of Ventura County* to be published in 2019 by the author.

The large number of taxa on this list is the result of several factors:

1. Development in Ventura County has eliminated a majority of the natural vegetation in the southern half of the County, eliminating many occurrences of native plant species;
2. A number of taxa found nowhere else are present in Ventura County, local endemics, and several of these are listed as threatened or endangered by either the California Department of Fish and Game or the U.S. Fish and Wildlife Service;
3. Ventura County is geographically situated such that floral influences from the north, south, and east enter the County at its edges (limits of some species' ranges);
4. Anacapa and San Nicolas Islands support many species found only on the California Channel Islands, including island endemics;
5. Ventura County is topographically and climatically diverse, providing numerous habitats for uncommon and rare species; and
6. Botanical surveys have not been conducted systematically everywhere in the County. In other words, the flora of Ventura County is not fully understood or documented, and additional populations of a number of the plants listed below likely occur in the County, we just aren't aware of them yet. Regardless, significant collecting has occurred in the County over the last 150 years, and the author has a reasonably good understanding of the flora.

This list was compiled according to definitions under the California Environmental Quality Act (CEQA) under Initial Study Checklist Section 6, Subsections A and E. Projects reviewed under CEQA should consider impacts to one or more of the species included in this checklist as potentially significant. Generally, if a project would impact a population of one or more of the plants listed herein, that/those impact(s) should be considered significant unless substantial evidence is provided that may support an alternate conclusion.

What significance does a list of locally rare species have under CEQA?

The following answer is provided by John Buse, Esq., of the Environmental Defense Center of Ventura, California⁹. The CEQA Guidelines provide that a lead agency shall find that a project may have a significant effect on the environment if the project "... has the potential to ... reduce the number or restrict the range of an endangered, rare or threatened species ...". Guidelines §15065(a). In addition, the CEQA Guidelines Appendix G Environmental Checklist Form considers whether a project would "have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations ...".

⁹ Buse, John, Esq., Environmental Defense Center, memorandum to David Magney of CNPS dated 14 September 2002.

Table 2. Natural Diversity Database Element Ranking System

Global Ranking (G)	
G1	Less than 6 viable element occurrences (populations for species) OR less than 1,000 individuals OR less than 809.4 hectares (ha) (2,000 acres [ac]).
G2	6 to 20 element occurrences OR 809.4 to 4,047 ha (2,000 to 10,000 ac).
G3	21 to 100 element occurrences OR 3,000 to 10,000 individuals OR 4,047 to 20,235 ha (10,000 to 50,000 ac).
G4	Apparently secure; this rank is clearly lower than G3 but factors exist to cause some concern (i.e. there is some threat, or somewhat narrow habitat).
G5	Population or stand demonstrably secure to ineradicable due to being commonly found in the world.
GH	All sites are historic ; the element has not been seen for at least 20 years, but suitable habitat still exists.
GX	All sites are extirpated ; this element is extinct in the wild.
GXC	Extinct in the wild; exists in cultivation.
G1Q	The element is very rare, but there is a taxonomic question associated with it.

Subspecies Level

Subspecies receive a **T-rank** attached to the G-rank. With the subspecies, the G-rank reflects the condition of the entire species, whereas the T-rank reflects the global situation of just the subspecies or variety.

For example: *Chorizanthe robusta* var. *hartwegii*. This plant is ranked G2T1. The G-rank refers to the whole species range (i.e. *Chorizanthe robusta*, whereas the T-rank refers only to the global condition of var. *hartwegii*.

State Ranking (S)	
S1	Less than 6 element occurrences OR less than 1,000 individuals OR less than 809.4 ha (2,000 ac). S1.1 = very threatened S1.2 = threatened S1.3 = no current threats known
S2	6 to 20 element occurrences OR 3,000 individuals OR 809.4 to 4,047 ha (2,000 to 10,000 ac). S2.1 = very threatened S2.2 = threatened S2.3 = no current threats known..
S3	21 to 100 element occurrences OR 3,000 to 10,000 individuals OR 4,047 to 20,235 ha (10,000 to 50,000 ac). S3.1 = very threatened S3.2 = threatened S3.3 = no current threats known
S4	Apparently secure within California; this rank is clearly lower than S3 but factors exist to cause some concern (i.e. there is some threat, or somewhat narrow habitat). NO THREAT RANK.
S5	Demonstrably secure to ineradicable in California. NO THREAT RANK.
SH	All California sites are historic ; the element has not been seen for at least 20 years, but suitable habitat still exists.
SX	All California sites are extirpated ; this element is extinct in the wild.

Notes: 1. Other considerations used when ranking a species or natural community include the pattern of distribution of the element on the landscape, fragmentation of the population/stands, and historical extent as compared to its modern range. It is important to take a bird's eye or aerial view when ranking sensitive elements rather than simply counting element occurrences.

2. Uncertainty about the rank of an element is expressed in two major ways: by expressing the rank as a range of values (e.g., S2S3 means the rank is somewhere between S2 and S3), and by adding a ? to the rank (e.g. S2?). This represents more certainty than S2S3, but less than S2. (CNDBB 2002.)

According to the CEQA Guidelines, a species is considered “rare” when either:

- (A) Although not presently threatened with extinction, the species is existing in such small numbers throughout all or a significant portion of its range that it may become endangered if its environment worsens; or

- (B) The species is likely to become endangered within the foreseeable future throughout all or a significant portion of its range and may be considered “threatened” as that term is used in the Federal Endangered Species Act. Guidelines §15380(b)(2).

Species already listed under the California or federal ESA shall be presumed to be endangered, rare, or threatened. Guidelines §15380(c). A species not currently listed shall nevertheless be considered to be endangered, threatened, or rare if it meets the criteria in the CEQA definitions of “endangered” or “rare”. The term “sensitive” species, which appears in the Appendix G checklist, is not defined in CEQA.

If a species is considered locally rare due to its limited occurrence within a political boundary, such as the County of Ventura, and if the species’ local population constitutes a significant portion of its range, the species must be considered a rare species under CEQA. The mere placement of a species on a list of locally rare species is probably not enough to meet the CEQA criteria for endangered, threatened, or rare species. However, if the list contains some additional explanation indicating why the species meets the CEQA criteria, such as the fact that the local population constitutes a significant portion of the species’ range, the list should provide substantial evidence of rarity.

If the CEQA criteria are satisfied, it is irrelevant that a species is relatively common in other locations. For example, the Pacific Coast populations of the Snowy Plover are listed as threatened under the federal ESA, despite the fact that inland populations are relatively common and are not protected. The existence of the non-listed populations does not diminish the Snowy Plover’s status as an endangered, threatened, or rare species under CEQA. By extension, if the Pacific Coast populations of the Snowy Plover were not listed as threatened, these populations would still be considered endangered, threatened, or rare under CEQA. Accordingly, the special status for Snowy Plover in Ventura County under CEQA would still apply even if Snowy Plover was relatively common in, for example, Mono County. Assertions implying that a species necessarily does not warrant inclusion on a list of locally rare species if it is common elsewhere in California simply because it occurs rarely in Ventura County within a political boundary are incorrect. As the Snowy Plover example indicates, there will be instances when a locally rare species must be considered rare under CEQA despite the species’ common occurrence elsewhere in California.

Snowy Plover on the Pacific Coast is protected under the federal ESA based on the concept of a “distinct population segment” (DPS). Something similar to the DPS concept could be used to determine whether a locally rare species is, in fact, endangered, threatened, or rare under CEQA. The federal ESA allows a DPS, defined according to geographic or reproductive isolation, to be treated as a “species”. Therefore, as in the Snowy Plover example, a DPS can be listed even though the populations of the taxonomic species are common elsewhere. CEQA does not preclude use of the DPS concept to assist in understanding whether a species is endangered, threatened, or rare based on its local rarity; on the contrary, the CEQA Guidelines definition of “rare” appears to invite the consideration of similar circumstances that would inform the determination of a DPS under the federal ESA.

Under CEQA, lead agencies have considerable discretion in determining whether a species should be considered rare or sensitive. See, for example, the *State CEQA Guidelines* Appendix G checklist cited above, which indicates that lead agencies may designate candidate, sensitive, or special-status species in local or regional plans, policies, or regulations. A list of locally rare or sensitive species, if it is developed based on evidence that the local rarity meets the CEQA criteria for rarity, will effectively establish a rebuttable presumption of significance for species that may be adversely affected by a project. In this respect, a list of locally rare species as presented below will function in a manner similar to the threshold of significance that a lead agency may establish. CEQA requires, however, that thresholds of significance for general use in a lead agency’s environmental review process “must be

adopted by ordinance, resolution, rule, or regulation, and developed through a public review process and be supported by substantial evidence.” Guidelines §15064.7. For a list of locally rare or sensitive species to function as a set of thresholds of significance, therefore, the list should be adopted through a public review process. Even if the list is not adopted through a public review process, it will establish substantial evidence of rarity if it is accompanied by additional information showing, for example, that the local occurrences of a listed species constitute a substantial portion of the species’ range.

CNPS believes that this list of locally rare plants meets the definitions of rarity, at least locally, to satisfy consideration under CEQA. This checklist is supported by substantial evidence in the files of the author and data obtained from public herbaria and knowledgeable local botanists. Many of the taxa listed in this checklist are also listed by CNPS as rare or sensitive statewide, as well as those taxa formally listed under the California and/or federal ESA.

This checklist is updated regularly based on new information on the Ventura County flora. Species are added or deleted from this list as the new data warrant; therefore, be sure to obtain the most up-to-date version of this checklist. For example, for this update, compared to the 21 March 2019 (25th) edition (previous), 28 taxa were added (0 of which were added to the “expected to occur” list), 47 were dropped (listed at end of this list), 6 had some sort of name change or a spelling error corrected, and 34 had their rarity status changed (usually lowered from Rare to Uncommon). Future changes to this list will likely be a result in taxonomic changes. However, information on the flora is continually expanding with every botanical survey conducted, which may result in additional occurrences of plants on this list, or taxa not previously known to occur in Ventura County.

The most up-to-date version can be downloaded (as a PDF) from the Channel Islands Chapter CNPS website at www.cnpsci.org, or by contacting the author directly. Please send your notes on corrections, errors, and plant populations/occurrences you are aware of that may not be on this checklist to the author: David Magney, P.O. Box 1539, Cedar Ridge, CA 95924-1539 or via email at [david\(at\)magney\(dot\)org](mailto:david(at)magney(dot)org). Also contact the author if you need any specific locality data on any particular taxon included in this checklist.

Checklist of Rare Plants

Scientific Name¹⁰

<i>Abies lowiana</i> (Gordon & Glendinning) A. Murray bis
<i>Abronia maritima</i> Nutt. ex S. Watson
<i>Abronia maritima</i> Nutt. ex S. Watson X <i>A. umbellata</i> Lam.
<u><i>Abronia neurophylla</i> Standl.</u>
<i>Abronia pogonantha</i> Heimerl
<i>Abronia turbinata</i> Torr. ex S. Watson
<i>Abronia villosa</i> S. Watson var. <i>aurita</i> (Abrams) Jeps.
<i>Acamptopappus sphaerocephalus</i> (Har. & A. Gray) A. Gray var. <i>sphaerocephalus</i>
<u><i>Acanthomintha obovata</i> var. <i>cordata</i> Jokerst</u>
<u><i>Acanthoscyphus parishii</i> var. <i>abramsii</i> (E.A. McGregor) Reveal</u>

Common Name¹¹

California White Fir (S, LPNF ¹²)
Red or Sticky Sand-verbena (S, CNPS 4.2)
Hybrid Sand-verbena (R)
Beach Sand-verbena (R)
Desert Sand-verbena (R)
Turbinate Sand-verbena (R)
Woolly Sand-verbena (R, CNPS 1B.1)
Rayless Goldenhead (R)
Heartleaf Thorenmint (S, CNPS 4.2)
Abrams Spineflower (U, CNPS 1B.2)

¹⁰ Scientific name: The complete scientific name is provided for each taxon and consists of the genus, species, and author (person who formally described and named the plant). Underlined entries indicate taxa found only on the Channel Islands (Anacapa or San Nicolas Islands).

¹¹ Common names are given for all taxa, many of which are invented by the author as no common name has been identified otherwise. “R”, “U”, “Limits”, or “Type” in parentheses indicated the category of rarity: R = rare (formally listed by USFWS, CDFG, CNPS, or with 5 or fewer occurrences in Ventura County); U = uncommon (with 6 to 10 occurrences in Ventura County); Limits = indicate taxon reaches its distribution limits in Ventura County; Type = type locality is within Ventura County.

¹² LPNF = Los Padres National Forest Sensitive Plant List

<u>Scientific Name</u>	<u>Common Name</u>
<i>Acanthoscyphus [Oxytheca] parishii</i> (Parry) Small var. <i>parishii</i>	Parish's Oxytheca (R, CNPS 4.2)
<i>Acer negundo</i> var. <i>californicum</i> (Torrey & A. Gray) Sarg.	Box Elder (R)
<i>Achillea millefolium</i> var. <i>arenicola</i> (Heller) Nobs in Ferris	Common Island White Yarrow (U)
<i>Achillea millefolium</i> var. <i>californica</i> (Pollard) Jepson	California White Yarrow (U)
<i>Achillea millefolium</i> var. <i>occidentale</i> DC	Woolly White Yarrow (U)
<i>Achillea millefolium</i> var. <i>pacifica</i> (Rydb.) G.N. Jones	Pacific White Yarrow (R)
<i>Acmispon argophyllum</i> ssp. <i>argenteus</i> (Dunkle) Brouillet	Silver Deervetch (U)
<i>Acmispon argophyllum</i> ssp. <i>nivius</i> (E. Greene) Brouillet	Santa Cruz Island Silverhosackia (R)
<i>Acmispon dendroideus</i> (Greene) Brouillet var. <i>dendroideus</i>	Island Broom (R)
<i>Acmispon dendroideus</i> var. <i>veatchii</i> (Greene) Brouillet	San Miguel Island Deerweed (R)
<i>Acmispon denticulatus</i> (Drew) D.D. Sokoloff	White Lotus (U)
<i>Acmispon glaber</i> var. <i>brevialatus</i> (Otley) Brouillet	Deerweed (R)
<i>Acmispon heermanii</i> (Durand & Hilg.) Brouillet var. <i>heermanii</i>	Heerman Lotus or Hosackia (R)
<i>Acmispon heermanii</i> var. <i>orbicularis</i> (Gray) Brouillet	Heerman Lotus (R)
<i>Acmispon junceus</i> (Benth.) Brouillet var. <i>junceus</i>	Rush Lotus (R)
<i>Acmispon micranthus</i> (Torrey & A. Gray) Brouillet	Grab Hosackia or Lotus (R)
<i>Acmispon nevadensis</i> var. <i>davidsonii</i> (Greene) Brouillet	Suphur-flowered Hosackia (U)
<i>Acmispon nevadensis</i> (S. Watson) Brouillet var. <i>nevadensis</i>	Sierra Nevada Hosackia (R)
<i>Acmispon parviflorus</i> (Benth.) Brouillet	Tiny Lotus (R)
<i>Acmispon prostratus</i> (T.& G.) Brouillet	Nuttall's Lotus (R, 1B.1)
<i>Adenostoma sparsifolium</i> Torrey	Red Shank, Ribbon-bush (U)
<i>Aesculus californica</i> (Spach) Nutt.	California Buckeye (R)
<i>Agoseris elata</i> (Nuttall) E. Greene	Tall Mountain Dandelion (R)
<i>Agrostis hallii</i> Vasey	Hall's Bentgrass (R)
<i>Agrostis pallens</i> Trin.	Thinggrass (U)
<i>Alisma plantago-aquaticum</i> L.	Common or Broadleaf Water-plantain (R)
<i>Allium amplexens</i> Torrey	Narrowleaf Onion (R)
<i>Allium burlewii</i> A. Davidson	Burlew Onion (U)
<i>Allium cratericola</i> Eastw.	Cratered Onion (R)
<i>Allium denticulatum</i> (Traub) D. McNeal	Dentate Fringed Onion (R)
<i>Allium fimbriatum</i> var. <i>mohavense</i> Jepson	Mojave Onion (R)
<i>Allium haematochiton</i> S. Watson	Red-skinned Onion (U)
<i>Allium howellii</i> var. <i>clokeyi</i> Traub	Mount Piños Onion (Type, CNPS 1B.3)
<i>Allium lacunosum</i> var. <i>davisiae</i> (M.E. Jones) D. McNeal	Davis Onion (R, W Limits)
<i>Allium lacunosum</i> S. Watson var. <i>lacunosum</i>	Pitted Onion (R)
<i>Allium monticola</i> Davidson	Mountain Onion (R)
<i>Allium parryi</i> S. Watson	Parry Fringed Onion (R)
<i>Allium parvum</i> Kellogg	Small Onion (R)
<i>Allium peninsulare</i> Lemmon var. <i>peninsulare</i>	Peninsular Onion (U)
<i>Allium praecox</i> Brandegee	Early Onion (R)
<i>Allium sanbornii</i> Alph. Wood var. <i>sanbornii</i>	Sanborn Onion (R)
<i>Allium tribracteatum</i> Torrey	Three-bracted Onion (R)
<i>Allium vineale</i> L.	Wild Garlic (R)
<i>Allophylum divaricatum</i> (Nuttall) A.D. Grant & V. Grant	Divaricate Allophylum (R)
<i>Allophylum gilioides</i> (Bentham) A.D. Grant & V. Grant ssp. <i>gilioides</i>	Straggling Gilia (R)
<i>Allophylum integrifolium</i> (Brand) A.D. Grant & V. Grant	Sticky Allophylum (R)
<i>Alnus incana</i> ssp. <i>tenuifolia</i> (Nuttall) Breitung	Mountain Alder (R, Disjunct, S Limits)
<i>Alopecurus carolinianus</i> Walter	Carolina Foxtail (R)
<i>Alopecurus saccatus</i> Vasey	Pacific Foxtail (R)
<i>Amaranthus californicus</i> (Moq.) S. Watson	California Amaranth (R)
<i>Amaranthus palmeri</i> S. Watson ssp. <i>palmeri</i>	Palmer Amaranth (U)
<i>Amaranthus powellii</i> ssp. <i>bouchenii</i> (Thell.) Costea & Carretero	Bouchenl Amaranth (R)
<i>Amaranthus powellii</i> S. Watson ssp. <i>powellii</i>	Powell Amaranth (U)
<i>Ambrosia confertiflora</i> DC.	Weak-leaved Burweed or Bur-sage (R)
<i>Ambrosia dumosa</i> (A. Gray) Payne	White Bur-sage (R)
<i>Ambrosia salsola</i> var. <i>fasiculata</i> (A. Nelson) Stother & B.G. Baldwin	White Burrobrush (R)
<i>Ambrosia salsola</i> (T.&G. Ex G.) Stother & B.G. Baldwin var. <i>salsola</i>	Burrobrush (R)

Scientific Name

Common Name
<i>Amelanchier alnifolia</i> var. <i>pumila</i> (Nuttall) Nelson
<i>Amelanchier pallida</i> E. Greene
<i>Amelanchier utahensis</i> Koehne
<i>Ammannia coccinea</i> Rottb.
<i>Ammannia robusta</i> Heer & Regel
<i>Amsinckia douglasiana</i> A. DC.
<i>Amsinckia eastwoodae</i> J.F. Macbr.
<i>Amsinckia spectabilis</i> Fischer & C. Meyer var. <i>spectabilis</i>
<i>Amsinckia vernicosa</i> Hook. & Arn. var. <i>vernicosa</i>
<i>Andropogon glomeratus</i> var. <i>pumilus</i> Vasey ex Dewey
<i>Andropogon glomeratus</i> var. <i>scabriglumis</i> C.S. Campbell
<i>Androsace elongata</i> ssp. <i>acuta</i> (E. Greene) G. Robb.
<i>Antennaria dimorpha</i> (Nuttall) Torrey & A. Gray
<i>Anthoxanthum occidentale</i> (Buckley) Veldkamp
<i>Antirrhinum coulterianum</i> Bentham ssp. <i>coulterianum</i>
<i>Antirrhinum nuttallianum</i> Benth. ssp. <i>nuttallianum</i>
<i>Antirrhinum nuttallianum</i> ssp. <i>subsessile</i> (A. Gray) D. Thompson
<i>Antirrhinum ovatum</i> Eastwood
<i>Aphanes occidentalis</i> (Nuttall) Rydb.
<i>Aphanisma blitoides</i> Moq.
<i>Apocynum androsaemifolium</i> L.
<i>Apocynum Xmedium</i> E. Greene (<i>A. androsaemifolium</i> ssp. <i>a.</i> var. <i>incanum</i> X <i>A. cannabinum</i> var. <i>hypericifolium</i>) Bitter Dogbane (R)
<i>Aquilegia eximia</i> Van Houtte ex Planchon
<i>Aquilegia formosa</i> var. <i>truncata</i> (Fischer & C.A. Meyer) Baker
<i>Aralia californica</i> S. Watson
<i>Arbutus menziesii</i> Pursh
<i>Arctostaphylos glandulosa</i> ssp. <i>adamsii</i> (Munz) Munz
<i>Arctostaphylos glandulosa</i> Eastw. X <i>A. glauca</i> Lindley
<i>Arctostaphylos patula</i> Greene
<i>Argenome corymbosa</i> E. Greene ssp. <i>corymbosa</i>
<i>Argemone munita</i> ssp. <i>rotundata</i> (Rydberg) G. B. Ownbey
<i>Argentina egedii</i> (Wormsk.) Rydb. ssp. <i>egedi</i>
<i>Aristida adscensionis</i> L.
<i>Aristida divaricata</i> Humb. & Bonpl. ex Willd.
<i>Aristida purpurea</i> Nuttall var. <i>purpurea</i>
<i>Aristida ternipes</i> var. <i>hamulosa</i> (Henrard) J.S. Trent
<i>Arnica discoidea</i> Benth. var. <i>discoidea</i>
<i>Ambrosia artemisiifolia</i> L.
<i>Artemisia ludoviciana</i> ssp. <i>albula</i> (Wooton) Keck
<i>Artemisia ludoviciana</i> ssp. <i>incompta</i> (Nutt.) Keck
<i>Artemisia ludoviciana</i> Nuttall ssp. <i>ludoviciana</i>
<i>Artemisia nesiotica</i> Raven
<i>Artemisia tridentata</i> ssp. <i>parishii</i> (Gray) H.M. Hall & Clements
<i>Artemisia tridentata</i> ssp. <i>vaseyan</i> (Rydb.) Beetle
<i>Arthrocnemum [Salicornia] subterminalis</i> (Parish) Standley
<i>Asclepias erosa</i> Torrey
<i>Asclepias vestita</i> Hook. & Arn.
<i>Asplenium vespertinum</i> Maxon
<i>Aster ascendens</i> Lindley
<i>Aster chilensis</i> Nees
<i>Aster lanceolatus</i> ssp. <i>hesperius</i> (Gray) Semple & Chmielewski
<i>Aster latus</i> E. Greene
<i>Astragalus asymmetricus</i> E. Sheldon
<i>Astragalus brauntonii</i> Parish
<i>Astragalus coccineus</i> Brandegee

¹³ FE = Federally listed Endangered.

<u>Scientific Name</u>	<u>Common Name</u>
<i>Astragalus curtipes</i> A. Gray	San Luis Obispo Milkvetch (R)
<i>Astragalus didymocarpus</i> Hook. & Arn. var. <i>didymocarpus</i>	Two-seeded Milkvetch (U)
<i>Astragalus didymocarpus</i> var. <i>dispermus</i> (A. Gray) Jepson	Disperse Two-seeded Milkvetch (R)
<i>Astragalus didymocarpus</i> var. <i>milesianus</i> (Rydb.) Jeps.	South Coast Two-seeded Milkvetch (R, CNPS 1B.2)
<i>Astragalus didymocarpus</i> var. <i>obispoensis</i> (Rydb.) Jeps.	San Luis Obispo Two-seeded Milkvetch (R)
<i>Astragalus douglasii</i> var. <i>parishii</i> (Gray) M.E. Jones	Parish Milkvetch (R)
<i>Astragalus filipes</i> Gray	Thread-leaved Locoweed (U)
<i>Astragalus gambelianus</i> E. Sheldon	Dwarf Locoweed (U)
<i>Astragalus lentiginosus</i> Hook. var. <i>diphysus</i>	Freckled Locoweed (R)
<i>Astragalus lentiginosus</i> Hooker var. <i>fremontii</i> (A. Gray) S. Watson	Fremont Spotted Locoweed (U)
<i>Astragalus lentiginosus</i> var. <i>nigricalycis</i> M.E. Jones	Black-sepaled Freckled Locoweed (R)
<i>Astragalus lentiginosus</i> var. <i>sierrae</i> M.E. Jones	Bear Valley Milkvetch (R, CNPS 1B.2)
<i>Astragalus leucolobus</i> M.E. Jones	Bear Valley Woollypod (R, CNPS 1B.2)
<i>Astragalus leucopsis</i> Torrey var. <i>leucopsis</i>	Coast Rattleweed (R)
<i>Astragalus macrodon</i> (Hook. & Arn.) Gray	Salinas Valley Milkvetch (R, CNPS 4.3)
<i>Astragalus miquelensis</i> Greene	San Miguel Milkvetch (R, CNPS 4.3)
<i>Astragalus nuttallii</i> (Torrey & A. Gray) J.T. Howell var. <i>nuttallii</i>	Nuttall's Milkvetch (R, CNPS 4.2)
<i>Astragalus oxyphysus</i> Gray	Robust Milkvetch (R)
<i>Astragalus pomonensis</i> M.E. Jones	Pomona Locoweed (R)
<i>Astragalus purshii</i> Douglas ex Hooker var. <i>purshii</i>	Pursh's Woollypod Milkvetch (R)
<i>Astragalus pycnostachyus</i> var. <i>lanosissimus</i> (Rydb.) Munz	Ventura Marsh Milkvetch (R, CNPS 1B.1, FE, SE ¹⁴)
<i>Astragalus traskiae</i> Eastwood	Trask Locoweed or Milkvetch (R, CNPS 1B.2)
<i>Astragalus trichopodus</i> (Nutt.) Gray var. <i>trichopodus</i>	Three-pod Milkvetch (U)
<i>Astragalus whitneyi</i> Gray var. <i>whitneyi</i>	Whitney Locoweed (R)
<i>Astragalus whitneyi</i> var. <i>pinosus</i> Elmer	Mount Pinos Locoweed (R, Type)
<i>Athyisanus unilateralis</i> (M.E. Jones) Jeps.	Ladiestongue Mustard (R)
<i>Atriplex argentea</i> Nutt. var. <i>argentea</i>	Silverscale (R)
<i>Atriplex argentea</i> var. <i>expansa</i> (S. Watson) S.L. Welsh & Reveal	Broad Silverscale (R)
<i>Atriplex argentea</i> var. <i>mohavensis</i> (M.E. Jones) S.L. Welsh	Mojave Silverscale (R)
<i>Atriplex canescens</i> (Pursh) Nutt. var. <i>laciniata</i> Parish in Jepson	Caleb Saltbush (R)
<i>Atriplex linearis</i> S. Watson	Slenderleaf Saltbush (R)
<i>Atriplex coulteri</i> (Moq.) D. Dietr.	Coulter Saltbush (R, CNPS 1B.2)
<i>Atriplex dioica</i> Raf.	Thickleaf Orach (R)
<i>Atriplex lentiformis</i> (Torrey) S. Watson ssp. <i>lentiformis</i>	Big Saltbush, Quailbrush (W Limits)
<i>Atriplex pacifica</i> Nelson	South Coast Saltbush (R, CNPS 1B.2)
<i>Atriplex parishii</i> S. Watson var. <i>parishii</i>	Parish Brittlescale (R, CNPS 1B)
<i>Atriplex polycarpa</i> (Torrey) S. Watson	Common Saltbush, Allscale (U)
<i>Atriplex prostrata</i> Boucher ex de Candolle	Spearscale (U)
<i>Atriplex serenana</i> var. <i>davidsonii</i> (Standley) Munz	Davidson Bractscale (R, CNPS 1B.2)
<i>Atriplex serenana</i> Nelson var. <i>serenana</i>	Bractscale (R)
<i>Baccharis salicina</i> Torrey & A. Gray	Emory Baccharis (R)
<i>Baccharis malibuensis</i> Beauchamp & Henrickson	Malibu Baccharis (R, CNPS 1B.1)
<i>Baccharis plummerae</i> Gray ssp. <i>plummerae</i>	Plummer Baccharis (CNPS 4.3)
<i>Bahiopsis laciniata</i> (A. Gray) E.E. Schill.	San Diego County Viguiera (R)
<i>Batis maritima</i> L.	Saltwort, Beachwort (R)
<i>Berberis dictyota</i> Jeps.	Dull-leaf Barberry (R)
<i>Berberis pinnata</i> ssp. <i>insularis</i> Munz	Island Barberry (R, FE, SE, CNPS 1B.1)
<i>Berberis pinnata</i> Lagasca ssp. <i>pinnata</i>	Pinnate-leaved Barberry (R)
<i>Bergia texana</i> (Hook.) Seub. ex Walp.	Texas Bergia (R)
<i>Berula erecta</i> (Huds.) Coville	Cutleaf Water-parsnip (U)
<i>Bidens frondosa</i> L.	Sticktight (R)
<i>Bidens laevis</i> (L.) Britton, Sterns & Pogg.	Bur-marigold (R)
<i>Boechera breweri</i> (S. Watson) Al-Shehbaz ssp. <i>breweri</i>	Brewer Rockcress (R, S Limits)
<i>Boechera californica</i> (Rollins) Windham & Al-Shehbaz	California Rockcress (U)
<i>Boechera perennans</i> (S. Watson) W.A. Weber	Perennial Rockcress (R)

¹⁴ SE = State listed Endangered

Scientific Name

Boechera retrofracta (Graham) A. Löve & D. Löve
Boechera xylopoda Windham & Al-Shehbaz
Boerhavia coccinea Mill.
Bolboschoenous maritimus X *B. robustus*
Bolboschoenous robustus (Pursh) Soják, Čas. Nár.
Boschniakia strobilacea Gray
Bothriochloa barbinodis (Lagasca) Herter
Botrychium simplex E. Hitchc.
Boykinia occidentalis T. & G.
Boykinia rotundifolia C. Parry
Brickellia californica (T. & G.) Gray X *B. nevinii* Gray
Brickellia longifolia S. Watson var. *longifolia*
Brodiaea coronaria (Salisbury) Jepson ssp. *coronaria*
Brodiaea jolonensis Eastw.
Brodiaea terrestris ssp. *kernensis* (Hoover) Niehaus
Bromus arizonicus (Shear) Stebbins
Bromus maritimus (Piper) Hitchcock
Bromus orcuttianus (Shear) A. Hitchc.
Bromus porteri (J.M. Coul.) Nash
Bromus pseudolaevipes Wagnon
Cakile edentula (Bigelow) Hooker ssp. *edentula*
Calandrinia breweri S. Watson
California macrophylla (H. & A.) Aldas., C. Navarro, P. Vargas, Ll. Saez & Aedo
Callitricha marginata Torrey
Calochortus catalinae S. Watson
Calochortus clavatus S. Watson ssp. *clavatus*
Calochortus clavatus ssp. *gracilis* Ownby
Calochortus clavatus ssp. *pallidus* (Hoover) Munz
Calochortus coeruleus (Kellogg) S. Watson
Calochortus fimbriatus H.P. McDonald
Calochortus luteus Lindley
Calochortus palmeri S. Watson var. *palmeri*
Calochortus plummerae Greene
Calochorhus rustvoldii Callahan
Calyptidium monospermum Greene
Calyptidium parryi Gray var. *parryi*
Calyptidium umbellatum (Torrey) Greene
Calystegia macrostegia ssp. *amplissima* Brummitt
Calystegia malacophylla ssp. *tomentella* var. *deltoides* (Greene) Munz
Calystegia occidentalis ssp. *fulcrata* (Gray) Brummitt
Calystegia occidentalis ssp. *occidentalis* var. *tomentella* (Greene) Brummitt
Calystegia peirsonii (Abrams) Brummitt
Calystegia sepium ssp. *binghamiae* (Greene) Brummitt
Camissonia boothii ssp. *desertorum* (Munz) P.H. Raven
Camissonia boothii ssp. *rutila* (Davidson) Munz
Camissonia brevipes (A. Gray) Raven ssp. *brevipes*
Camissonia campestris cf. ssp. *obispoensis* Raven
Camissoniopsis cheiranthifolia (Sprengel) W.L. Wagner & Hoch ssp. *cheiranthifolia*
Camissonia contorta (Douglas) P.H. Raven
Camissonia kernensis (Munz) P.H. Raven ssp. *kernensis*
Camissonia lacustris P.H. Raven
Camissonia palmeri (S. Watson) Raven
Camissoniopsis confusa (P.H. Raven) W.L. Wagner & Hoch
Camissoniopsis ignota (Jepson) W.L. Wagner & Hoch
Camissoniopsis luciae (P.H. Raven) W.L. Wagner & Hoch
Camissoniopsis pallida (Abrams) W.L. Wagner & Hoch ssp. *pallida*
Cardamine breweri S. Watson var. *breweri*

Common Name

Holboell Rockcress (R)
 Desert Rockcress (R, SW Limits)
 Scarlet Spiderling (R)
 Hybrid Bulrush (R)
 Seashore Bulrush (R)
 California Ground Cone (R)
 Cane Bluestem (U)
 Least Moonwort, Little Grapefern (R)
 Santa Lucia Brookfoam (U)
 Roundleaved Boykinia (R)
 California-Nevin Brickellbush Hybrid (R)
 Long-leaved Brickellbush (R)
 Crown Brodiaea (R)
 Dwarf Brodiaea (U)
 Harvest Brodiaea (U)
 Arizona Brome (U)
Maritime Brome (R)
 Orcutt Brome (R)
 Nodding Brome (R)
 Woodland Brome (U)
 American Searocket (R)
 Brewer Calandrinia (U, CNPS 4.2)
 Largeleaf Filaree (R)
 California Water-starwort, Wallow Starwort (R)
 Catalina Mariposa Lily (CNPS 4.2)
 Club-haired Mariposa Lily (C, CNPS 4.3)
 Slender Club-haired Mariposa Lily (R, CNPS 1B.2)
 Pale Yellow Mariposa Lily (U)
 Beavertail-grass (R)
 Late-flowered Mariposa Lily (R, CNPS 1B.2)
 Gold Nuggets (R)
 Palmer Mariposa Lily (U, CNPS 1B.2)
 Plummer Mariposa Lily (S, CNPS 4.2)
 Rustvold's Mariposa Lily (R, CNPS 1.B)
 One-seeded Pussy-paws (R)
 Parry Calyptidium (U)
 Pussy-paws (U)
Island Morning-glory (R, CNPS 4.3)
 Tehachapi Morning-glory (R)
 Western Morning-glory (R)
 Woolly Western Morning-glory (R)
 Peirson's Morning-glory (R, CNPS 4.2)
 Santa Barbara Morning-glory (R, CNPS 1A)
 Desert Shredding Primrose (R)
 Booth's Shredding Primrose (R)
 Yellow Cups (R)
 San Luis Obispo Sun-cup (R)
cheiranthifolia Beach Primrose (R)
 Contorted Primrose (R)
 Kern County Primrose (R)
 Lakeside Primrose (R)
 Palmer Primrose (U)
 Confusing Primrose (U)
 Small Primrose (U)
 Santa Lucia Sun-cup (R)
 Pale Primrose (R)
 Brewer's Bitter-cress (R)

<u>Scientific Name</u>	<u>Common Name</u>
<i>Cardamine pachystigma</i> (S. Watson) Rollins var. <i>pachystigma</i>	Toothwort (R)
<i>Cardionema ramosissimum</i> (Weinm.) A. Mels. & J.F. Macbr.	Sand Mat (R)
<i>Carex abrupta</i> Mackenzie	Abrupt-beaked Sedge (R)
<i>Carex athrostachya</i> Olney	Slender-beaked Sedge (R)
<i>Carex aurea</i> Nuttall	Golden-fruited Sedge (R)
<i>Carex barbara</i> Dewey	Santa Barbara Sedge (R)
<i>Carex bolanderi</i> Olney	Bolander Sedge (R)
<i>Carex brainerdii</i> Mack.	Brainerd Sedge (R)
<i>Carex densa</i> L. Bailey	Dense Sedge (R)
<i>Carex douglasii</i> Boott	Douglas Sedge (U)
<i>Carex filifolia</i> var. <i>erostrata</i> Kük.	Short-grass Sedge (R)
<i>Carex fracta</i> Mackenzie	Fragile-sheathed Sedge (R)
<i>Carex globosa</i> Boott	Round-fruited Sedge (R)
<i>Carex hassei</i> L. Bailey	Hasse Sedge (R)
<i>Carex lanuginosa</i> Michaux	Woolly Sedge (R)
<i>Carex multicaulis</i> L. Bailey	Many-stemmed Sedge (R)
<i>Carex nebrascensis</i> Dewey	Nebraska Sedge (R)
<i>Carex pansa</i> L. Bailey	Sand Dune Sedge (R)
<i>Carex pellita</i> Muhl. ex Willd.	Woolly Sedge (R)
<i>Carex rossii</i> Boott	Ross Sedge (R)
<i>Carex schottii</i> Dewey	Schott Sedge (R)
<i>Carex spissa</i> L.H. Bailey	San Diego Sedge (R)
<i>Carex subfusca</i> W. Boott	Brown Sedge (U)
<i>Carex triquetra</i> Boott	Triangular-fruited Sedge (R)
<i>Castilleja angustifolia</i> (Nuttall) G. Don	Desert Indian Paintbrush (R)
<i>Castilleja applegatei</i> ssp. <i>disticha</i> (Eastw.) Chuang & Heckard	Eastwood Indian Paintbrush (R)
<i>Castilleja applegatei</i> ssp. <i>pinetorum</i> (Fern.) Chuang & Heckard	Wavyleaf Indian Paintbrush (U)
<i>Castilleja attenuata</i> (Gray) Chuang & Heckard	Valley Tassels (R)
<i>Castilleja densiflora</i> (Benth.) Chuang & Heckard ssp. <i>densiflora</i>	Dense-flowered Owl's Clover (R)
<i>Castilleja lanata</i> ssp. <i>hololeuca</i> (Greene) Chuang & Heckard	White-felted Indian Paintbrush (R, CNPS 1B.2)
<i>Castilleja miniata</i> Hook. ssp. <i>miniata</i>	Great Red Indian Paintbrush (U)
<i>Castilleja minor</i> (A. Gray) A. Gray ssp. <i>minor</i>	Annual Indian Paintbrush (R)
<i>Castilleja mollis</i> Pennell	Soft-leaved Indian Paintbrush (R, CNPS 1B.1)
<i>Castilleja plagiotaoma</i> A. Gray	Mojave Indian Paintbrush (R)
<i>Castilleja subinclusa</i> ssp. <i>franciscana</i> (Pennell) Chuang & Heckard	San Francisco Long-leaved Indian Paintbrush (U)
<i>Castilleja tenuis</i> (A.A. Heller) Chuang & Heckard	Bristle Owl's Clover (R)
<i>Caulanthus amplexicaulis</i> S. Watson var. <i>amplexicaulis</i>	Clasping-leaved Jewelflower (U)
<i>Caulanthus anceps</i> Payson	Lemmon Mustard (R)
<i>Caulanthus californicus</i> (S. Watson) Payson	California Jewelflower (R, FE)
<i>Caulanthus heterophyllus</i> (Nutt.) Payson var. <i>heterophyllus</i>	Different-leaved Jewelflower (U)
<i>Caulanthus inflatus</i> S. Watson	Desert Candle (R)
<i>Caulanthus lemmonii</i> S. Watson	Lemmon Jewelflower (U, CNPS 1B.2)
<i>Ceanothus cuneatus</i> var. <i>ramulosus</i> Greene	Coast Ceanothus (R)
<i>Ceanothus dentatus</i> T. & G.	Dentate Ceanothus (R)
<i>Ceanothus integrerrimus</i> var. <i>macrothyrsus</i> (Torr.) Benson	Umpqua Deer Brush (R)
<i>Ceanothus megacarpus</i> var. <i>insularis</i> (Eastw.) Munz	Island Ceanothus (R)
<i>Ceanothus megacarpus</i> var. <i>pendulous</i> McMinn	Pendulous Bigpod Ceanothus (R)
<i>Ceanothus oliganthus</i> var. <i>sorediatus</i> (Hook. & Arn.) Hoover	Jim Brush (R)
<i>Ceanothus palmeri</i> Trel.	Palmer Ceanothus (U)
<i>Ceanothus papillosus</i> T. & G. ssp. <i>papillosus</i>	Wartleaf Ceanothus (U)
<i>Ceanothus tomentosus</i> var. <i>olivaceous</i> Jepson	Woollyleaf Ceanothus (R)
<i>Ceanothus tomentosus</i> Parry var. <i>tomentosus</i>	Woollyleaf Ceanothus (R)
<i>Ceanothus thyrsiflorus</i> Eschsch. ssp. <i>thyrsiflorus</i>	Blue-blossom Ceanothus (R)
<i>Centaurea exaltatum</i> (Griseb.) W. Wright ex Piper	Great Basin Centaury (U)
<i>Centaurea venustum</i> (A. Gray) B.L. Robins. ssp. <i>venustum</i>	Beautiful Centaury, Canchalagua (R)
<i>Centromadia parryi</i> ssp. <i>australis</i> (Keck) B.G. Baldwin	Southern Tarplant (R, CNPS 1B.1)
<i>Centrostegia thurberi</i> var. <i>macrotheca</i>	Thurber Spineflower (R)

Scientific Name

Ceratophyllum demersum L.
Cercocarpus betuloides var. *blancheae* (C. Schneider) Little
Cercocarpus ledifolius var. *intermontanus* N. Holmgren
Cercocarpus ledifolius Nuttall var. *ledifolius*
Chaenactis artemisiifolia (Gray) Gray
Chaenactis fremontii A. Gray
Chaenactis glabriuscula var. *heterocarpha* (A. Gray) H.M. Hall
Chaenactis glabriuscula var. *lanosa* (DC.) H.M. Hall
Chaenactis glabriuscula var. *megacephala* A. Gray
Chaenactis glabriuscula var. *orcuttiana* (Greene) H.M. Hall
Chaenactis steviosides Hook. & Arn.
Chaenactis xantiana Gray
Chamaesyce melanadenia (Torrey) Millsp.
Chamaesyce micromera (Engelm.) Wooton & Standl.
Chamaesyce ocellata (Durand & Hilg.) Millsp. ssp. *ocellata*
Chamaesyce polycarpa var. *hirtella* (Boiss.) Parish
Chamaesyce polycarpa (Benth.) Millsp. var. *polycarpa*
Chamaesyce serpyllifolia (Pers.) Small ssp. *serpyllifolia*
Chenopodium atrovirens Rydb.
Chenopodium berlandieri Moq. var. *zschackei* (Murr) Graebn.
Chenopodium desiccatum A. Nelson
Chenopodium pratericola Rydb.
Chenopodium rubrum L. var. *rubrum*
Chloropyron maritimum Benth. ssp. *maritimum*
Chorizanthe blakleyi Hardham
Chorizanthe brevicornu Torr. var. *brevicornu*
Chorizanthe clevelandii C. Parry
Chorizanthe douglasii Benth.
Chorizanthe membranacea Benth.
Chorizanthe parryi var. *fernandina* (S. Watson) Jepson
Chorizanthe procumbens Nutt.
Chorizanthe staticoides forma *bracteata* Goodman
Chorizanthe uniaristata T. & G.
Chorizanthe watsonii T. & G.
Chrysanthamus viscidiflorus (Hook.) Nutt. ssp. *viscidiflorus*
Cicuta douglasii (DC.) Coulter & Rose
Cirsium brevistylum Cronq.
Cirsium scariosum var. *citrinum* (Petr.) D.J. Keil
Cistanthe maritima (Nuttall) Hershk.
Clarkia affinis Lewis & Lewis
Clarkia dudleyana (Abrams) J.F. Macbr.
Clarkia heterandra (Torrey) H. Lewis & Raven
Clarkia modesta Jeps.
Clarkia purpurea ssp. *viminea* (Douglas) Lewis & Lewis
Clarkia rhomboidea Douglas
Clarkia speciosa F.H. Lewis & M.R. Lewis ssp. *speciosa*
Clarkia xantiana Gray ssp. *xantiana*
Claytonia exigua T. & G. ssp. *exigua*
Claytonia parviflora ssp. *viridis* (Davidson) J.M. Miller & Chambers
Claytonia perfoliata ssp. *intermontana* J.M. Miller & K.L. Chambers
Claytonia rubra (J.T. Howell) Tidestrom ssp. *rubra*
Clinopodium douglasii (Benth.) Kuntze
Clinopodium mimuloides Kuntze
Collinsia bartsiifolia var. *davidsonii* (Parish) V. Newsom
Collinsia childii A. Gray
Collinsia parryi A. Gray
Collinsia parviflora Lindley

Common Name

Hornwort, Coontail (R)
Island Mountain Mahogany (R, CNPS 4.3)
Cut-leaved Mountain Mahogany (R)
Mountain Mahogany (U)
White Pincushion (U)
Desert Pincushion (R)
Different-seeded Yellow Pincushion (R)
Woolly Yellow Pincushion (U)
Big-flowered Yellow Pincushion (R)
Woolly Yellow Pincushion (R, CNPS 1B.1)
Desert Pincushion (R)
Xantu Pincushion (U)
Squaw Spurge (R)
Sonoran Sandmat (R)
Littleeye Spurge (R)
Hairy Golondrina (R)
Golondrina (R)
Thyme-leaved Spurge (U)
Pigweed (R)
Pitseed Goosefoot (R)
Aridland Goosefoot (R)
Narrow-leaved Goosefoot (R)
Red Goosefoot (R)
Saltmarsh Birds-beak (R, CNPS 1B.1, FE/SE)
Blakley's Spineflower (R, CNPS 1B.3)
Brittle Spineflower (R)
Cleveland Spineflower (R)
Douglas Spineflower (R)
Pink Spineflower (R)
San Fernando Valley Spineflower (R, SE)
Prostrate Spineflower (R)
Bracted Turkish Rugging (R, Type)
One-awned Spineflower (R)
Watson's Spineflower (U)
Yellow Rabbitbrush (R)
Western Water-hemlock (R)
Indian Thistle (U)
Elk Thistle (R)
Seaside Redmaids (R, CNPS 4.2)
Hairy Clarkia (R)
Dudley Godetia (U)
California Gaura (U)
Modest Clarkia (R)
Large Purple Clarkia (R)
Rhomboid Clarkia (U)
Redspot Clarkia (R)
Xantu Clarkia (R)
Small Miner's Lettuce (U)
Green Small-flowered Miner's Lettuce (U)
Great Basin Miner's Lettuce (R)
Red Miner's Lettuce (U)
Yerba Buena (R)
Monkeyflower Yerba Buena (R, CNPS 4.2)
Davidson White Chinese Houses (R)
Child Blue-eyed Mary (R)
Parry Blue-eyed Mary (U)
Blue-eyed Mary, Blue Lips (R)

Scientific Name

<i>Collomia torreyi</i> var. <i>wrightii</i> (S. Watson) I.M. Johnston	Wright Blue-eyed Mary (U)
<i>Collomia grandiflora</i> Lindley	Large-flowered Collomia (U)
<i>Collomia tinctoria</i> Kellogg	Yellow-staining Collomia (R)
<i>Comarostaphylis diversifolia</i> ssp. <i>planifolia</i> (Jeps.) G. Wallace	Simpleleaf Summer Holly (R)
<i>Conioselinum pacificum</i> (S. Watson) J. Coulter & Rose	Pacific Hemlockparsely (R)
<i>Convolvulus simulans</i> Perry	Small-flowered Morning-glory (R)
<i>Cordylanthus rigidus</i> ssp. <i>setiferus</i> Chuang & Heckard	Dark-tipped Rigid Bird's-Beak (U)
<i>Coreopsis calliopsidea</i> (DC.) A. Gray	Leafy-stemmed Coreopsis (R)
<i>Cornus glabrata</i> Bentham	Brown Dogwood (R)
<i>Cornus sericea</i> L. ssp. <i>sericea</i>	American or Creek Dogwood (R)
<i>Crassula aquatica</i> (L.) Schönl.	Water Pigmy-Weed (R)
<i>Crepis acuminata</i> Nuttall	Long-leaved Hawksbeard (R)
<i>Crepis occidentalis</i> Nuttall ssp. <i>occidentalis</i>	Western Hawksbeard (U)
<i>Crepis occidentalis</i> ssp. <i>pumila</i> (Rydb.) Babcock & Stebbins	Western Hawksbeard (R)
<i>Crocanthemum scoparium</i> var. <i>vulgare</i> (Jeps.) Sorrie	Common Peak Rushrose (R)
<i>Cryptantha affinis</i> (A. Gray) E. Greene	Side-grooved Forget-Me-Not (R)
<i>Cryptantha barbigera</i> (A. Gray) E. Greene	Bearded Forget-Me-Not (R)
<i>Cryptantha corollata</i> (I.M. Johnston) I.M. Johnston	Crowned Forget-Met-Not (Type)
<i>Cryptantha flaccida</i> (Lehm.) E. Greene	Flacid Forget-Me-Not (R)
<i>Cryptantha leiocarpa</i> (Fischer & C. Meyer) E. Greene	Coast Forget-Me-Not (R)
<i>Cryptantha mohavensis</i> (Greene) Greene	Mojave Forget-Me-Not (R)
<i>Cryptantha pterocarya</i> (Torr.) E. Greene	Wing-nut Forget-Me-Not (R)
<i>Cryptantha rattannii</i> E. Greene	Rattan's Forget-Me-Not (R)
<i>Cryptantha sparsiflora</i> (E. Greene) E. Greene	Few-flowered Forget-Me-Not (R)
<i>Cryptantha torreyana</i> (A. Gray) E. Greene var. <i>torreyana</i>	Torrey Forget-Me-Not (U)
<i>Cryptantha traskiae</i> I.M. Johnston	Trask Forget-Me-Not (U CNPS 1B)
<i>Cucurbita palmata</i> S. Watson	Coyote Melon (R)
<i>Cuscuta occidentalis</i> Milsp.	Western Dodder (R)
<i>Cuscuta campestris</i> Yuncker	Western Field Dodder (U)
<i>Cuscuta denticulata</i> Engelmann	Desert Dodder (R)
<i>Cuscuta indecora</i> Choisy var. <i>indecora</i>	Pretty Dodder (R)
<i>Cuscuta pacifica</i> Costea & M.A.R. Wright var. <i>pacifica</i>	Pacific Saltmarsh Dodder (R)
<i>Cuscuta salina</i> Englem. in W.H. Brewer, S. Watson, & A. Gray	Saltmarsh Dodder (U)
<i>Cycladenia humilis</i> var. <i>venusta</i> (Eastwood) Munz	Elegant Cycladenia (R)
<i>Cylindropuntia californica</i> var. <i>parkeri</i> (J.M. Coulter) Pinkava	Cane or Snake Cholla (U)
<i>Cyperus acuminatus</i> Torrey & Hook.	Short-pointed Umbrella-sedge (R)
<i>Cyperus erythrorhizos</i> Muhlenb.	Red-root Flatsedge (R)
<i>Cyperus laevigatus</i> L.	Smooth Flatsedge (R)
<i>Cyperus odoratus</i> L.	Flatsedge (R)
<i>Cyperus squarrosus</i> L.	Awned Flatsedge (R)
<i>Cyperus strigosus</i> L.	False Nutsedge (R)
<i>Cystopteris fragilis</i> (L.) Bernhardi	Brittle or Fragile Fern (U)
<i>Danthonia unispicata</i> (Thurb.) Vasey	One-spike Oat Grass (R)
<i>Deinandra clementina</i> (Brandegee) B.G. Baldwin	Island or Catalina Tarplant (R)
<i>Deinandra kelloggii</i> (E. Greene) E. Greene	Kellogg Tarplant (R)
<i>Deinandra minthornii</i> (Jepson) B.G. Baldwin	Santa Susana Tarplant (R, Type, SR)
<i>Deinandra paniculata</i> (A. Gray) Davidson & Moxley	Paniculate Tarplant (R, CNPS 4.2)
<i>Delphinium gracilentum</i> Greene	Coast Larkspur (R)
<i>Delphinium gypsophilum</i> Ewan ssp. <i>gypsophilum</i>	Gypsum Larkspur (U, CNPS 4.2)
<i>Delphinium hesperium</i> A. Gray	Western or Coast Larkspur (R)
<i>Delphinium inopinum</i> (Jeps.) H.F. Lewis & Epling	Unexpected Larkspur (U, CNPS 4.3)
<i>Delphinium parryi</i> ssp. <i>blochmaniae</i> (Greene) F.H. Lewis & Epling	Dune Larkspur (R, CNPS 1B.2)
<i>Delphinium parryi</i> ssp. <i>purpureum</i> (F. Lewis & Epling) M.J. Warnock	Mount Piños Larkspur (CNPS 4.3)
<i>Delphinium umbraculorum</i> F.H. Lewis & Epling	Umbrella Larkspur (R, CNPS 1B.3)
<i>Deschampsia cespitosa</i> (L.) Beauv. ssp. <i>cespitos</i>	Tufted Hairgrass (R)
<i>Deschampsia danthonoides</i> (Trin.) Munro ex Bentham	Annual Hairgrass (R)
<i>Deschampsia elongata</i> (Hooker) Bentham	Slender Hairgrass (R)

Common Name

Wright Blue-eyed Mary (U)
Large-flowered Collomia (U)
Yellow-staining Collomia (R)
Simpleleaf Summer Holly (R)
Pacific Hemlockparsely (R)
Small-flowered Morning-glory (R)
Dark-tipped Rigid Bird's-Beak (U)
Leafy-stemmed Coreopsis (R)
Brown Dogwood (R)
American or Creek Dogwood (R)
Water Pigmy-Weed (R)
Long-leaved Hawksbeard (R)
Western Hawksbeard (U)
Western Hawksbeard (R)
Common Peak Rushrose (R)
Side-grooved Forget-Me-Not (R)
Bearded Forget-Me-Not (R)
Crowned Forget-Met-Not (Type)
Flacid Forget-Me-Not (R)
Coast Forget-Me-Not (R)
Mojave Forget-Me-Not (R)
Wing-nut Forget-Me-Not (R)
Rattan's Forget-Me-Not (R)
Few-flowered Forget-Me-Not (R)
Torrey Forget-Me-Not (U)
Trask Forget-Me-Not (U CNPS 1B)
Coyote Melon (R)
Western Dodder (R)
Western Field Dodder (U)
Desert Dodder (R)
Pretty Dodder (R)
Pacific Saltmarsh Dodder (R)
Saltmarsh Dodder (U)
Elegant Cycladenia (R)
Cane or Snake Cholla (U)
Short-pointed Umbrella-sedge (R)
Red-root Flatsedge (R)
Smooth Flatsedge (R)
Flatsedge (R)
Awned Flatsedge (R)
False Nutsedge (R)
Brittle or Fragile Fern (U)
One-spike Oat Grass (R)
Island or Catalina Tarplant (R)
Kellogg Tarplant (R)
Santa Susana Tarplant (R, Type, SR)
Paniculate Tarplant (R, CNPS 4.2)
Coast Larkspur (R)
Gypsum Larkspur (U, CNPS 4.2)
Western or Coast Larkspur (R)
Unexpected Larkspur (U, CNPS 4.3)
Dune Larkspur (R, CNPS 1B.2)
Mount Piños Larkspur (CNPS 4.3)
Umbrella Larkspur (R, CNPS 1B.3)
Tufted Hairgrass (R)
Annual Hairgrass (R)
Slender Hairgrass (R)

<u>Scientific Name</u>	<u>Common Name</u>
<i>Descurainia adenophora</i> (Wooton & Standley) O.E. Schulz in H.G.A. Engler	Desert Tansy Mustard (R)
<i>Descurainia californica</i> (A. Gray) O.E. Schulz	California Tansy Mustard (R)
<i>Descurainia pinnata</i> ssp. <i>glabra</i> (Wooton & Standl.) Detl.	Nakan Western Tansy Mustard (U)
<i>Descurainia pinnata</i> ssp. <i>halicotorum</i> (Cockerell) Detl.	Western Tansy Mustard (R)
<i>Dicentra pauciflora</i> S. Watson	Few-flowered Bleeding Heart (R)
<i>Dichelostemma congestum</i> (Sm.) Kunth	Ookow (R)
<i>Dichondra occidentalis</i> House	Western Dichondra (R, CNPS 4.2)
<i>Dieteria canescens</i> (Pursh) Torrey ssp. <i>canescens</i>	Hoary-Aster (U)
<i>Dieteria canescens</i> ssp. <i>leucanthemifolia</i> (Greene) D.R. Morgan & R.L. Hartm.	Whiteleaf Hoary-Aster (R)
<i>Dieteria canescens</i> ssp. <i>shastensis</i> (A. Gray) D.R. Morgan & R.L. Hartm.	Shasta Hoary-Aster (R)
<i>Diplacus</i> [<i>Mimulus</i>] <i>bigelovii</i> (A. Gray) Nesom var. <i>bigelovii</i>	Bigelow Monkeyflower (U)
<i>Diplacus</i> [<i>Mimulus</i>] <i>bolanderi</i> (A. Gray) Nesom	Bolander Monkeyflower (R)
<i>Diplacus</i> [<i>Mimulus</i>] <i>puniceus</i> Nuttall	Red Bush Monkeyflower (R)
<i>Diplacus</i> <i>congdonii</i> (B.L. Robinson) Nesom	Congdon Monkeyflower (R)
<i>Dithyrea maritima</i> (A. Davids.) Davidson	Beach Spectacle-pod (R, CNPS 1B.1)
<i>Dodecatheon alpinum</i> (A. Gray) E. Greene	Alpine Shooting Star (R)
<i>Dodecatheon clevelandii</i> E. Greene ssp. <i>clevelandii</i>	Cleveland Shooting Star (R)
<i>Dodecatheon clevelandii</i> ssp. <i>patulum</i> (Greene) Thompson	Lowland Padre Shooting Star (R)
<i>Downingia bella</i> Hoover	Hoover Downingia (R)
<i>Downingia pulchella</i> (Lindl.) Torrey	Flat-face Downingia (R)
<i>Draba cuneifolia</i> T. & G.	Wedgeleaf Draba (U)
<i>Draba verna</i> L.	Vernal Whitlow-grass (R)
<i>Drymocallis glandulosa</i> var. <i>reflexa</i> (E. Greene) Ertter	Greene Cinquifoil (U)
<i>Drymocallis glandulosa</i> var. <i>viscida</i> (Parish) Ertter	Sticky Cinquifoil (R)
<i>Drymocallis glandulosa</i> var. <i>wrangelliana</i> (Fisch. & Avé-Lall.) Ertter	Wrangell's Cinquefoil (U)
<i>Drymocallis lactea</i> (Greene) Rydb. var. <i>lactea</i>	Sierra Nevada Sticky Cinquefoil (U)
<i>Dudleya parva</i> Rose & Davids.	Conejo Live-forever (R, FT, CNPS 1B.2)
<i>Dudleya blochmaniae</i> (Eastw.) Moran ssp. <i>blochmaniae</i>	Blochman Live-forever (S, CNPS 1B.1)
<i>Dudleya cymosa</i> ssp. <i>agourensis</i> K. Nakai	Agoura Hills Live-forever (R, FT, CNPS 1B.2)
<i>Dudleya cymosa</i> (Lem.) Britton & Rose ssp. <i>cymosa</i>	Canyon Live-forever (R)
<i>Dudleya cymosa</i> ssp. <i>marcescens</i> Moran	Marcescent Live-forever (U, FT, SR, CNPS 1B.2)
<i>Dudleya cymosa</i> ssp. <i>ovatifolia</i> (Britt.) Moran	Santa Monica Mtns. Live-forever (R, FT, CNPS 1B)
<i>Dudleya farinosa</i> (Lindley) Britt. & Rose	Farinose Live-forever (R)
<i>Dudleya palmeri</i> (S. Watson) Britt. & Rose	Palmer Live-forever (R)
<i>Dudleya pulverulenta</i> ssp. <i>arizonica</i> (Rose) Moran	Chalky Live-forever (R)
<i>Dudleya verityi</i> N. Nakai	Verity Live-forever (R, FT, CNPS 1B.2)
<i>Dudleya virens</i> ssp. <i>insularis</i> (Rose) Moran	Island Green Live-forever (R, CNPS 1B.2)
<i>Dudleya virens</i> (Rose) Moran ssp. <i>virens</i>	Bright Green Live-forever (R, CNPS 1B.2)
<i>Eastwoodia elegans</i> Brandegee	Yellow Mock Aster (R)
<i>Echinochloa crus-pavonis</i> (Kunth) Shultes	Gulf Barnyard Grass (R)
<i>Echinodorus berteroii</i> (Spreng.) Fassett	Bur Head (U)
<i>Eclipta prostrata</i> (L.) L.	False Daisy (R)
<i>Ehrendorferia ochroleuca</i> (Engelm.) Fukuhara	White Eardrops (R)
<i>Elatine brachysperma</i> Gray	Slender Waterwort (R)
<i>Elatine californica</i> Gray	California Waterwort (R)
<i>Eleocharis acicularis</i> var. <i>gracilenscens</i> Svenson	Graceful Spikerush (R)
<i>Eleocharis bella</i> (Piper) Svenson	Bella Spikerush (R)
<i>Eleocharis bernardina</i> Munz & Johnston	Few-flowered Club-rush (R)
<i>Eleocharis erythropoda</i> Steud.	Bald Spikerush (R)
<i>Eleocharis montevidensis</i> Kunth	Sand Spikerush (R)
<i>Eleocharis parvula</i> (Roemer & Schultes) Link ex Bluff, Nees, & Schauer	Small Spikerush (R)
<i>Eleocharis quinqueflora</i> (Hartmann) O. Schwarz	Few-flowered Spikerush (R)
<i>Eleocharis rostellata</i> (Torrey) Torrey	Beaked Spikerush (R)
<i>Eleocharis suksdorffiana</i> Beauv.	Suksdorf's Spikerush (R)
<i>Elodea canadensis</i> Rich.	Common Waterweed (R)
<i>Elymus cinereus</i> A. Löve	Cespitose Wildrye (R)
<i>Elymus elymoides</i> var. <i>brevifolius</i> (J.G. Sm.) Dorn	Shortleaf Squirreltail (R)

Scientific Name

Elymus elymoides var. *californicus* (J.G. Sm.) J.P. Sm.
Elymus glaucus ssp. *jepsonii* (Burtt Davy) Gould
Elymus ×gouldii J.P. Sm. & Columbus
Elymus ×hansenii Scribn.
Elymus smithii (Rdb.) Gould
Elymus stebbinsii (Scribner & J.G. Smith) Gould
Elymus trachycaulis ssp. *subsecundus* (Link) Gould
Elymus trachycaulis (Link) Shinn. ssp. *trachycaulis*
Emmenanthe penduliflora var. *rosea* Brand
Encelia farinosa Torrey & A. Gray
Encelia frutescens (Gray) Gray
Encelia virginicensis Nelson
Enemion occidentale (H. & A.) J.R. Drummond & Hutchinson
Ephedra californica S. Watson
Ephedra nevadensis S. Watson
Epilobium canescens (L.) Hoch & W.L. Wagner
Epilobium ciliatum ssp. *glandulosum* (Lehm.) P. Hoch & Raven
Epilobium densiflorum (Lindley) P. Hoch & Raven
Epilobium foliosum (T.& G.) Suksd.
Epilobium glaberrimum Barbey ssp. *glaberrimum*
Epilobium minutum Lindley ex Lehm.
Epilobium oregonense Hausskn.
Epilobium torreyi (S. Watson) P. Hoch & Raven
Equisetum arvense L.
Equisetum hyemale var. *affine* (Engelm.) Calder & R.L. Taylor
Equisetum telmateia ssp. *braunii* (Milde) R.L. Hauke
Equisetum Xferrissii Clute
Eragrostis hypnoides (Lam.) Britton, Sterns & Poggenb.
Eragrostis mexicana var. *virescens* (C. Presl) Koch & E. Sanchez
Eragrostis pentinacea var. *miserrima* (Fourn.) Reeder
Eragrostis pectinacea (Michx.) Nees var. *pectinacea*
Eremogone kingii var. *glabrescens* (S. Watson) Dorn
Eremogone macradenia (S. Watson) Ikonn. var. *macradenia*
Eremalche exilis (A. Gray) E. Greene
Eremalche parryi (E. Greene) E. Greene ssp. *parryi*
Eremocarya micrantha var. *leptophylla* MacBr.
Eremocarya micrantha (Torrey) E. Greene var. *micrantha*
Eriastrum densifolium ssp. *mohavense* (Craig) H. Mason
Eriastrum eremicum (Jeps.) H. Mason ssp. *eremicum*
Eriastrum filifolium (Nutt.) Wooton & Standl.
Eriastrum hooveri (Jepson) H. Mason
Eriastrum pluriflorum ssp. *sherman-hoytae* (T.T. Craig) H. Mason
Eriastrum sapphirinum ssp. *brevibracteatum* De Groot
Eriastrum sapphirinum ssp. *dasyanthem* (Brand) H. Mason
Ericameria arborescens (A. Gray) E. Greene
Ericameria cooperi (Gray) H.M. Hall var. *cooperi*
Ericameria cuneata var. *spathulata* (A. Gray) H.M. Hall
Ericameria ericoides (Less.) Jeps. ssp. *ericoides*
Ericameria nauseosa var. *bernardina* (Hall) Nesom & Baird
Ericameria nauseosa var. *speciosa* (Nutt.) Nesom & Baird
Ericameria palmeri var. *pachylepis* (H.M. Hall) Nesom
Ericameria parryi var. *aspera* (Greene) G.L. Newson & G.I. Baird
Ericameria teretifolia (Durand & Hilg.) Jepson
Erigeron breweri var. *covillei* (Greene) G. Neswom
Erigeron glaucus Ker-Gawler
Erigeron philadelphicus L.
Eriodictyon californicum (Hooker & Arnott) Torrey

Common Name

California Squirretail (R)
Jepson Blue or Woodland Wildrye (R)
Gould's Wildrye (R)
Hansen's Wildrye (R)
Western Wheat Grass (R)
Wheatgrass (R)
Slender Wheatgrass (R)
Slender Wheatgrass (R)
Rose Whispering Bells (R)
Brittlebush, Incienso (R)
Brittlebush, Incienso (R)
Brittlebush (R)
Western Meadow-rue (R)
California Desert Tea, Cañatillo (R)
Nevada Ephedra or Mormon-tea (R)
Smooth Spike-primrose (R)
Sticky Northern Willow-herb (R)
Dense-flowered Spike-primrose (R)
Leafy Spike-primrose (R)
Waxy Willow-herb (R)
Chaparral Willowherb (R)
Oregon Spike-primrose (R)
Brook Spike-primrose (R)
Common or Field Horsetail (U)
Common or Giant Scouring Rush (U)
Giant Horsetail (U)
Ferris Horsetail (R)
Teel Lovegrass (R)
Orcutt Lovegrass (U)
Spreading Tufted Lovegrass (R)
Tufted Lovegrass (U)
King's Sandwort (R)
Mojave Sandwort (R)
White-flowered Mallow (R)
Parry Mallow (U)
Mountain Red-root Eremocarya (R)
Eremocarya (R)
Mojave Woolly Star (R)
Woolly Star (R)
Threadleaf Woolly Star (R)
Hoover Woolly Star (R, CNPS 4.2)
Mrs. Hoyt's Woolly Star (R)
Ambigous Short-bracted Sapphire Woolly Star (R)
Shaggy Sapphire Woolly Star (U)
Golden-fleece (U)
Cooper Goldenbush (R)
Spatulate-leaved Goldenbush (U)
Heatherleaf Goldenbush (U)
San Bernardino Rubber Rabbitbrush (R)
White-stemmed Rubber Rabbitbrush (R)
Palmer Goldenbush (U)
Parry Rabbitbrush (R)
Round-leaved Rabbitbrush (R)
Fleabane Daisy (R)
Seaside Daisy (R)
Philadelphia Fleabane (R)
California Yerba Santa (R)

<u>Scientific Name</u>	<u>Common Name</u>
<i>Eriodictyon traskiae</i> ssp. <i>smithii</i> Munz	Smith's Yerba Santa (U)
<i>Eriodictyon trichocalyx</i> A.A. Heller var. <i>trichocalyx</i>	Yerba Santa (U)
<i>Eriogonum arborescens</i> Greene	Arborescent Buckwheat (U)
<i>Eriogonum brachyanthum</i> Coville	Shortflower Wild Buckwheat (R)
<i>Eriogonum clavatum</i> Small	Hoover's Little Trumpet (U)
<i>Eriogonum covilleanum</i> Eastw.	Coville Buckwheat (U)
<i>Eriogonum crocatum</i> Davidson	Conejo or Saffron Buckwheat (R, Type, SR)
<i>Eriogonum deflexum</i> var. <i>baratum</i> (Elmer) Reveal	Flat-crown Buckwheat (R, Type)
<i>Eriogonum elegans</i> Greene	Elegant Buckwheat (U)
<i>Eriogonum gracillimum</i> S. Watson	Slender Buckwheat (R)
<i>Eriogonum grande</i> Greene var. <i>grande</i>	Island Buckwheat (U)
<i>Eriogonum grande</i> Greene var. <i>rubescens</i> Munz	Red Island Buckwheat (U)
<i>Eriogonum grande</i> Greene var. <i>timorum</i> Reveal	San Nicolas Island Buckwheat (U)
<i>Eriogonum hirtiflorum</i> S. Watson	Hairy-flowered Buckwheat (U)
<i>Eriogonum hooveri</i> (Reveal) Reveal	Hoover's Little Trumpet (U)
<i>Eriogonum inerme</i> var. <i>hispidulum</i> Goodman	Goodman's Unarmed Buckwheat (R)
<i>Eriogonum inerme</i> (S. Watson) Jeps. var. <i>inerme</i>	Unarmed Buckwheat (U)
<i>Eriogonum kennedyi</i> ssp. <i>alpinum</i> (Munz & Johnston) Munz & Johnston	Alpine Kennedy Buckwheat (R, CNPS 1B.3)
<i>Eriogonum kennedyi</i> var. <i>austromontanum</i> Munz & I.M. Johnston	Southern Mountain Buckwheat (U, CNPS 1B.2)
<i>Eriogonum latifolium</i> Smith	Coast or Seaside Buckwheat, Tibinagua (R)
<i>Eriogonum molestum</i> Greene	Pine Buckwheat (U)
<i>Eriogonum nudum</i> var. <i>auriculatum</i> (Benth.) J.P. Tracy ex Jeps.	Big-eared Wild Buckwheat (R)
<i>Eriogonum ordii</i> S. Watson	Ord Buckwheat (U)
<i>Eriogonum ovalifolium</i> Nutt. var. <i>ovalifolium</i>	Cushion Wild Buckwheat (R)
<i>Eriogonum parvifolium</i> var. <i>paynei</i> (Wolf ex Munz) Reveal	Payne Dune Buckwheat (U, Type)
<i>Eriogonum pusillum</i> T. & G.	Puny Buckwheat (R)
<i>Eriogonum spergulinum</i> var. <i>reddingianum</i> (Jones) J.T. Howell	Redding's Wild Buckwheat (U)
<i>Eriogonum spergulinum</i> A. Gray var. <i>spergulinum</i>	Spurry Wild Buckwheat (R)
<i>Eriogonum thurberi</i> Torrey	Thurber's Wild Buckwheat (R)
<i>Eriogonum umbellatum</i> var. <i>bahiiforme</i> (T. & G.) Jepson	Sulphur-flower Buckwheat (U)
<i>Eriogonum umbellatum</i> var. <i>canifolium</i> Reveal	Sulphur Buckwheat (R)
<i>Eriogonum umbellatum</i> var. <i>furcosum</i> Reveal	Sulphur Buckwheat (R)
<i>Eriogonum umbellatum</i> var. <i>subaridum</i> S. Stokes	Sulphur Buckwheat (R)
<i>Eriogonum vimineum</i> Benth.	Wicker-stem Wild Buckwheat (U)
<i>Eriogonum viridescens</i> A. Heller	Green Buckwheat (U)
<i>Eriogonum wrightii</i> var. <i>membranaceum</i> Jeps.	Sheathed Wright Buckwheat (R)
<i>Eriogonum wrightii</i> var. <i>trachygonum</i> (Torr. ex Benth.) Jeps.	Rough-node Bastardsage (R)
<i>Eriogonum wrightii</i> Benth. var. <i>wrightii</i>	Wright's Bastardsage (R)
<i>Eriophyllum confertiflorum</i> var. <i>tanacetiflorum</i> (E. Greene) Jepson	Tansy-leaved Woolly Yarrow (R, CNPS 4.3)
<i>Eriophyllum jepsonii</i> Greene	Jepson Woolly Yarrow (R, CNPS 4.3)
<i>Eriophyllum staechadifolium</i> Lagasca	Seaside Woolly Sunflower (R)
<i>Eryngium vaseyi</i> J. Coulter & Rose	Coyote Thistle or Button-celery (R)
<i>Erysimum insulare</i> E. Greene	Island Wallflower (R, CNPS 1B.3)
<i>Erysimum moniliforme</i> Eastwood	Yellow Wallflower (R)
<i>Erysimum suffrutescens</i> (Abrams) Rossbach	Suffrutescent Wallflower (R, CNPS 4.2)
<i>Eschscholzia hypocrites</i> Bentham	Gypsum Poppy (R)
<i>Eschscholzia lemmonii</i> Greene ssp. <i>lemmonii</i>	Lemmon Poppy (R) CNPS List 4
<i>Eschscholzia minutiflora</i> S. Watson	Tiny-flowered Poppy (R)
<i>Eschscholzia ramosa</i> (Greene) Greene	Island Poppy (R)
<i>Euphorbia crenulata</i> Engelmann	Chinese Caps (R)
<i>Euphorbia palmeri</i> S. Watson var. <i>palmeri</i>	Wood Spurge (R)
<i>Euphorbia spathulata</i> Lam.	Spurge (R)
<i>Extriplex californica</i> (Moq.) E.H. Zacharias	California Saltbush (U on mainland)
<i>Festuca rubra</i> L.	Red Fescue (R)
<i>Fimbristylis thermalis</i> S. Watson	Hot-Springs Fimbristylis (R)
<i>Forestiera pubescens</i> Nutt.	Desert Olive, Dwarf Swamp Privet (U)
<i>Fraxinus latifolia</i> Bentham	Oregon Ash (R)

<u>Scientific Name</u>	<u>Common Name</u>
<i>Fraxinus velutina</i> Torrey	Velvet or Arizona Ash (U)
<i>Fritillaria agrestis</i> E. Greene	Stink Bells (R, CNPS 4.2)
<i>Fritillaria biflora</i> Lindley var. <i>biflora</i>	Chocolate Lily, Mission Bells (U)
<i>Fritillaria ojaiensis</i> A. Davidson	Ojai Fritillary (Type, CNPS 1B.2)
<i>Fritillaria pinetorum</i> A. Davidson	Pine Fritillary (R, CNPS 4.3)
<i>Funastrum cynanchoides</i> var. <i>hartwegii</i> (Vail) Krings	Climbing Milkweed (R)
<i>Galium angustifolium</i> ssp. <i>foliosum</i> (Hilend & Howell) Dempster & Stebb.	Channel Islands Bedstraw (R, Type)
<i>Galium angustifolium</i> ssp. <i>gabrielense</i> (Munz & I.M. Johnst.) Dempster & Stebb.	San Antonio Canyon Bedstraw (R, 4.3)
<i>Galium bifolium</i> S. Watson	Low Mountain Bedstraw (R)
<i>Galium californicum</i> Hooker & Arnott ssp. <i>californicum</i>	California Bedstraw (R)
<i>Galium californicum</i> ssp. <i>flaccidum</i> (E. Greene) Dempster & Stebb.	California Bedstraw (R)
<i>Galium cliftonsmithii</i> (Dempster) Dempster & Stebb.	Santa Barbara Bedstraw (R, CNPS 4.3)
<i>Galium jepsonii</i> Hilend & J.T. Howell	Jepson's Bedstraw (R)
<i>Galium porrigens</i> var. <i>tenue</i> (Dempster) Dempster	Climbing Bedstraw (R)
<i>Galium trifidum</i> var. <i>pacificum</i> Wiegand	Coastal Bedstraw (R)
<i>Galium triflorum</i> Michaux	Sweet-scented Bedstraw (R)
<i>Gamochaeta ustulata</i> (Nutt.) Holub	Purple Everlasting (R)
<i>Garrya elliptica</i> Lindley	Silk-tassel Bush (R)
<i>Gaura coccinea</i> Pursh	Wild Honeysuckle, Linda Tarde (U)
<i>Gayophytum heterozygum</i> H. Lewis & J. Szweykowski	Hybrid Gayophytum (R)
<i>Gayophytum humile</i> A.L. Juss.	Low Gayophytum (R)
<i>Gayophytum oligospermum</i> H. Lewis & J. Szweykowski	Southern California Mountain Gayophytum (R)
<i>Gayophytum racemosum</i> T. & G.	Black-foot Gayophytum (R)
<i>Geranium californicum</i> G. Jones & F. Jones	California Geranium (R)
<i>Geranium carolinianum</i> L.	Cranesbill, Carolina Geranium (R)
<i>Geranium viscosissimum</i> Fischer & C. Meyer	Sticky Cranesbill (R)
<i>Gilia achilleifolia</i> Benth. ssp. <i>achilleifolia</i>	California or Yarrow-leaved Gilia (U)
<i>Gilia achilleifolia</i> Benth. ssp. <i>multicaulis</i> (Benth.) V. & A. Grant	Many-stemmed California Gilia (R)
<i>Gilia aliquanta</i> A. D. Grant & V. E. Grant	Puff-calyx Gilia (R)
<i>Gilia austro-occidentalis</i> (A.D. & V.E. Grant) A.D. & V.E.Grant	Southwestern Gilia (R)
<i>Gilia brecciarum</i> M.E. Jones ssp. <i>brecciarum</i>	Breccia Gilia (U)
<i>Gilia brecciarum</i> ssp. <i>jacens</i> (A. Grant & V. Grant) Day	Purple-flowered Breccia Gilia (R)
<i>Gilia capillaris</i> Kellogg	Miniature or Smooth-leaved Gilia (R)
<i>Gilia capitata</i> Sims ssp. <i>capitata</i>	Blue Field Gilia (R)
<i>Gilia capitata</i> ssp. <i>staminea</i> (Greene) V.E. Grant	Bluehead Gilia (R)
<i>Gilia interior</i> (Mason & A. Grant) A. Grant	Slender-flowered Gilia (R)
<i>Gilia latiflora</i> ssp. <i>cuyamensis</i> A. & V. Grant	Cuyama Gilia (U, CNPS 4.3)
<i>Gilia latiflora</i> ssp. <i>davyi</i> (Milliken) A. & V. Grant	Davy Broad-flowered Gilia (U)
<i>Gilia latiflora</i> (Gray) Gray ssp. <i>latiflora</i>	Broad-flowered Gilia (R)
<i>Gilia leptantha</i> ssp. <i>pinetorum</i> A. & V. Grant	Gabriel Trumpet (U, CNPS 4.3)
<i>Gilia malior</i> A.G. Day & V.E. Grant	Scrub Gilia (R)
<i>Gilia millefoliata</i> Fisch. & C. A. Mey.	Dark-eyed Gilia (R)
<i>Gilia minor</i> A.D. Grant & V.E. Grant	Little Gilia (U)
<i>Gilia modocensis</i> Eastwood	Modoc Gilia (R)
<i>Gilia nevinii</i> Gray	Nevin Gilia (U)
<i>Gilia ochroleuca</i> ssp. <i>exilis</i> (Gray) A.& V. Grant	Volcanic Gilia (R)
<i>Gilia ochroleuca</i> M.E. Jones ssp. <i>ochroleuca</i>	Volcanic Gilia (R)
<i>Gilia ochroleuca</i> subsp. <i>vivida</i> (A. Grant & V. Grant) A. Grant & V. Grant	Vivid Volcanic Gilia (R)
<i>Gilia sinuata</i> Benth.	Sinuate Gilia (R)
<i>Gilia tenuiflora</i> Benth. ssp. <i>tenuiflora</i>	Greater Yellowthroat Gilia (R)
<i>Gilia tetrabreccia</i> A. & V. Grant	Mount Piños Gilia (U)
<i>Gilia transmontana</i> (H. Mason & A. Grant) A. & V. Grant	Desert Gilia (U)
<i>Githopsis diffusa</i> A. Gray ssp. <i>diffusa</i>	Southern Bluecup (R)
<i>Grayia spinosa</i> (Hook.) Moq.	Hop-sage (R)
<i>Grindelia camporum</i> E. Greene var. <i>camporum</i>	Great Valley Gumplant (R)
<i>Grindelia hirsutula</i> Hook. & Arn. var. <i>hirsutula</i>	Hirsute Gumplant (U, Type)
<i>Grindelia stricta</i> var. <i>platyphylla</i> (Greene) M.A. Lane	Island Gumplant (R)

<u>Scientific Name</u>	<u>Common Name</u>
<i>Grindelia Xlatifolia</i> Kellogg ssp. <i>latifolia</i>	Coastal Gumplant (R)
<i>Hazardia cana</i> (A. Gray) E. Greene	San Clemente Island Gumplant (R)
<i>Hazardia detonsa</i> (Greene) Greene	Island Goldenbush (U, CNPS 4.3)
<i>Helenium bigelovii</i> Gray	Bigelow Sneezeweed (U)
<i>Helianthemum scoparium</i> Nutt.	Peak Rushrose (U)
<i>Helianthus gracilentus</i> Gray	Wild Mountain or Slender Sunflower (U)
<i>Hesperevax acaulis</i> var. <i>robustior</i> Morefield	Robust Dwarf Evax (R)
<i>Hesperochiron californicus</i> (Benth.) S. Watson	California Hesperochiron (R)
<i>Hesperochiron pumilus</i> (Griseb.) Porter	Hesperochiron (R)
<i>Esperolinon micranthum</i> (A. Gray) Small	Dwarf Flax (R)
<i>Hesperoyucca [Yucca] whipplei</i> ssp. <i>intermedia</i> A.L. Haines	Intermediate Our Lord's Candle (R)
<i>Hesperoyucca whipplei</i> ssp. <i>percursa</i> (A.L. Haines) J.M. Weber	Our Lord's Candle (R)
<i>Heterocodon rariflorum</i> Nuttall	Western Pearl-flower (R)
<i>Heterotheca subaxillaris</i> ssp. <i>laxifolia</i> (Buckley) Semple	False Goldenaster (R)
<i>Heterotheca sessiliflora</i> ssp. <i>camphorata</i> (Eastw.) Semple	Camphor Goldenaster (R)
<i>Heterotheca sessiliflora</i> (Nuttall) Shinners ssp. <i>sessiliflora</i>	Beach Goldenaster (R)
<i>Heterotheca villosa</i> (Pursh) Shinners var. <i>hispida</i> (Hook.) V. Harms	Woolly Goldenaster (R)
<i>Heuchera abramsii</i> Rydb.	Abrams Alumroot (R, CNPS 4.3)
<i>Heuchera caespitosa</i> Eastw.	Urn-flowered Alumroot (R, CNPS 4.3)
<i>Heuchera elegans</i> Abrams	Urn-flowered Alumroot (R)
<i>Heuchera maxima</i> Greene	Island Alumroot (R, CNPS 1B.2)
<i>Hieracium albiflorum</i> Hooker	White-flowered Hawkweed (R)
<i>Hieracium horridum</i> Fries	Shaggy or Woolly Hawkweed (R)
<i>Hoffmannseggia glauca</i> (Ortega) Eifert	Pig-nut, Hog Potato (R)
<i>Hoita orbicularis</i> (Lindley) Rydb.	Round-leaved Hoita (U)
<i>Hollisteria lanata</i> S. Watson	Hollisteria (R)
<i>Holocarpha heermannii</i> (E. Greene) Keck	Heermann Tarplant (U)
<i>Holodiscus discolor</i> var. <i>macrophyllus</i> (Rydb.) Jeps.	Small-leaved Oceanspray (U)
<i>Hordeum brachyantherum</i> Nevski ssp. <i>brachyantherum</i>	Meadow Barley (U)
<i>Hordeum depressum</i> (Scribner & J.G. Smith) Rydb.	Low Barley (R)
<i>Hordeum intercedens</i> Nevski	Vernal Barley (U, CNPS 3.2)
<i>Hordeum jubatum</i> L. ssp. <i>jubatum</i>	Foxtail Barley (R)
<i>Horkelia cuneata</i> Lindley ssp. <i>cuneata</i>	Wedgeleaf Horkelia (R)
<i>Horkelia cuneata</i> ssp. <i>puberula</i> (Greene) Keck	Fuzzy Horkelia (R, CNPS 1B.1)
<i>Horkelia rydbergii</i> Elmer	Rydberg Horkelia (U)
<i>Hosackia crassifolia</i> Benth. var. <i>crassifolia</i>	Broad-leaved Hosackia (U)
<i>Hosackia oblongifolia</i> var. <i>cuprea</i> (Greene) Brouillet	Stream Trefoil (R)
<i>Hosackia oblongifolia</i> Benth. var. <i>oblongifolia</i>	Narrow-leaved Hosackia, Stream Trefoil (U)
<i>Hosackia stipularis</i> Benth. var. <i>stipularis</i>	Balsam Lotus (R)
<i>Hulsea heterochroma</i> Gray	Red-rayed Hulsea (R)
<i>Hulsea vestita</i> ssp. <i>gabrielensis</i> Wilken	San Gabriel Hulsea (R, CNPS 4.3)
<i>Hulsea vestita</i> ssp. <i>parryi</i> (A. Gray) Wilken	Parry's Sunflower (R, CNPS 4.3)
<i>Hutchinsia procumbens</i> (L.) Desv.	Desert Hutchinsia (U)
<i>Hydrocotyle umbellata</i> L.	Marsh Pennywort (R)
<i>Hydrocotyle verticillata</i> Thunb.	Marsh Pennywort (R)
<i>Hypericum formosum</i> var. <i>scouleri</i> (Hook.) J. Coulter	St. John's Wort (R)
<i>Imperata brevifolia</i> Vasey	Satintail (R, CNPS 2.1)
<i>Iris hartwegii</i> ssp. <i>australis</i> (Parish) L.W. Lenz	Hartweg's Southern Iris (R)
<i>Iris missouriensis</i> Nuttall	Western Blue Flag [Iris] (U)
<i>Isocoma acradenia</i> var. <i>bracteosa</i> (E. Greene) G.L. Nesom	Desert Goldenbush (R)
<i>Isoëtes howellii</i> Engelm. var. <i>howellii</i>	Howell Quillwort (R)
<i>Isoëtes howellii</i> var. <i>minima</i> (A.A. Eaton) N.E. Pfeiffer	Small Howell Quillwort (R)
<i>Isoëtes nuttallii</i> A. Braun	Nuttall Quillwort (R)
<i>Isolepis cernua</i> (Vahl) Roemer & Schultes var. <i>cernua</i>	Low Clubrush (U)
<i>Iva hayesiana</i> A. Gray	San Diego Marsh-elder (R)
<i>Ivesia santolinoides</i> A. Gray	Mousetail Ivesia (U)
<i>Ivesia saxosa</i> (Greene) B. Ertter	Five-finger Silverweed (R)

<u>Scientific Name</u>	<u>Common Name</u>
<i>Jaumea carnosa</i> (Less.) Gray	Fleshy Jaumea (U)
<i>Jensia yosemitana</i> (Parry ex A. Gray) B.G. Baldwin	Yosemite Tarplant (R)
<i>Jepsonia malvifolia</i> (Greene) Small	Island Jepsonia (R, CNPS 4.2)
<i>Juglans californica</i> S. Watson	Southern California Black Walnut (CNPS 4.2)
<i>Juncus acutus</i> ssp. <i>leopoldii</i> (Parl.) Snogerup	Spiny Rush (U, CNPS 4.2)
<i>Juncus arcticus</i> ssp. <i>vallicola</i> (Rydb.) Lint	Valley Baltic Rush (R)
<i>Juncus balticus</i> Willd. var. <i>ater</i> (Rydb.) Snogerup	Rocky Mountain Rush (R)
<i>Juncus breweri</i> Engelm.	Brewer Rush (R)
<i>Juncus bufonius</i> var. <i>congestus</i> Wahlenb.	Congested Rush (R)
<i>Juncus bufonius</i> var. <i>occidentalis</i> F.J. Hermann	Western Toad Rush (R)
<i>Juncus confusus</i> Cov.	Colorado Rush (R)
<i>Juncus covillei</i> Piper	Coville's Rush (R)
<i>Juncus effusus</i> ssp. <i>austrocalifornicus</i> H.L. Lint ex Zita	Pacific Rush (U)
<i>Juncus ensifolius</i> Wikström var. <i>ensifolius</i>	Swordleaf or Three-stamen Rush (R)
<i>Juncus lescurei</i> Bolander	Salt Rush (R)
<i>Juncus macrandrus</i> Cov.	Long-anthered Rush (R)
<i>Juncus nevadensis</i> S. Watson var. <i>nevadensis</i>	Sierra Rush (R)
<i>Juncus occidentalis</i> (Coville) Wiegand	Western Rush (R)
<i>Juncus oxymeris</i> Engelm.	Iris-leaved or Pointed Rush (R)
<i>Juncus patens</i> E. Meyer	Spreading Rush (R)
<i>Juncus phaeocephalus</i> var. <i>paniculatus</i> Engelm.	Brown-fruited Rush (R)
<i>Juncus phaeocephalus</i> Engelm. var. <i>phaeocephalus</i>	Brown-fruited Rush (R)
<i>Juncus tiehmii</i> Ertter	Tiehm's Rush (R)
<i>Juncus torreyi</i> Coville	Torrey Rush (R)
<i>Juniperus occidentalis</i> Hook.	Western Juniper (R)
<i>Keckiella breviflora</i> var. <i>glabrisepala</i> (D.D. Keck) N.H. Holmgren	Naked Stubflower Bush Penstemon (R)
<i>Krascheninnikovia lanata</i> (Pursh) A.D.J. Meeuse & Smit	Winter Fat (R)
<i>Landoltia punctata</i> (G. Mey.) Les & D.J. Crawford	Dotted Duckmeat (R)
<i>Lastariaea coriacea</i> (Goodman) Hoover	Lastariaea (U)
<i>Lasthenia coronaria</i> (Nutt.) Ornduff	Crown-pappus Goldfields (R)
<i>Lasthenia ferrisiae</i> Ornduff	Ferris Goldfields (R, CNPS 4.2)
<i>Lasthenia glaberrima</i> A. DC.	Rayless or Smooth Goldfields (R)
<i>Lasthenia glabrata</i> ssp. <i>coulteri</i> (Gray) Ornduff	Rayless Goldfields (R, CNPS 1B.1)
<i>Lasthenia microglossa</i> (A. DC.) E. Greene	Small-rayed Goldfields (R)
<i>Lathyrus vestitus</i> ssp. <i>alefeldii</i> (T.G. White) Broich	Alefeld's Pacific Peavine (R)
<i>Lathyrus vestitus</i> ssp. <i>bolanderi</i> (S. Watson) C. Hitchc.	White-petaled Peavine (R)
<i>Lathyrus vestitus</i> ssp. <i>laevicarpus</i> Broich	Pacific Peavine (U, Type)
<i>Lavatera assurgentiflora</i> Kellogg ssp. <i>assurgentiflora</i>	Malva Rose (R)
<i>Layia glandulosa</i> ssp. <i>lutea</i> Keck	Yellow Layia (U)
<i>Layia heterotricha</i> (DC.) Hook. & Arn.	Pale-yellow Layia (R, CNPS 1B.1)
<i>Layia leucopappa</i> D.D. Keck	Comanche Point Layia (R, CNPS 1B.1)
<i>Layia pentachaetata</i> ssp. <i>albida</i> Keck	White Tidy Tips (R)
<i>Layia platyglossa</i> (Fischer & C. Meyer) A. Gray	Tidy Tips (U)
<i>Lemna aequinoctialis</i> Welw.	Lesser Duckweed (R)
<i>Lemna gibba</i> L.	Gibbose Duckweed (U)
<i>Lemna minor</i> L.	Duckweed (R)
<i>Lemna turionifera</i> Landolt	Duckweed (R)
<i>Lemna valdiviana</i> Philippi	Big Duckweed (U)
<i>Lepechinia fragrans</i> (E. Greene) Epling	Fragrant Pitcher Sage (U, CNPS 4.2)
<i>Lepechinia rossii</i> S. Boyd & O. Mistretta	Ross' Pitcher Sage (R, CNPS 1B.2)
<i>Lepidium densiflorum</i> Schrad.	Dense-flowered Peppergrass (R)
<i>Lepidium dictyon</i> A. Gray	Veiny Peppergrass (R)
<i>Lepidium oblongum</i> Small	Oblong Peppergrass (U)
<i>Lepidium strictum</i> (S. Watson) Rattan	Prostrate Peppergrass (R)
<i>Lepidium virginicum</i> var. <i>menziesii</i> (DC.) Thellung	Hairy Poorman's Peppergrass (U, CNPS 1B.2)
<i>Lepidium virginicum</i> var. <i>pubescens</i> (Greene) Thell.	Hairy Poorman's Peppergrass (R)
<i>Leptodactylon pungens</i> ssp. <i>hallii</i> (Parish) H. Mason	Granite Prickly Phlox (R)

Scientific Name

<i>Leptodactylon pungens</i> ssp. <i>pulchriflorum</i> (Brand) H. Mason	
<i>Leptosiphon androsaceus</i> Bentham	
<i>Leptosiphon bicolor</i> Nuttall	
<i>Leptosiphon breviculus</i> (A. Gray) J.M. Porter & L.A. Johnson	
<i>Leptosiphon ciliatus</i> (Benth.) Jepson	
<i>Leptosiphon nudatus</i> (E. Greene) J.M. Porter & L.A. Johnson	
<i>Leptosiphon pygmaeus</i> ssp. <i>continentalis</i> (Raven) Porter & Johnson	
<i>Leptosyne californica</i> Nuttall	
<i>Leptosyne calliopsidea</i> (DC.) A.Gray	
<i>Lessingia glandulifera</i> var. <i>peirsonii</i> (J.T. Howell) Markos	
<i>Lessingia leptoclada</i> A. Gray	
<i>Lessingia pectinata</i> var. <i>tenuipes</i> (J.T. Howell) Markos	
<i>Lessingia tenuis</i> (Gray) Cov.	
<i>Lewisia nevadensis</i> (A. Gray) Robinson	
<i>Lewisia pygmaea</i> (A. Gray) Robinson	
<i>Lilium humboldtii</i> ssp. <i>ocellatum</i> (Kellogg) Thorne	
<i>Lilium pardalinum</i> Kellogg ssp. <i>pardalinum</i>	
<i>Limonium californicum</i> (Boiss.) A.A. Heller	
<i>Limosella acaulis</i> Sesse & Mocino	
<i>Linanthus bigelovii</i> (Gray) Greene	
<i>Linanthus dianthiflorus</i> (Benth.) Greene	
<i>Linanthus parryae</i> (Gray) Greene	
<i>Linanthus pungens</i> (Torr.) J.M. Porter & L.A. Johnson	
<i>Linaria canadensis</i> (L.) Dum.-Cours. var. <i>canadensis</i>	
<i>Linaria canadensis</i> (L.) Dum.-Cours. var. <i>texana</i> (Scheele) Pennell	
<i>Lipocarpha micrantha</i> (M. Vahl.) G.C. Tucker	
<i>Lithophragma glabrum</i> Nuttall	
<i>Lithophragma heterophyllum</i> (Hook. & Arn.) T. & G.	
<i>Lithophragma parviflorum</i> (Hook.) T. & G. var. <i>parviflorum</i>	
<i>Lobelia dunnii</i> var. <i>serrata</i> (Gray) McVaugh	
<i>Loeseliastrum schottii</i> S. Timbrook	
<i>Lomatium californicum</i> (T. & G.) Mathias & Constance	
<i>Lomatium caruifolium</i> (H.& A.) J.M. Coulter & Rose var. <i>caruifolium</i>	
<i>Lomatium dissectum</i> var. <i>multifidum</i> (T. & G.) Mathias & Constance	
<i>Lomatium insulare</i> (Eastw.) Munz	
<i>Lomatium lucidum</i> (T. & G.) Jeps.	
<i>Lomatium macrocarpum</i> (T. & G.) J. Coulter & Rose	
<i>Lomatium nevadense</i> var. <i>parishi</i> (J.M. Coul.) Jeps.	
<i>Lomatium parvifolium</i> (Hook. & Arn.) Jeps.	
<i>Lomatium utriculatum</i> (T. & G.) Coulter & Rose	
<i>Lomatium vaginatum</i> J.M. Coul. & Rose	
<i>Lonicera subspicata</i> Hooker & Arnott var. <i>subspicata</i>	
<i>Ludwigia palustris</i> (L.) Elliot	
<i>Lupinus adsurgens</i> E. Drew var. <i>adsurgens</i>	
<i>Lupinus adsurgens</i> var. <i>undulatus</i> C.P. Smith	
<i>Lupinus agardhianus</i> Heller	
<i>Lupinus albicaulis</i> Hooker	
<i>Lupinus albifrons</i> var. <i>douglasii</i> (Agardh) C.P. Smith	
<i>Lupinus andersonii</i> S. Watson	
<i>Lupinus arbustus</i> Douglas	
<i>Lupinus benthamii</i> A. Heller var. <i>benthamii</i>	
<i>Lupinus breweri</i> Gray var. <i>breweri</i>	
<i>Lupinus breweri</i> var. <i>bryoides</i> C.P. Smith	
<i>Lupinus chamissonis</i> Eschsch.	
<i>Lupinus concinnus</i> spp. <i>optatus</i> D. Dunn	
<i>Lupinus concinnus</i> spp. <i>orcuttii</i> (S. Watson) D. Dunn	
<i>Lupinus elatus</i> I.M. Johnston	

Common Name

Granite Prickly Phlox (U)	
Baby Tears (R)	
Bicolored Linanthus (R)	
Short-stemmed Linanthus (R)	
Whisker Brush (U)	
Tehachapi Linanthus or Flaxflower (R)	
Continental Pygmy Linanthus (R)	
California Coreopsis (R)	
Leafy-stemmed Coreopsis (R)	
Peirson's Lessingia (R)	
Sierra Lessingia (R)	
Sticky Lessingia (R)	
Spring Lessingia (U, Type, CNPS 4.3)	
Sierra Nevada Bitterroot (R)	
Pygmy Bitterroot (R)	
Ocellated Humboldt Lily (U, CNPS 4.2)	
Leopard Lily (R)	
Marsh Rosemary (R)	
Tufted Mudwort (R)	
Bigelow Linanthus (R)	
Ground Pink (U)	
Parry Linanthus (R)	
Granite Prickly Phlox (U)	
Toadflax (R)	
Toadflax (U)	
Tiny Lipocarpha (R)	
Smooth Star (R)	
Hill Star (R)	
Prairie Star (U)	
Rothrock (Ojai) Lobelia (Type Locality only)	
Schott Loeseliastrum (R)	
California Lomatium (U)	
Alkali Desertparsley (R)	
Carrotleaf Biscuitroot (U)	
San Nicolas Island Lomatium (R)	
Shiny Lomatium (U)	
Large-fruited Lomatium (U)	
Parish's Lomatium (R)	
Small-leaved Lomatium (R)	
Foothill Lomatium (U)	
Broadsheath Lomatium (R)	
Santa Ynez Mountains Honeysuckle (R)	
Streamside Water Primrose (R)	
Silky Lupine (R)	
Wavyleaf Silky Lupine (R)	
Lupine (R)	
Whitestem Lupine (U)	
Island Silver Bush Lupine (U)	
Anderson Lupine (U)	
Spur Lupine (R)	
Spider Lupine (R)	
Brewer Mat Lupine (U)	
Alpine Brewer Lupine (U)	
Coastal Bush Lupine (R)	
Bajada Lupine (R)	
Orcutt Bajada Lupine (R)	
Silky Lupine (CNPS 4.3)	

<u>Scientific Name</u>	<u>Common Name</u>
<i>Lupinus excubitus</i> var. <i>johnstonii</i> C.P. Smith	Johnston Bush Lupine (R)
<i>Lupinus formosus</i> var. <i>robustus</i> C.P. Smith	Summer Bush Lupine (U)
<i>Lupins grayi</i> S. Watson	Gray's Lupine (R)
<i>Lupinus luteolus</i> Kellogg	Butter Lupine (U)
<i>Lupinus paynei</i> Davidson	Payne's Bush Lupine (R, Type)
<i>Lupinus polyphyllus</i> var. <i>burkei</i> (S. Watson) C. Hitchc.	Large-leaved Lupine (R)
<i>Lycium andersonii</i> Gray	Anderson Desert-thorn (R)
<i>Lycium californicum</i> Nuttall ex Gray	California Desert-thorn (R)
<i>Lycium verrucosum</i> Eastwood	San Nicolas Island Desert-thorn (R, Type)
<i>Madia elegans</i> ssp. <i>densifolia</i> (E. Greene) Keck	Dense-flowered Tarplant or Madia (R)
<i>Madia elegans</i> ssp. <i>vernalis</i> Keck	Vernal Tarplant or Madia (R)
<i>Madia elegans</i> ssp. <i>wheeleri</i> (A. Gray) Keck	Wheeler Tarplant or Madia (U)
<i>Madia sativa</i> Molina	Coast Tarplant (R)
<i>Maianthemum racemosum</i> ssp. <i>amplexicaule</i> (Nutt.) LaFrankie	False Solomon's Seal, Wild Lily of the Valley (R)
<i>Maianthemum stellatum</i> (L.) Link	False Solomon's Seal, Wild Lily of the Valley (R)
<i>Malacothamnus fasciculatus</i> var. <i>laxiflorus</i> (Gray) Kearney	Lax-flowered Bushmallow (R)
<i>Malacothamnus marrubiooides</i> (D. & H.) Greene	Pink-flowered Bush[Globe]mallow (U)
<i>Malacothamnus orbiculatus</i> (E. Greene) E. Greene	Roundleaf Bushmallow (U)
<i>Malacothamnus nuttallii</i> Abrams	Nuttall Bushmallow (Type)
<i>Malacothrix clevelandii</i> Gray	Cleveland Cliff-aster (U)
<i>Malacothrix coulteri</i> Gray	Snake-head (R)
<i>Malacothrix foliosa</i> Gray ssp. <i>foliosa</i>	Leafy Cliff-aster (R, CNPS 4.2)
<i>Malacothrix foliosa</i> ssp. <i>crispifolia</i> W.S. Davis	Leafy Cliff-aster (R, CNPS 1B.2)
<i>Malacothrix foliosa</i> ssp. <i>polyccephala</i> W.S. David	Many-headed Leafy Cliff-aster (R)
<i>Malacothrix glabrata</i> A. Gray	Desert Dandelion (R)
<i>Malacothrix incana</i> (Nuttall) Torrey & A. Gray var. <i>incana</i>	Dunedelion (U, CNPS 4.3)
<i>Malacothrix junakii</i> W.S. Davis	Junak Dandelion (R, Type, CNPS 1B.1)
<i>Malacothrix phaeocarpa</i> W.S. Davis	Brown-fruited Dandelion (R, CNPS 4.3)
<i>Malacothrix saxatilis</i> var. <i>altissima</i> (Greene) Ferris	Cliff-aster (R)
<i>Malacothrix saxatilis</i> var. <i>commutata</i> Ferris	Cliff-aster (U)
<i>Malacothrix saxatilis</i> var. <i>implicata</i> (Eastw.) Hall	Implicated Cliff-aster (U, Type)
<i>Malacothrix saxatilis</i> (Nuttall) T. & G. var. <i>saxatilis</i>	Cliff-aster (CNPS 4.2)
<i>Malacothrix similis</i> Davis & Raven	Mexican Cliff-aster (R, CNPS 1A)
<i>Malacothrix squalida</i> Greene	Island Dandelion (R, CNPS 1B.1)
<i>Marsilea vestita</i> Hooker & Greville ssp. <i>vestita</i>	Hairy Pepperwort, Clover Fern (R)
<i>Matricaria occidentalis</i> E. Greene	Valley Mayweed (R)
<i>Meconella denticulata</i> E. Greene	Tiny Poppy (U)
<i>Melica californica</i> Scribner var. <i>californica</i>	California Melic Grass (U)
<i>Melica frutescens</i> Scribner	Melic Grass (R)
<i>Melica stricta</i> Bolander var. <i>albicaulis</i>	Whitestem Rock Melic Grass (R)
<i>Mentha arvensis</i> L.	Field Mint (R)
<i>Mentzelia albicaulis</i> (Hook.) T. & G.	Whitestem Stickleleaf (U)
<i>Mentzelia congesta</i> var. <i>davidsoniana</i> (Abrams) J.F. Macbr.	Ventana Stickleleaf (R)
<i>Mentzelia eremophila</i> (Jeps.) H.J. Thoms. & J.E. Roberts	Pinyon Blazing Star (4.2, R)
<i>Mentzelia gracilenta</i> T. & G.	Slender Stickleleaf (U)
<i>Micranthes bryophora</i> (A. Gray) Brouillet & Gornall	Saxifrage (R)
<i>Microseris douglasii</i> (DC.) Schultz-Bip. ssp. <i>douglasii</i>	Douglas Microseris (R)
<i>Microseris douglasii</i> ssp. <i>tenella</i> (A. Gray) Chambers	Slender Douglas Microseris (R)
<i>Microseris elegans</i> A. Gray	Elegant Microseris (R)
<i>Mimulus androsaceus</i> Greene	Naked Sepal Monkeyflower (U)
<i>Mimulus aurantiacus</i> var. <i>parviflorus</i> (Greene) D.M. Thompson	Bush Monkeyflower (R)
<i>Mimulus breweri</i> (E. Greene) Cov.	Brewer Monkeyflower (R)
<i>Mimulus constrictus</i> (A.L. Grant) Pennell X <i>Mimulus johnstonii</i> A.L. Grant	Hybrid Narrow-throated Monkeyflower (U)
<i>Mimulus flemingii</i> Munz	Island Bush Monkeyflower (R, CNPS 4.3)
<i>Mimulus fremontii</i> (Benth.) Gray var. <i>fremontii</i>	Fremont Monkeyflower (U)
<i>Mimulus longiflorus</i> var. <i>rutilus</i> A. Grant	Red Sticky Bush Monkeyflower (R)
<i>Mimulus moschatus</i> var. <i>longiflorus</i> A. Gray	Musk Monkeyflower (U)

Scientific Name

Mimulus parishii E. Greene
Mimulus primuloides Benth. var. *primuloides*
Mimulus rattanii Gray
Mimulus rubellus Gray
Mimulus suksdorfii Gray
Mimulus tilingii Regel
Mirabilis laevis var. *villosa* (Kellogg) Spellenberg
Mirabilis multiflora var. *pubescens* S. Watson
Monanthochloe littoralis Engelm.
Monardella australis Abrams
Monardella hypoleuca Gray ssp. *hypoleuca*
Monardella linoides A. Gray ssp. *linoides*
Monardella linoides ssp. *oblonga* (Greene) Abrams
Monardella linoides ssp. *stricta* (Parish) Epling
Monardella sinuata ssp. *gerryi* Elvin, A.C. Sanders & R.A. Burgess
Monolepis nuttalliana (Schultes) E. Greene
Monolopia lanceolata Nuttall
Monolopia major DC.
Montia chamaissoides (Ledeb. Ex Spreng.) Greene
Morella californica (Chamisso & Schltdl.) Wilbur
Mucronea californica Benth. var. *californica*
Mucronea perfoliata (Gray) A.A. Heller var. *perfoliata*
Muhlenbergia andina (Nuttall) A. Hitchc.
Muhlenbergia filiformis (Thurb. ex S. Watson) Rydb. var. *filiformis*
Muhlenbergia richardsonis (Trin.) Rydberg
Muhlenbergia utilis (Torrey) A. Hitchc.
Muilla maritima (Torrey) S. Watson
Myosurus apetalus var. *montanus* Whittemore
Myosurus minimus L.
Myriophyllum hippuroides Torrey & A. Gray
Myriopteris [Cheilanthes] clevelandii (D.C. Eaton) Grusz & Windham.
Myriopteris [Cheilanthes] cooperae (D.C. Eaton) Grusz & Windham.
Myriopteris [Cheilanthes] newberryi (D.C. Eaton) Grusz & Windham.
Najas guadalupensis (Sprengel) Magnus
Najas marina L.
Navarretia capillaris (Kellogg) Kuntze
Navarretia hamata ssp. *leptantha* (Greene) H. Mason
Navarretia hamata ssp. *parviloba* A.G. Day
Navarretia intertexta (Benth.) Hook.
Navarretia mellita E. Greene
Navarretia mitracarpa Greene
Navarretia ojaiensis Elvin, J.M. Porter & L.A. Johnson
Navarretia peninsularis Greene
Navarretia pubescens (Bentham) Hooker & Arnott
Navarretia squarrosa (Eschsch.) Hook. & Arn.
Nemacladus californicus (A. Gray) Morin
Nemacladus capillaris Greene
Nemacladus gracilis Eastw.
Nemacladus orientalis (McVaugh) Morin
Nemacladus ramosissimus Nuttall
Nemacladus secundiflorus var. *robbinsi* Morin
Nemacladus sigmoideus G.T. Robbins
Nemophila menziesii var. *integrifolia* Parish
Nemophila parviflora Douglas ex Bentham var. *parviflora*
Nemophila pulchella var. *fremontii* (A.D.E. Elmer) Constance
Nicotiana clevelandii A. Gray
Nicotiana quadrivalvis Pursh var. *wallacei* (Gray) Mansf.

Common Name

Parish's Monkeyflower (R)
Primrose Monkeyflower (U)
Rattan's Monkeyflower (R)
Little Redstem Monkeyflower (R)
Suksdorf Monkeyflower (R)
Creeping Monkeyflower (R)
Woolly Wishbone-bush (R)
Froebel Four O'Clock (R)
Shoregrass (R)
Southern Coyote Mint (R)
White-veined Coyote Mint (U)
Flax-leaved Horsemint (R)
Flax-leaved Horsemint (CNPS 1B.3)
Flax-leaved Horsemint (R)
Gerry's Curly-leaved Monardella (R, CNPS 1B.1)
Nuttall Monolepis, Poverty Weed (R)
Lanceleaf Hilltop Daisy (R)
Cupped Daisy (R)
Toad-Lily (R)
California Wax-Myrtle, Pacific Bayberry (R)
California Spineflower (R, CNPS 4.2)
Perfoliate Spineflower (R)
Foxtail Muhly (R)
Pull-Up Muhly (R)
Mat Muhly (R)
Aparejo Grass (R)
Common Muilla (U)
Petaless Mousetails (R)
Common Mousetails (R)
Western Milfoil (R)
Cleveland Lip-fern (R)
Mrs. Cooper Lip-fern (R)
Cotton Fern (U)
Common Water-nymph, Southern Naiad (R)
Spiny Niad (R)
Miniature Gilia (R)
Skunk Navarretia (R)
Skunk Navarretia (R)
Needleleaf Navarretia (R)
Sticky Navarretia (R)
Mitrefruit Pincushionplant (R)
Ojai Navarretia (S, CNPS 1B.1)
Southern California Navarretia (U)
Hairy Navarretia (R)
Downy Navarretia (R)
Parishella (R)
Common Nemacladus (R)
Slender Nemacladus (R)
Western Sticky Nemacladus (R)
Nuttall's Nemacladus (R)
Robbins' Nemacladus (R, CNPS 1B.2)
Thread Stem (R)
Baby Blue-eyes (U)
Smallflower Nemophila (R)
Fremont Baby Blue-eyes (R)
Cleveland Indian Tobacco (U)
Wallace's Indian Tobacco (R)

<u>Scientific Name</u>	<u>Common Name</u>
<i>Nolina cismontana</i> Dice	Chaparral Bear-grass (S, CNPS 1B.2)
<i>Notholeana californica</i> D.C. Eaton ssp. <i>californica</i>	California Cloak Fern (R)
<i>Notholithocarpus densiflorus</i> (Hook. & Arn.) Manos, C.H. Cannon, & S. Oh var. <i>densiflorus</i>	Tanbark Oak (U)
<i>Oenothera deltoides</i> ssp. <i>cognata</i> (Jepson) Klein	Birdcage Evening-primrose, Devil's Lantern (R)
<i>Oenothera elata</i> ssp. <i>hookeri</i> (Torrey & A. Gray) W. Dietr.	Hooker Coast Evening Primrose (R)
<i>Oenothera longissima</i> ssp. <i>clutei</i> (Nelson) Munz	Evening Primrose (R)
<i>Oligomeris linifolia</i> (M. Vahl) J.F. Macbr.	Narrowleaf Oligomeris (U)
<i>Opuntia basilaris</i> Engelm. & J. Bigelow var. <i>basilaris</i>	Beavertail Cactus (R)
<i>Opuntia littoralis</i> (Engelm.) Cockerell X <i>O. oricola</i> Philbr.	Coastal-Round-pad Prickly Pear Hybrid (R)
<i>Opuntia Xoccidentalis</i> Engelm. & Bigelow	Western Pricklypear Cactus (R)
<i>Opuntia oricola</i> Philbr.	Round-pad Prickly Pear (U)
<i>Opuntia Xvaseyi</i> (J. Coulter) Britton & Rose (<i>O. littoralis</i> X <i>phaeacantha</i>)	Mesa Prickly Pear (R)
<i>Orcuttia californica</i> Vasey	California Orcutt Grass (R, FE, SE, CNPS 1B.1)
<i>Orobanche californica</i> ssp. <i>feudgei</i> (Munz) Heckard	California Sagebrush Broom-rape (R)
<i>Orobanche californica</i> ssp. <i>grandis</i> Heckard	Coastal California Broom-rape (R)
<i>Orobanche californica</i> ssp. <i>jepsonii</i> (Munz) Heckard	Jepson Sagebrush Broom-rape (R)
<i>Orobanche parishii</i> ssp. <i>brachyloba</i> Heckard	Short-lobed Broom-rape (R, CNPS 4.2)
<i>Orobanche parishii</i> (Jeps.) Heckard ssp. <i>parishii</i>	Parish Broom-rape (U)
<i>Orobanche uniflora</i> L.	Naked Broomrape (R)
<i>Orobanche valida</i> Jeps. ssp. <i>valida</i>	Rock Creek Broom-rape (R, CNPS 1B.2)
<i>Orobanche vallicola</i> (Jepson) Heckard	Hillside Broomrape (R)
<i>Osmadenia tenella</i> Nutt.	Osmadenia (R)
<i>Osmorrhiza berteroii</i> DC.	Mountain Sweetroot (R)
<i>Oxalis albicans</i> Kunth ssp. <i>albicans</i>	Radishroot Woodsorrel (R)
<i>Oxalis albicans</i> ssp. <i>californica</i> (Abrams) G. Eiten	California White Wood Sorrel (R)
<i>Oxytheca perfoliata</i> T. & G.	Perfoliate Oxytheca (R)
<i>Oxytheca trilobata</i> A. Gray	Three-lobed Spineflower (R)
<i>Packera breweri</i> (Burtt Davy) W.A. Weber & Löve	Brewer Butterweed or Groundsel (U)
<i>Panicum capillare</i> ssp. <i>hillmanii</i> (Chase) Freckmann & Lelong	Hillman Witchgrass (U)
<i>Papaver californicum</i> Gray	Wind or Fire Poppy (U)
<i>Parietaria hespera</i> var. <i>californica</i> B.D. Hinton	California Pellitory (U)
<i>Parietaria pensylvanica</i> Muhlenberg ex Wildenow	Pennsylvania Pellitory (R)
<i>Parthenocissus inserta</i> (Kerner) K. Fritsch	Woodbine (U)
<i>Paspalum distichum</i> L.	Joint Dallis Grass or Knotgrass (U)
<i>Pectocarya heterocarpa</i> I.M. Johnston	Two-faced Pectocarya (R)
<i>Pedicularis densiflora</i> Hook.	Indian Warrior (R)
<i>Pedicularis semibarbata</i> Gray	Pine-woods Lousewort (U)
<i>Pediomelum castoreum</i> (S. Watson) Rydb.	Desert Indian Breadroot (R)
<i>Pellaea mucronata</i> var. <i>californica</i> (Lemmon) Munz & I.M. Johnston	California Birdsfoot Cliffbrake or Fern (R)
<i>Penstemon gracilentus</i> A. Gray	Slender Beardtongue (R)
<i>Penstemon grinnellii</i> Eastwood var. <i>grinnellii</i>	Grinnell Beardtongue (U)
<i>Penstemon heterophyllus</i> var. <i>australis</i> Munz & I.M. Johnston	Southern Mountain Penstemon (R)
<i>Penstemon laetus</i> Gray var. <i>laetus</i>	Gay Penstemon (U)
<i>Penstemon spectabilis</i> Thurber var. [ssp.] <i>spectabilis</i>	Royal Penstemon (R)
<i>Penstemon spectabilis</i> var. [ssp.] <i>subviscosus</i> (Keck) McMinn	Sticky Royal Penstemon (R)
<i>Pentachaeta fragilis</i> Brandegee	Fragile Pentachaeta (R, CNPS 4.3)
<i>Pentachaeta lyonii</i> Gray	Lyon's Pentachaeta (R, FE, SE, CNPS 1B.1)
<i>Pentagramma triangularis</i> ssp. <i>semipallida</i> (J.T. Howell) Yatsk., Windham, & E. Wollenw.	Silverback Fern (R)
<i>Pentagramma triangularis</i> ssp. <i>viscosa</i> (D.C. Eaton) Yatsk., Windham, & E. Wollenw.	San Nicolas Island Fern (R)
<i>Perideridia gairdneri</i> (Hook. & Arn.) Mathias ssp. <i>gairdneri</i>	Gairdner Yampah (R, CNPS 4.2)
<i>Perideridia parishii</i> ssp. <i>latifolia</i> (Gray) Chuang & Constance	Parish Yampah (R)
<i>Perideridia pringlei</i> (J.M. Coulter & Rose) A. Nelson & J.F. Macbr.	Adobe or Pringle Yampah (U, CNPS 4.3)
<i>Peritoma arborea</i> var. <i>angustata</i> (Parish) H.H. Iltis	Slender Bladderpod (R)
<i>Perityle emoryi</i> Torrey	Rock Daisy (U)
<i>Persicaria amphibia</i> (L.) Delarbre	Water-smartweed (U)
<i>Persicaria hydropiperoides</i> (Michx.) Small	Mild Water Pepper (U)
<i>Petalonyx thurberi</i> A. Gray var. <i>thurberi</i>	Thurber's Sandpaper Plant (R)

Scientific Name

Phacelia austromontana J.T. Howell
Phacelia bicolor Torrey ex S. Watson
Phacelia crenulata var. *minutiflora* (J.W. Voss ex Munz) Jepson
Phacelia cryptantha E. Greene
Phacelia exilis (Gray) G.J. Lee
Phacelia grisea Gray
Phacelia hastata var. *compacta* (Brand) Cronquist
Phacelia hastata Douglas ex Lehm. var. *hastata*
Phacelia heterophylla var. *virgata* (Greene) R.D. Dorn
Phacelia hubbyi (J.F. Macbr.) L.M. Garrison
Phacelia humilis var. *dudleyi* J. Howell
Phacelia imbricata ssp. *patula* (Brand) Heckard
Phacelia minor (Harvey) Thellung
Phacelia mohavensis A. Gray
Phacelia mutabilis Greene
Phacelia oreopola Heckard ssp. *oreopela*
Phacelia platyloba A. Gray
Phacelia ramosissima var. *austrolittoralis* Munz
Phacelia ramosissima var. *latifolia* (Torrey) Cronq.
Phacelia ramosissima var. *subsinuata* (Greene) J.F. Macbr.
Phacelia rattanii A. Gray
Phalaris lemmonii Vasey
Phlox austromontana Coville
Phlox caespitosa Nuttall
Phlox diffusa Benth.
Phlox hoodii ssp. *canescens* (T. & G.) Wherry
Pholistoma membranaceum (Benth.) Constance
Pholistoma racemosum (Nutt. ex A. Gray) Constance
Phoradendron californicum Nutt.
Phoradendron juniperum A. Gray
Phoradendron pauciflorum Torrey
Phragmites australis (Cav.) Steudel
Phyla lanceolata (Michx.) Greene
Phyla nodiflora (L.) E. Greene var. *nodiflora*
Phyllospadix scouleri Hook.
Phyllospadix torreyi S. Watson
Pickeringia montana Nutt. var. *montana*
Pilularia americana A. Braun
Pinus contorta ssp. *murrayana* (Grev. & Balf.) Critchf.
Pinus coulteri D. Don
Pinus flexilis E. James
Pinus sabiniana Douglas
Piperia cooperi (S. Watson) Rydb.
Piperia elegans (Lindl.) Rydb. ssp. *elegans*
Piperia elongata Rydb.
Piperia michaelii (Greene) Rydb.
Piperia unalascensis (Spreng.) Rydb.
Plagiobothrys acanthocarpus (Piper) I.M. Johnston
Plagiobothrys arizonicus (Gray) Gray
Plagiobothrys collinus var. *fulvescens* (I.M. Johnston) Higgins
Plagiobothrys collinus var. *gracilis* (A. Gray) Higgins
Plagiobothrys hispidulus (E. Greene) I.M. Johnston
Plagiobothrys leptocladus (E. Greene) I.M. Johnston
Plagiobothrys tenellus (Nuttall) A. Gray
Plagiobothrys trachycarpus (A. Gray) I.M. Johnst.
Plagiobothrys undulatus (Piper) I.M. Johnston
Plantago elongata Pursh

Common Name

Low Phacelia (U)
Bicolored Phacelia (R)
Small-flowered Crenulate Phacelia (R)
Forget-Me-Not Phacelia (R)
Transverse Range Phacelia (S, CNPS 4.3)
White-flowered Phacelia (R)
Low Silverleaf Phacelia (R)
Silverleaf Scorpionweed (R)
Virgate Varileaf Phacelia (R)
Hubby Caterpillar Phacelia (S, CNPS 4.2)
Dudley Phacelia (R)
Mountain Phacelia (R)
Wild Canterbury Bell (R)
Mojave Phacelia (R, CNPS 4.3)
Changeable Phacelia (R)
Mountain Phacelia (R)
Phacelia (R)
South Coast Branching Phacelia (R, CNPS 3.2)
Branching Phacelia (U)
Wavyleaf Branching Phacelia (R)
Brand Phacelia (R)
Lemmon Canarygrass (R)
Spreading Phlox (U)
Rigid Mat Phlox (R)
Mat Phlox (U)
Fuzzy Hood Phlox (R)
White Fiesta Flower (U)
South Coast Fiesta Flower (R)
Desert Mistletoe (R)
Incense-cedar Mistletoe (R)
Few-flowered Mistletoe (R)
Common Reed (R)
Narrowleaf Frog-fruit (R)
Common Frog-fruit (U)
Scouler Surf-grass (R)
Torrey Surf-grass (U)
Chaparral Pea (U)
American Pillwort (R)
Lodgepole Pine (R)
Coulter Pine (R)
Limber Pine (R)
Foothill or Gray Pine (R)
Chaparral Rein Orchid (R, CNPS 4.2)
Elegant Rein Orchid (R)
Dense-flowered Rein Orchid (R)
Michael Piperia (R, CNPS 4.2)
Slender-spire Orchid (R)
Adobe Popcornflower (R)
Arizona Popcornflower (U)
Popcornflower (U))
Slender California Popcornflower (U)
Hispid Popcornflower (R)
Alkali Popcornflower (R)
Slender Popcornflower (R)
Rough-nutlet Popcornflower (R)
Undulate Popcornflower (R)
Coastal Plantain (R)

Scientific Name

Plantago ovata var. *fastigiata* (Morris) S.C. Meyers & A. Liston
Plantago ovata var. *insularis* (Eastw.) S.C. Meyers & A. Liston
Plantago patagonica Jacq.
Plantago pusilla Nuttall
Platanthera leucostachys Lindley
Platanthera sparsiflora (S. Watson) Schltr.
Plectritis ciliosa ssp. *insignis* (Suksd.) D. Morey
Plectritis macrocera Torrey & A. Gray
Pluchea sericea (Nutt.) Coville
Poa howellii Vasey & Scribn.
Poa secunda ssp. *juncifolia* (Scribner) R. Soreng
Polemonium micranthum Benth.
Polycarpon depressum Nutt.
Polygala cornuta var. *fishiae* (C. Parry) Jeps.
Polygonum amphibium var. *emersum* Michx.
Polygonum douglasii ssp. *johnstonii* (Munz) J. Hickman
Polygonum hydropiperoides Michaux
Polygonum lapathifolium L.
Polygonum polygaloides ssp. *kelloggii* (Greene) J. Hickman
Polygonum punctatum Elliott
Polygonum sawatchense Small ssp. *sawatchense*
Polypodium calirhiza S.A. Whitmore & A.R. Sm.
Polypodium hesperium Maxon
Polystichum imbricans ssp. *curtum* (Ewan) D.H. Wagner
Polystichum imbricans (D.C. Eaton) D.H. Wagner ssp. *imbricans*
Polystichum munitum (Kaulf.) C. Presl
Populus Xparryi Sargent
Populus trichocarpa Torrey & A. Gray
Potamogeton nodosus Poiret
Potentilla biennis Greene
Potentilla gracilis var. *elmeri* (Rydb.) Jeps.
Prunus emarginata (Hooker) Walp.
Prunus ilicifolia ssp. *lyonii* (Eastw.) P. Raven
Pseudognaphalium canescens (de Candolle) Anderberg
Pseudognaphalium leucocephalum (A. Davidson) Anderberg
Pseudognaphalium ramosissimum (Nutt.) Anderberg
Pseudostellaria jamesiana (Torrey) W.A. Weber & R.I. Hartman
Psilocarphus brevissimus Nutt. var. *brevissimus*
Psilocarphus chilensis A. Gray
Pterospora andromedea Nutt.
Pyrola asarifolia Michx. ssp. *asarifolia*
Pyrola picta Smith
Pyrrocoma racemosa var. *paniculata* (Nutt.) J. Kartesz & K. Gandhi
Quercus Xalvordiana Eastwood (*Q. douglasii* X *Q. john-tuckeri*)
Quercus douglasii H. & A.
Quercus dumosa Nutt.
Quercus Xmacdonaldii Greene
Quercus Xmoreha Kellogg
Quercus palmeri Engelm.
Quercus tomentella Engelm.
Quercus turbinella Greene ssp. *turbinella*
Ranunculus aquatilis var. *diffusus* Withering
Ranunculus canus var. *ludovicianus* (E. Greene) L.D. Benson
Ranunculus glaberrimus Hook. var. *glaberrimus*
Rhamnus tomentella ssp. *cuspidata* (Greene) Sawyer
Rhus integrifolia (Nutt.) Brewer & S. Watson X *R. ovata* S. Watson
Ribes amarum McClatchie var. *amarum*

Common Name

Ovate Plantain (U)
Ovate Plantain (U)
Patagonia Plantain (R)
Plantain (R)
White-flowered Bog-Orchid (R)
Few-flowered Rein Orchid (R)
Petite Long-spurred Plectritis (R)
White Plectritis (R)
Arrow Weed (R)
Howell's Bluegrass (R)
Rush Bluegrass (R)
Phlox (U)
California Allseed (U)
Fish Milkwort (CNPS 4.3)
Kelp, Water-Smartweed (R)
Sawatch Knotweed (R)
Mild Water Pepper, Water Smartweed (R)
Willow Weed (U)
Kellogg Knotweed (R)
Dotted Smartweed (U)
Sawatch Smartweed (R)
Netted Polypody Fern (R)
Western Polypody (R)
Imbricate Sword Fern (U)
Imbricate Sword Fern (R)
Western Sword Fern (R)
Parry's Cottonwood (R)
Black Cottonwood (Type)
Long-leaved Pondweed (R)
Biennial Cinquifoil (R)
Elmer Slender Cinquifoil (U, Type)
Bitter Cherry (R)
Catalina Cherry (R)
Wright's Rabbit-tobacco (R)
Whiteleaf or Sonora Everlasting (CNPS 2.2)
Pink Everlasting (U)
False Chickweed (R)
Woolly Marbles (R)
Round Woolly Marbles (R)
Woodland Pinedrops (R)
Bog Wintergreen (R)
White-veined Wintergreen (R)
Pyrrocoma (R)
Alvord Oak (R)
Blue Oak (R)
Nuttall or Coastal Sage Scrub Oak (R, CNPS 1B.1)
MacDonald Oak (R)
Oracle Oak (R)
Palmer Oak (R)
Channel Island Oak (R)
Sonoran Scrub Oak (R)
White Water Crowfoot (R)
Transverse Ranges Buttercup (R)
Sagebrush Buttercup (R)
Cupid Hoary Coffeeberry (R)
Lemonade Berry-Sugar Bush Hybrid (R)
Bitter Gooseberry (R)

Scientific Name

<i>Ribes amarum</i> var. <i>hoffmannii</i> Munz	Hoffmann's Bitter Gooseberry (R, CNPS 3)
<i>Ribes aureum</i> var. <i>gracillimum</i> (Cov. & Britton) Jeps.	Slender Golden Currant (R)
<i>Ribes montigenum</i> McClatchie	Mountain Gooseberry (R)
<i>Ribes velutinum</i> Greene	Plateau Gooseberry (U)
<i>Romneya coulteri</i> Harvey	Coulter Matilija Poppy (U, CNPS 4.2)
<i>Rorippa curvisiliqua</i> (Hooker) Bessey ex Britton	Curved-pod Water-cress (R)
<i>Rorippa palustris</i> (L.) Besser var. <i>palustris</i>	Western Riparian Yellow-cress (R)
<i>Rosa woodsii</i> ssp. <i>ultramontana</i> (S. Watson) Roy L. Taylor & MacBryde	Interior Wild Rose (R)
<i>Rotala ramosoilo</i> (L.) Koehne	Lowland Toothcup (R)
<i>Rubus leucodermis</i> Torrey & A. Gray	Whitebark Raspberry (U)
<i>Rubus parviflorus</i> Nuttall	Thimbleberry (R)
<i>Rumex californicus</i> Rech. f.	California Dock (U)
<i>Rumex crassus</i> Rech. f.	Willow-leaved Dock (R)
<i>Rumex fueginus</i> Phil. var. <i>ovato-cordatus</i> Rech.f.	Oxnard Dock (R, Type)
<i>Rumex transitorius</i> Rech. f.	Transitory Dock (R)
<i>Rumex violascens</i> Rech. f.	Violet Dock (R)
<i>Rupertia physodes</i> (Hook.) Grimes	Scurf-pea (R)
<i>Ruppia cirrhosa</i> (Petagna) Grande	Spiral Wigeon-grass or Ditch-grass (R)
<i>Ruppia maritima</i> L.	Wigeon-grass, Ditch-grass (R)
<i>Sabulina pusilla</i> (S. Watson) Dellenb.& Kadereit	Sandwort (R)
<i>Sagina decumbens</i> ssp. <i>occidentalis</i> (S. Wats.) G. Crow	Western Pearlwort (R)
<i>Sagina saginoides</i> (L.) H. Karst.	Sagina, Arctic Pearlwort (R)
<i>Sagittaria sanfordii</i> Greene	Sanford Arrow-head (R, CNPS 1B.2)
<i>Salicornia bigelovii</i> Torrey	Bigelow Pickleweed (R)
<i>Salicornia depressa</i> Standley	Pickleweed (R)
<i>Salix gooddingii</i> C. Ball	Goodding Black Willow (R)
<i>Salix lasiolepis</i> var. <i>bigelovii</i> (Torrey) Bebb.	Bigelow Arroyo Willow (R)
<i>Salix melanopsis</i> Nuttall	Dusky Willow (R)
<i>Saltugilia australis</i> (H. Mason & A.E. Grant) L.A. Johnson	Southern Gilia (R)
<i>Saltugilia latimeri</i> T.L. Weese & L.A. Johnson	Latimer's Gilia (R, 1B.2)
<i>Salvia Xbernardina</i> Parish ex Greene	Bernard's Sage (R)
<i>Salvia carduacea</i> Benth.	Thistle Sage (R)
<i>Salvia dorrii</i> var. <i>pilosa</i> (Gray) Strachan & Reveal	Pilose Desert Sage (R)
<i>Samolus parviflorus</i> Raf.	Water-pimpernel (R)
<i>Sanicula bipinnatifida</i> Hooker	Purple Sanicle (R)
<i>Sanicula graveolens</i> Peopp. ex DC.	Sanicle (R)
<i>Sanicula tuberosa</i> Torrey	Tuberose Sanicle (R)
<i>Sarcodes sanguinea</i> Torrey	Snow Plant (U)
<i>Saussurea americana</i> D. Eaton	American Sawwort (R)
<i>Schoenoplectus acutus</i> var. <i>occidentalis</i> (S. Watson) S.G. Smith	Viscid Tule (U)
<i>Schoenoplectus californicus</i> (C. Meyer) Soják, Čas. Nár.	California Bulrush (U)
<i>Schoenoplectus pungens</i> var. <i>badius</i> (J. Presl & C. Presl) S.G. Smith	Common Threesquare (U)
<i>Schoenoplectus pungens</i> var. <i>longispicatus</i> (Britton) S.G. Smith	Common Threesquare (U)
<i>Schoenoplectus saximontanus</i> (Fern.) J. Raynal	Rocky Mountain Bulrush (R)
<i>Schoenoplectus tabernaemontani</i> (C. Gmelin) Palla	Soft-stem Bulrush (R)
<i>Scrophularia californica</i> ssp. <i>floribunda</i> (E. Greene) Shaw	Many-flowered Figwort (R)
<i>Scutellaria antirrhinoides</i> Benth.	Snapdragon Skullcap (R)
<i>Senecio aphanactis</i> Greene	Rayless Ragwort (R)
<i>Senecio flaccidus</i> var. <i>monoensis</i> (Greene) B.L.Turner & T.M.Barkley	Mono Butterweed (R)
<i>Setaria gracilis</i> Kunth	Knotroot Bristlegrass (R)
<i>Setaria parviflora</i> (Poir.) Kerguélen	Knotroot Bristlegrass (R)
<i>Shepherdia argentea</i> Nutt.	Buffalo Berry, Silver Buffaloberry (U)
<i>Sidalcea malviflora</i> ssp. <i>dolosa</i> C.L. Hitchc.	Dwarf Globemallow or Checkerbloom (R)
<i>Sidalcea neomexicana</i> Gray	Salt Spring Checkermallow (U, CNPS 2.2)
<i>Sidalcea pedata</i> Gray	Bird-footed Checkerbloom (R)
<i>Sidotheca caryphylloides</i> (C. Parry) Reveal	Chickweed Oxytheca (R, CNPS 4.3)
<i>Silene antirrhina</i> L.	Snapdragon Campion, Catchfly (U)

Common Name

Scientific Name

Silene bernardina S. Watson
Silene laciniata ssp. *californica* (Durand) J.K. Morton
Silene lemmontii S. Watson
Solanum parishii A.A. Heller
Solanum umbelliferum Eschsch.
Solanum wallacei (A. Gray) Parish
Solidago guiradonis Gray
Solidago velutina ssp. *sparsiflora* (A. Gray) Semple
Spergularia macrotheca var. *leucantha* (E. Greene) Robinson
Sphaeralcea ambigua A. Gray var. *ambigua*
Sphenosciadium capitellatum Gray
Sporobolus airoides (Torey) Torrey
Sporobolus cryptandrus (Torrey) A. Gray
Stachys ajugoides Benth.
Stachys pycantha Benth.
Stachys rigida var. *quercetorum* (A. Heller) G.A. Mulligan & D.B. Munro
Stachys rigida Bentham var. *rigida*
Stebbinsoseris heterocarpa (Nuttall) Chambers
Stephanomeria exigua Nuttall ssp. *exigua*
Stephanomeria virgata ssp. *pleurocarpa* (Greene) Gottlieb
Stillingia linearifolia S. Watson
Stillingia spinulosa Torrey
Stipa arida M.E. Jones
Stipa diegoensis Swallen
Stipa occidentalis S. Watson var. *occidentalis*
Stipa occidentalis var. *pubescens* (Vasey) J.R. Maze et al.
Stipa parishii Vasey var. *parishii*
Stipa thurberiana Piper
Streptanthus campestris S. Watson
Stuckenia pectinata (L.) Börner
Stutzia dioica (Nutt.) E.H. Zacharias
Stylocline gnaphaloides Nuttall
Stylomecon heterophylla (Benth.) G. Taylor
Suaeda calceoliformis (Hook.) Moq.
Suaeda californica S. Watson var. *californica*
Suaeda californica var. *pubescens* Jepson
Suaeda taxifolia (Standl.) Standl.
Suaeda esteroa Ferren & Whitmore
Suaeda nigra (Rafinesque) J.F. Macbride
Swertia neglecta (H.M. Hall) Jeps.
Symphoricarpos albus var. *laevigatus* (Fern.) S.F. Blake
Symphyotrichum ascendens (Lindl.) G.L. Nesom
Symphyotrichum greatae (Parish) G.L. Nesom
Symphyotrichum lanceolatum var. *hesperium* (A. Gray) G.L. Nesom
Syntrichopappus lemmontii (A. Gray) A. Gray
Tauschia hartwegii (A. Gray) J.F. Macbr.
Tetradymia canescens DC.
Tetradymia comosa Gray
Tetrapteron graciliflorum (Hooker & Arnott) W.L. Wagner & Hoch
Thalictrum fendleri Engelmann ex Gray var. *fendleri*
Thermopsis californica var. *argentata* (Greene) Chen & Turner
Thermopsis macrophylla Hooker & Arnott var. *macrophylla*
Thermopsis macrophylla var. *venosa* (Eastwood) Isely
Thysanocarpus conchuliferus E. Greene
Trichostema austromontanum Harlan Lewis ssp. *austromontanum*
Trichostema micranthum Gray
Trichostema ovatum Curran

Common Name

Palmer Campion (R)
 California Indian Pink (R)
 Lemmon Campion or Catchfly (R)
 Parish Nightshade (R)
 Blue Witch (U)
 Wallace's Nightshade (R)
 Guijaro Goldenrod (R, CNPS 4.2)
 Few-leaved Goldenrod (R)
 White Large[-flowered] Sandspurrey (R)
 Apricot Mallow (R)
 Ranger Buttons, Swamp White Heads (R)
 Alkali Sacaton (R)
 Sand Dropseed (R)
 Hedge-nettle (R)
 Short-spiked Hedge-nettle (R)
 Oak Rigid Hedge Nettle (R)
 Rigid Hedge Nettle (U)
 Chicory Microseris (U)
 Small Stephanomeria (R)
 Two-fruited Wreath Plant (R)
 Narrowleaf Stillingia (R-extirpated?)
 Annual Toothleaf (R-extirpated?)
 Mormon Needlegrass (R)
 San Diego Needlegrass (CNPS 4.2)
 Western Needlegrass (R)
 Elmer Needlegrass (R)
 Parish Needlegrass (R)
 Thurber Needlegrass (R)
 Southern Jewelflower (R, CNPS 1B.3)
 Fennel-leaf Pondweed (R)
 Thistleleaf Orach (U)
 Everlasting Nest Straw (U)
 Wind Poppy (U)
 Seablite (R)
 California Seablite (R, FE, CNPS 1B.1)
 Hairy California Seablite (FE, CNPS 1B.1)
 Woolly Seablite (O, CNPS 4.2)
 Estuary Seablite (R, CNPS 1B.2)
 Bush Seepweed (R)
 Pine Green Gentian (CNPS 4.3)
 Snowberry (U)
 Long-leaved Aster (R)
 Great's Aster (R, CNPS 1B.3)
 Siskiyou Aster (R)
 Lemmon's Xerasid (R, CNPS 4.3)
 Hartweg Tauschia (U)
 Cottonthorn, Horsebush (R)
 Cottonthorn, Horsebush (R)
 Hill Sun-cup (U)
 Fendler Meadow-rue (U)
 Silvery False-Lupine (U, CNPS 4.3)
 Santa Ynez False-Lupine (R, SR, CNPS 1B.3)
 Slender Santa Ynez False-Lupine (R)
 Santa Cruz Island Fringepod (R)
 San Jacinto Bluecurls (R)
 Bluecurls (R)
 Ovate Bluecurls (R)

<u>Scientific Name</u>	<u>Common Name</u>
<i>Trichostema parishii</i> Vasey	Parish Bluecurls (R)
<i>Trifolium bifidum</i> var. <i>decipiens</i> E. Greene	Pinole Clover (R)
<i>Trifolium cyathiferum</i> Lindley	Ciliate or Tree Clover (R)
<i>Trifolium depauperatum</i> var. <i>amplectens</i> (T. & G.) L.F. McDermott	Dwarf Sack Clover (R)
<i>Trifolium depauperatum</i> var. <i>truncatum</i> (Greene) Islay	Truncate Dwarf Sack Clover (U)
<i>Trifolium dictotomum</i> H. & A.	Island Rancheria Clover (R)
<i>Trifolium fucatum</i> Lindley	Bull Clover (U)
<i>Trifolium longipes</i> ssp. <i>atrorubens</i> (Greene) J.M. Gillett	Purple Clover (R)
<i>Trifolium microdon</i> Hook. & Arn.	Tiny-head Clover (R)
<i>Trifolium monanthum</i> var. <i>grantianum</i> (A.A. Heller) Parish	Carpet Clover (R)
<i>Trifolium monanthum</i> Gray var. <i>monanthum</i>	Carpet Clover (R)
<i>Trifolium obtusiflorum</i> Hooker & Arnott	Creek Clover (U)
<i>Trifolium palmeri</i> S. Watson	Palmer Pinpoint Clover (R)
<i>Trifolium variegatum</i> var. <i>major</i> Lojac.	Large Whitetip Clover (R)
<i>Trifolium wormskioeldii</i> Lehm.	Cows Clover (U)
<i>Triglochin concinna</i> Davy var. <i>concinna</i>	Utah Arrow-grass (R)
<i>Triglochin maritima</i> L.	Seaside Arrow-grass (R)
<i>Triglochin striata</i> R. & P.	Three-ribbed Arrow-grass (R)
<i>Triteleia ixoides</i> (Aif. F.) Greene ssp. <i>ixoides</i>	Golden Brodiaea (R)
<i>Tropidocarpum gracile</i> Hook. [var. <i>dubium</i>]	Slender Tropidocarpum (R)
<i>Typha angustifolia</i> L.	Slender Cattail (R)
<i>Typha latifolia</i> L.	Broad-leaved Cattail, Soft Flag (U)
<i>Typha Xdomingensis</i> Pers.	Southern Cattail Hybrid (R)
<i>Veratrum californicum</i> Durand var. <i>californicum</i>	California False Hellebore (R)
<i>Verbena bracteata</i> Lagasca & J.D. Rodriguez	Prostrate Verbena (R)
<i>Verbena lasiostachys</i> var. <i>scabrida</i> Mold.	Western Verbena (R)
<i>Veronica peregrina</i> ssp. <i>xalapensis</i> (Kunth) Pennell	Purslane Speedwell (U)
<i>Veronica serpyllifolia</i> ssp. <i>humifusa</i> (Dickson) Syme	Tyme-leaved Speedwell (R)
<i>Vicia americana</i> Willd. ssp. <i>americana</i>	American Vetch (U)
<i>Vicia hassei</i> S. Watson	Hasse Vetch (R)
<i>Vicia ludoviciana</i> Nutt. var. <i>ludoviciana</i>	Vetch (R)
<i>Viola aurea</i> Kellogg	Golden Violet (R)
<i>Viola macloskeyi</i> F.E. Lloyd ssp. <i>macloskeyi</i>	Small White Violet (R)
<i>Viola pinetorum</i> ssp. <i>grisea</i> (Jeps.) R.J. Little	Gray-leaved Violet (R, CNPS 1B.3)
<i>Viola pinetorum</i> Greene ssp. <i>pinetorum</i>	Mountain Violet (U)
<i>Viola purpurea</i> ssp. <i>mohavensis</i> (M. Baker & J. Clausen) J. Clausen	Mojave Yellow Violet (U)
<i>Viola purpurea</i> Kellogg ssp. <i>purpurea</i>	Purple or Mountain Violet (U)
<i>Vitis californica</i> Benth.	California Wild Grape (R)
<i>Vitis girdiana</i> Munson	Desert Wild Grape (R)
<i>Vulpia microstachys</i> var. <i>confusa</i> (Piper) Lonard & Gould	Ciliate Fescue (R)
<i>Yabea microcarpa</i> (Hooker & Arnott) Koso-Pol.	Yabea (R)
<i>Zannichellia palustris</i> L.	Horned-Pondweed (R)
<i>Zostera marina</i> L.	Eel-grass (R)

Plants Expected to Occur in Ventura County But Lacking Physical Evidence¹⁵

<u>Scientific Name</u>	<u>Common Name</u>
<i>Abronia latifolia</i> Eschsch.	Coastal or Yellow Sand-verbena Φ
<i>Achnatherum latiglumis</i> (Swallen) Barkworth	Needlegrass Φ
<i>Actaea rubra</i> (Aiton) Widenow	Red Banberry Φ
<i>Adiantum aleuticum</i> (Rupr.) C.A. Paris	Western Five-finger Fern or Maidenhair Φ

¹⁵ Taxa that are expected to occur within Ventura County but for which no vouchers have been collected or a knowledgeable botanist observed it (and documented its occurrence). If any of these taxa are found within Ventura County, they should be considered locally rare species. Plants with a “Φ” following the common name lack vouchers from Ventura County at the following herbaria (CAS, CDA, CHSC, DAV, IRVC, JEPS, NY, POM, RSA, SBBG, SD, SJSU, UC, UCI, UCR, UCSB, USSC).

Scientific Name

Agastache urticifolia (Bentham) Kuntze var. *urticifolia*
Agrostis microphylla Steudel
Agrostis scabra Willd.
Allenrolfea occidentalis (S. Watson) Kuntze
Alopecurus aequalis Sobol. var. *aequalis*
Alopecurus geniculatus L.
Ambrosia dumosa (A. Gray) Payne
Amsinckia eastwoodae J.F. Macbr.
Anaphalis margaritaceae (L.) Benth. & Hooker F. ex C.B. Clarke
Arabis platysperma Gray var. *platysperma*
Aristida purpurea var. *nealleyi* (Vasey) K.W. Allred
Aristida purpurea var. *wrightii* (A. Hitchc.) K.W. Allred
Artemisia ludoviciana ssp. *incompta* (Nuttall) Keck
Aster occidentalis (Nuttall) Torrey & A. Gray var. *occidentalis*
Athyrium filix-femina var. *californicum* Butters
Athyrium filix-femina var. *cyclosorum* Ruprecht
Azolla mexicana C. Presl
Berberis pinnata Lagasca ssp. *pinnata*
Brodiaea elegans Hoover ssp. *elegans*
Brodiaea jolonensis Eastwood
Calystegia longipes (S. Watson) Brummitt
Calystegia sepium ssp. *limnophila* (E. Greene) Brummitt
Carex serratodens W. Boott
Castilleja campestris (Bentham) Chuang & Heckard ssp. *campestris*
Castilleja densiflora ssp. *gracilis* (Benth.) Chuang & Heckard
Castilleja gyroloba Pennell
Caulanthus crassicaulis (Torrey) S. Watson var. *crassicaulis*
Celtis reticulata Torrey
Centaurium muhlenbergii (Griseb.) W. Wright ex Piper
Centromadia fitchii (A. Gray) E. Greene
Cephaelanthera austiniiae (A. Gray) Heller
Chamaesyce serpyllifolia ssp. *hirtula* (S. Watson) Koutnik
Chenopodium littoreum Benet-Pierce & M.G. Simpson
Chenodium rubrum var. *humile* (Hooker) S. Watson
Chorizanthe fimbriata Nuttall var. *fimbriata*
Chorizanthe obovata Goodman
Chorizanthe wheeleri S. Watson
Circaeа alpina ssp. *pacifica* (Aschers. & Magnus) Raven
Cladium californicum (S. Watson) O'Neill
Clarkia similis Harlan Lewis & Ernst
Clematis pauciflora Nuttall
Collomia linearis Nuttall
Comarostaphylis diversifolia ssp. *planifolia* (Jeps.) G.D. Wallace
Corallorrhiza maculata (Raf.) Raf.
Cornus nuttallii Audubon
Cornus sericea ssp. *occidentalis* (Torrey & A. Gray) Fosberg
Crassula solieri (C. Gay) F. Meigen
Cuscuta californica var. *papillosa* Yuncker
Cyperus niger Ruiz Lopez & Pavon
Damasonium californicum Bentham
Descurainia incisa (A. Gray) Britton ssp. *incisa*
Dodecatheon clevelandii E. Greene ssp. *clevelandii*
Elatine rubella Rydb.
Eleocharis parvula (Roemer & Schultes) Link
Epilobium haleeanum Hausskn.
Epilobium minutum Lindl. ex. Lehm.
Eremalche parryi ssp. *kernensis* (C. Wolf) D. Bates

Common Name

Nettleleaf Horsemint, Giant Hyssop Φ
 Small-leaved Bentgrass Φ
 Rough Bentgrass Φ
 Iodine Bush Φ
 Short-awn Foxtail Φ
 Water Foxtail Φ
 White Bur-sage, Burro Bush, Burro-Weed Φ
 Elegant Fiddleneck Φ
 Pearly Everlasting Φ
 Pioneer Rock Cress Φ
 Nealley Three-awn Grass Φ
 Parish Three-awn Grass Φ
 White Sagebrush Φ
 Western Mountain Aster Φ
 Southwestern Lady Fern Φ
 Northwestern Lady Fern Φ
 Mexican Duckweed Fern Φ
 Pinnate-leaved Barberry Φ
 Elegant Brodiaea Φ
 Dwarf Brodiaea Φ
 Morning-glory Φ
 Riparian Morning-glory Φ
 Sawtooth Sedge Φ
 Field Owl's Clover Φ
 Slender Dense-flowered Owl's Clover Φ
 Indian Paintbrush Φ
 Thick-stem Wild Cabbage Φ
 Netleaf Hackberry Φ
 Monterey Centaury Φ
 Fitch Spikeweed Φ
 Phantom Orchid Φ
 Hairy Thyme-leaved Spurge Φ
 Coastal Goosefoot Φ
 Red Goosefoot Φ
 Fringed Spineflower (R) – Newhall Ranch
 Obovate Spineflower Φ
 Wheeler Spineflower Φ
 Enchanter's Nightshade Φ
 Saw-grass Φ
 Copy-cat Clarkia Φ
 Ropevine Φ
 Narrow-leaved Collomia Φ
 Simpleleaf Summer Holly Φ
 Spotted Coral Root Φ
 Mountain Dogwood Φ
 Western American Dogwood Φ
 Solier Vernal Pool Water Pigmy-weed Φ
 California Dodder Φ
 Black Flatsedge Φ
 Fringed Water-Plantain Φ
 Richardson Tansy Mustard Φ
 Cleveland Shooting Star Φ
 Waterwort Φ
 Colorado Spike-rush Φ (CNPS 4.3)
 Gland Willowherb Φ
 Chaparral Willowherb Φ
 Kern Mallow Φ

Scientific Name

Erigeron foliosus var. *franciscensis* G.L. Nesom
Eriophyllum ambiguum (A. Gray) A. Gray var. *ambiguum*
Eriophyllum lanatum var. *hallii* Constance
Eschscholzia lemmonii ssp. *kernensis* (Munz) C. Clark
Eustoma exaltatum (L.) Don
Euphorbia crenulata Engelmann
Galium californicum ssp. *flaccidum* (E. Greene) Dempster & Stebb.
Gayophytum humile A.L. Juss.
Geranium carolinianum L.
Geranium richardsonii Fischer & Trautv.
Gilia tricolor Bentham ssp. *tricolor*
Glyptopleura marginata D. Eaton
Grayia polygaloides Hooker & Arnott
Helianthus californicus DC.
Hesperomecon linearis (Bentham) E. Greene
Hydrocotyle ranunculoides L.f.
Hymenoclea monogyra Torrey & Gray
Hymenoclea salsola var. *pentalepis* (Rydb.) L. Benson
Iris douglasiana Herbert in W.J. Hooker and G.A.W. Arnott
Isoëtes orcuttii A.A. Eaton
Juncus bryoides F.J. Hermann
Juncus falcatus E. Meyer var. *falcatus*
Juncus orthophyllus Cov.
Lasthenia fremontii (A. Gray) E. Greene
Layia hieracioides (DC.) Hooker & Arnott
Lepidium latipes Hooker var. *latipes*
Lilaea scilloides (Poir.) Haum.
Lonicera hispidula var. *vacillans* A. Gray
Lonicera interrupta Benth. X *Lonicera hispidula* var. *vacillans* Gray
Luzula comosa E. Meyer
Luzula subsessilis (S. Watson) Buchenau
Mimulus palmeri A. Gray
Minuartia californica (A. Gray) Mattf.
Monardella australis Abrams
Monardella villosa ssp. *obispoensis* (Hoover) Jokerst
Najas marina L.
Nemophila parviflora var. *quercifolia* (Eastw.) Chandler
Opuntia phaeacantha Engelm.
Orthocarpus linearilobus Bentham
Osmorrhiza chilensis Hooker & Arnott
Panicum acuminatum Sw. var. *acuminatum*
Parnassia californica (A. Gray) E. Greene
Phacelia congdonii Greene
Physalis acutifolia (Miers) Sandw.
Plagiobothrys collinus var. *californicus* (A. Gray) Higgins
Plectritis brachystemon Fischer & C. Meyer
Pogogyne zizyphoroides Bentham
Polygonum amphibium var. *stipulaceum* Coleman
Polygonum douglasii E. Greene ssp. *douglasii*
Quercus garryana var. *breweri* (Engelm.) Jeps.
Ranunculus aquatilis var. *capillaceus* (Thuill.) DC.
Rubus leucodermis var. *bernardinus* (E. Greene) Jepson
Rubus parviflorus Nuttall
Sagittaria calycina Englemann
Sagittaria latifolia Willd.
Salix sitchensis Bong.
Sanicula hoffmannii (Munz) Stan & Constance

Common Name

San Francisco Leafy Fleabane Φ
Ambiguous Woolly Daisy Φ
Fort Tejon Yarrow Φ
Tejon Poppy Φ
Catchfly Gentian Φ
Chinese Caps Φ
California Bedstraw Φ
Low Gayophytum Φ
Cransebill, Carolina Geranium Φ
Mountain Geranium Φ
Birds-eye or Tricolor Gilia Φ
Sculpted-fruit Φ
Hop-Sage Φ
California Sunflower Φ
Western Poppy Φ
False-crowfoot Pennywort Φ
Leafy Burrobrush Φ
Southern Burrobrush Φ
Mountain Iris Φ
Orcutt Quillwort Φ
Moss Rush Φ
Sickleleaf Rush Φ
Straight-leaf Rush Φ
Fremont Goldfields Φ
Tall Layia Φ
Dwarf Peppergrass Φ
Flowering Quillwort Φ
California Honeysuckle Φ
Chaparral Honeysuckle hybrid Φ
Wood Rush Φ
Wood Rush Φ
Palmer Monkeyflower Φ
California Sandwort Φ
Southern Coyote Mint Φ
San Luis Obispo Coyote Mint Φ
Spiny Naiad Φ
Oak-leaved Nemophila (R)
Engelmann Prickly Pear Φ
Pallid Owl's Clover Φ
Mountain Sweetroot or Sweet Cicely Φ
Panicgrass Φ
Grass-of-Parnassus Φ
Congdon Phacelia Φ
Ground-cherry Φ
California Popcornflower Φ
Small-flowered Pink Plectritis Φ
Sacramento Mesamint Φ
Stipuled Water-Smartweed Φ
Douglas Knotweed Φ
Brewer Oregon Oak Φ
Slender White Water Crowfoot Φ
Sticky Blackcap Raspberry Φ
Thimbleberry Φ
Hooded Arrowhead Φ
Broadleaf Arrowhead Φ
Sitka Willow Φ
Hoffmann's Sanicle Φ

Scientific Name

Scutellaria bolanderi ssp. *austromontana* Epling
Senecio californicus DC.
Spirodela polyrrhiza (L.) Schlied.
Spirodela punctata C. Thompson
Sporobolus airoides Torrey
Streptanthella longirostris Rydb.
Thelypteris puberula var. *sonorensis* A.R. Smith
Thermopsis macrophylla Hook. & Arn. var. *macrophylla*
Triteleia dudleyi Hoover
Triteleia hyacinthina (Lindley) E. Greene
Triteleia ixoides ssp. *scabra* (E. Greene) L. Lenz
Triteleia laxa Bentham
Utricularia vulgaris L.
Vaccinium ovatum Pursh
Viola sheltonii Torrey
Wolffia borealis Landolt & O. Wildi
Wolffia columbiana Karsten
Wolffia globosa Hartog & Plas
Wolffiella lingulata Hegelm.
Wolffiella oblonga (Phil.) Hegelm.
Wyethia ovata T. & G.
Yucca brevifolia var. *herbertii* (J.M. Webber) Munz

Common Name

Southern Skullcap ♀
California Ragwort
Duckmeat ♀
Duckmeat ♀
Alkali Sacaton ♀
Dwarf Jewelflower ♀
Sonoran Maiden Fern ♀
False-Lupine ♀
Dudley Triteleia ♀
White Triteleia ♀
Golden Brodiaea ♀
Ithuriel Spear ♀
Bladderwort ♀
California Huckleberry ♀
Shelton Violet ♀
Water-meal ♀
Coastal Water-meal ♀
Globe Water-meal ♀
Mud-midget ♀
Oblong Water-meal ♀
Mule-ears ♀
Herbert Joshua Tree ♀

Plants Recently Removed from List

Below is a list of taxa that were previously included on this list, but removed after the eleventh (presumed) extant population was found (through either direct field surveys or searches of herbaria records), or there was a taxonomic change that warranted deletion of the taxon from this list. This does not include plants listed by CNPS (2020) as rare throughout California (ranks 1 through 4). Only those taxa removed from the current edition are listed below. Consult earlier editions of this checklist for taxa removed from earlier editions.

Scientific Name

Atriplex watsonii Nelson
Boechera repanda (S. Watson) Al-Shehbaz
Brickellia desertorum Coville
Calystegia soldanella (L.) R. Br.
Cardamine oligosperma Torrey & Gray
Chenopodium fremontii S. Watson
Cressa truxillensis Kunth var. *truxillensis*
Cryptantha maritima (Greene) Greene
Cuscuta indecora var. *neuropetala* (Engelmann) Hitchc.
Descurainia pinnata ssp. *brachycarpa* (Richardson) Detling
Descurainia pinnata ssp. *menziesii* (DC.) Detl.
Dudleya caespitosa (Haw.) Britt. & Rose
Dudleya cymosa ssp. *pumila* (Rose) K. Nakai
Eriastrum densifolium (Benth.) Mason ssp. *densifolium*
Eriastrum pluriflorum (A.A. Heller) H. Mason
Laennecia coulteri (A. Gray) G.L. Nesom
Lemna minuta Kunth
Lepechinia calycina (Bentham) Epling
Lepidium lasiocarpum Nutt. var. *lasiocarpum*
Linum lewisii Pursh
Loeflingia squarrosa Nuttall var. *squarrosa*

Common Name

Matscale (R)
Yosemite Rockcress (U)
Desert Brickellbush (R)
Beach Morning-glory (U)
Few-seeded Bitter-cress (U)
Fremont Goosefoot (U)
Spreading Alkali-Weed (U)
Seaside Forget-Me-Not (R)
Pretty Dodder (R)
Short-pod Tansy Mustard (U)
Menzies Tansy Mustard (U)
Sea Lettuce (R)
Pygmy Live-forever (U)
Woolly Star (R)
Woolly Star (R)
Coast Horseweed (U)
Tiny Duckweed (U)
Pitcher Sage (U)
Hairy-pod Peppergrass (U)
Western Blue Flax (U)
California Loeflingia (U)

<u>Scientific Name</u>	<u>Common Name</u>
<i>Lonicera interrupta</i> Benth.	Chaparral Honeysuckle (U)
<i>Marah macrocarpus</i> var. <i>major</i> (Dunn) Stocking	Island Man-root (R)
<i>Muhlenbergia asperifolia</i> (Nees & Meyen) Parodi	Scratchgrass (U)
<i>Navarretia hamata</i> E. Greene ssp. <i>hamata</i>	Skunk Navarretia (R)
<i>Nemacladus glanduligerus</i> var. <i>occidentalis</i> McVaugh	Western Sticky Nemacladus (R)
<i>Oxalis albicans</i> ssp. <i>pilosa</i> (Nuttall) G. Eiten	Hairy White Wood Sorrel (U)
<i>Peritoma arborea</i> var. <i>globosa</i> (Coville) H.H. Iltis	Burrow-fat Bladderpod (U)
<i>Phacelia affinis</i> Gray var. <i>affinis</i>	Phacelia (R)
<i>Phacelia cicutaria</i> E. Greene var. <i>cicutaria</i>	Caterpillar Phacelia (U)
<i>Phacelia ciliata</i> Benth. var. <i>ciliata</i>	Ciliate Phacelia (U)
<i>Phacelia viscosa</i> var. <i>albiflora</i> (Nuttall) A. Gray	White-flowered Viscid Phacelia (R)
<i>Plagiobothrys canescens</i> Benth.	Valley or Bracted Popcornflower (R)
<i>Pluchea odorata</i> (L.) Cass.	Saltmarsh Fleabane (U)
<i>Potamogeton foliosus</i> Raf. var. <i>foliosus</i>	Leafy Pondweed (U)
<i>Pseudognaphalium beneolens</i> (A. Gray) Anderberg	Coastal Everlasting (U)
<i>Purshia tridentata</i> var. <i>glandulosa</i> (Curran) M.E. Jones	Antelope Bush (U)
<i>Rhus trilobata</i> var. <i>malacophylla</i> (E. Greene) Jepson	Woolly Skunkbrush (U)
<i>Ribes cereum</i> Douglas var. <i>cereum</i>	Wax Currant (U)
<i>Ribes indecorum</i> Eastw.	White-flowered Currant (U)
<i>Ribes nevadense</i> Kellogg	Mountain Pink Currant (R)
<i>Ribes quercentorum</i> Greene	Oak Gooseberry (U)
<i>Ribes roezlii</i> Regel var. <i>roezlii</i>	Sierra Gooseberry (U)
<i>Rigiopappus leptocladus</i> Gray	Rigiopappus (U)
<i>Rosa woodsii</i> ssp. <i>gratissima</i> (E. Greene) W.H. Lewis & Ertter	Mojave Wild Rose (R)
<i>Rumex hymenosepalus</i> Torrey	Wild Rhubarb, Canaigre (U)
<i>Stellaria nitens</i> Nuttall	Shining Chickweed (U)