

Plants of the Ventura River Mouth, Ventura, California

By David L. Magney

Scientific Name	Common Name	Habit	WIS	Family
<i>Abronia maritima</i>	Sticky Sand-verbena	PH	.	Nyctaginaceae
<i>Abronia maritima</i> X <i>A. umbellata</i>	Hybrid Sand-verbena	AH	.	Nyctaginaceae
<i>Abronia umbellata</i> ssp. <i>umbellata</i>	Beach Sand-verbena	PH	.	Nyctaginaceae
<i>Acroptilon repens</i> *	Russian Knapweed	AH	.	Asteraceae
<i>Albizia lophantha</i> *	Plume Acacia	T/S	.	Fabaceae
<i>Allium neapolitanum</i> *	Onion	PG	.	Alliaceae
<i>Alnus rhombifolia</i>	White Alder	T	FACW	Betulaceae
<i>Amaranthus albus</i> *	Pigweed Amaranth	AH	FACU	Amaranthaceae
<i>Amaranthus deflexus</i> *	Prostrate Amaranth	AH	.	Amaranthaceae
<i>Amaranthus palmeri</i> ssp. <i>palmeri</i>	Palmer Amaranth	AH	FACU	Amaranthaceae
<i>Amblyopappus pusillus</i>	Dwarf or Coast Amblyopappus	AH	FACW-	Asteraceae
<i>Ambrosia acanthicarpa</i>	Burweed, Annual Bur-sage	AH	.	Asteraceae
<i>Ambrosia chamissonis</i>	Beach-bur	S	.	Asteraceae
<i>Ambrosia psilostachya</i> var. <i>californica</i>	Western Ragweed	BH	FAC	Asteraceae
<i>Amsinckia spectabilis</i> var. <i>spectabilis</i>	Showy Fiddleneck	AH	FACU	Boraginaceae
<i>Anagallis arvensis</i> *	Scarlet Pimpernel	AH	FAC	Primulaceae
<i>Anemone occidentalis</i> *	Western Anemone	PH	FAC	Ranunculaceae
<i>Anemopsis californica</i> var. <i>californica</i>	Yerba Manza	PH	OBL	Saururaceae
<i>Anredera cordifolia</i> *	Mignonetta Vine, Madeira Vine	PV	.	Basellaceae
<i>Anthemis cotula</i> *	May Weed	AH	FACU	Asteraceae
<i>Antirrhinum multiflorum</i>	Sticky Snapdragon	S	.	Veronicaceae
<i>Apium graveolens</i> *	Celery	PH	FACW*	Apiaceae
<i>Argentina [Potentilla] egedii</i> ssp. <i>egedii</i>	Marsh Cinquefoil	PH	(FACW)	Rosaceae
<i>Arrhenatherum elatius</i> *	Tall Oat Grass	PG	FACU*	Poaceae
<i>Artemisia biennis</i> var. <i>biennis</i> *	Marsh Sagebrush	BH	FAC	Asteraceae
<i>Artemisia californica</i>	California Sagebrush	S	.	Asteraceae
<i>Artemisia douglasiana</i>	Mugwort	PH	FACW	Asteraceae
<i>Arundo donax</i> *	Giant Reed	PG	FACW	Poaceae
<i>Asphodelus fistulosus</i> *	Asphodel	PG	.	Asphodelaceae
<i>Astragalus trichopodus</i> var. <i>lonchus</i>	Three-pod Milkvetch	PH	.	Fabaceae
<i>Astragalus trichopodus</i> var. <i>trichopodus</i>	Three-podded Milkvetch	PH	.	Fabaceae
<i>Atriplex argentea</i> var. <i>argentea</i>	Silverscale	AH	FAC	Chenopodiaceae
<i>Atriplex argentea</i> var. <i>expansa</i>	Broad Silverscale	AH	FAC	Chenopodiaceae
<i>Atriplex lentiformis</i> ssp. <i>breweri</i>	Brewer Saltbush	S	FAC	Chenopodiaceae
<i>Atriplex leucophylla</i>	Whiteleaf Saltbush	PH	FAC*	Chenopodiaceae
<i>Atriplex prostrata</i>	Spearscale	AH	FACW	Chenopodiaceae
<i>Atriplex rosea</i> *	Redscale	AH	FACU	Chenopodiaceae
<i>Atriplex semibaccata</i> *	Australian Saltbush	S	FAC	Chenopodiaceae
<i>Atriplex serenana</i> var. <i>davidsonii</i>	Davidson Bractscale	AH	FAC	Chenopodiaceae
<i>Atriplex serenana</i> var. <i>serenana</i>	Bractscale	AH	FAC	Chenopodiaceae
<i>Atriplex suberecta</i> *	Australian Annual Saltbush	AH	.	Chenopodiaceae
<i>Avena barbata</i> *	Slender Wild Oat	AG	.	Poaceae
<i>Avena fatua</i> *	Wild Oat	AG	.	Poaceae
<i>Avena sativa</i> *	Cultivated Oat	AG	.	Poaceae
<i>Azolla filiculoides</i>	Duckweed Fern	AF	OBL	Azollaceae
<i>Baccharis douglasii</i>	Marsh Baccharis	PH	OBL	Asteraceae
<i>Baccharis glutinosa</i>	Marsh Baccharis	S	OBL	Asteraceae
<i>Baccharis pilularis</i> ssp. <i>consanguinea</i>	Coyote Brush	S	(FACU)	Asteraceae
<i>Baccharis salicifolia</i> ssp. <i>salicifolia</i>	Mulefat	S	FACW	Asteraceae
<i>Bassia hyssopifolia</i> *	Fivehook	AH	FAC	Chenopodiaceae
<i>Berula erecta</i>	Berula	PH	OBL	Apiaceae
<i>Beta macrocarpa</i> *	Beet	AH	(FACW)	Chenopodiaceae

Plants of the Ventura River Mouth, Ventura, California

By David L. Magney

Scientific Name	Common Name	Habit	WIS	Family
<i>Beta vulgaris</i> ssp. <i>maritima</i> *	Common Beet	PH	FACU	Chenopodiaceae
<i>Bidens pilosa</i> *	Common Beggar-ticks	AH	FACW	Asteraceae
<i>Bolboschoenus maritimus</i> var. <i>paludosus</i>	Saltmarsh Bulrush	PG	OBL	Cyperaceae
<i>Bolboschoenus maritimus</i> X <i>Bolboschoenus robustus</i>	Hybrid Saltmarsh Bulrush	PG	OBL	Cyperaceae
<i>Brassica nigra</i> *	Black Mustard	AH	.	Brassicaceae
<i>Brassica rapa</i> *	Field Mustard	AH	.	Brassicaceae
<i>Bromus carinatus</i> var. <i>carinatus</i>	California Brome	PG	.	Poaceae
<i>Bromus catharticus</i> *	Rescue Grass	AG	.	Poaceae
<i>Bromus diandrus</i> ssp. <i>diandrus</i> *	Ripgut Grass	AG	(FACU)	Poaceae
<i>Bromus hordeaceus</i> ssp. <i>hordeaceus</i> *	Soft Chess	AG	FACU-	Poaceae
<i>Bromus inermis</i> ssp. <i>inermis</i> *	Smooth Brome	PG	(FACW)	Poaceae
<i>Bromus madritensis</i> ssp. <i>madritensis</i> *	Madrid Brome, Foxtail Chess	AG	.	Poaceae
<i>Bromus madritensis</i> ssp. <i>rubens</i> *	Red Brome	AG	.	Poaceae
<i>Bromus tectorum</i> var. <i>tectorum</i> *	Downy Brome, Cheat Grass	AG	.	Poaceae
<i>Cakile edentula</i> ssp. <i>edentula</i>	American Searocket	AH	FACU	Brassicaceae
<i>Cakile maritima</i> ssp. <i>maritima</i> *	European Sea Rocket	AH	FACW	Brassicaceae
<i>Callitropsis</i> [<i>Cupressus</i>] <i>macrocarpa</i> +	Monterey Cypress	T	.	Cupressaceae
<i>Calystegia macrostegia</i> var. <i>cyclostegia</i>	Coastal Scrub Morning-glory	PV	.	Convolvulaceae
<i>Calystegia soldanella</i>	Beach Morning-glory	PV	.	Convolvulaceae
<i>Camissonia boothii</i> ssp. <i>decorticans</i>	Evening Primrose	AH	.	Onagraceae
<i>Camissoniopsis cherianthifolia</i> ssp. <i>suffruticosa</i>	Beach Primrose	S	.	Onagraceae
<i>Camissoniopsis micrantha</i>	Tiny Primrose	AH	.	Onagraceae
<i>Carduus pycnocephalus</i> ssp. <i>pycnocephalus</i> *	Italian Thistle	AH	.	Asteraceae
<i>Carex barbara</i>	Santa Barbara Sedge	PG	FACW	Cyperaceae
<i>Carex praeegracilis</i>	Clustered Field Sedge	PG	FACW-	Cyperaceae
<i>Carpobrotus chilensis</i> [<i>C. aequilaterus</i>] *	Sea Fig	S	.	Aizoaceae
<i>Carpobrotus edulis</i> *	Hottentot Fig	S	.	Aizoaceae
<i>Ceanothus megacarpus</i> var. <i>macrocarpus</i>	Bigpod California Lilac	S	.	Rhamnaceae
<i>Ceanothus oliganthus</i> var. <i>oliganthus</i>	Hoary Ceanothus	S	.	Rhamnaceae
<i>Centaurea melitensis</i> *	Tocalote	AH	.	Asteraceae
<i>Centaurea solstitialis</i> *	Yellow Star-thistle	AH	.	Asteraceae
<i>Chenopodium album</i> *	Lamb's Quarters	AH	FAC	Chenopodiaceae
<i>Chenopodium berlandieri</i> var. <i>sinuatum</i>	Pitseed Goosefoot	AH	(FAC)	Chenopodiaceae
<i>Chenopodium californicum</i>	California Goosefoot, Soap Plant	PH	.	Chenopodiaceae
<i>Chenopodium macrospermum</i> var. <i>halophilum</i>	Coast Goosefoot	AH	(FACW)	Chenopodiaceae
<i>Chenopodium murale</i> *	Nettleleaf Goosefoot	AH	(FACU)	Chenopodiaceae
<i>Cichorium intybus</i> *	Chicory	PH	.	Asteraceae
<i>Cirsium brevistylum</i>	Indian Thistle	BH	.	Asteraceae
<i>Cirsium occidentale</i> var. ?	Thistle	BH	.	Asteraceae
<i>Clematis lasiantha</i>	Pipestem Clematis	PV	.	Ranunculaceae
<i>Clematis ligusticifolia</i>	Virgin's Bower	PV	FAC	Ranunculaceae
<i>Conium maculatum</i> *	Poison Hemlock	AH	FACW	Apiaceae
<i>Conyza bonariensis</i> *	South American Horseweed	AH	.	Asteraceae
<i>Conyza canadensis</i> *	Common Horseweed	AH	FAC	Asteraceae
<i>Corethrogyne filaginifolia</i> var. <i>filaginifolia</i>	California Cudweed-aster	PH	.	Asteraceae
<i>Cortaderia jubata</i> [<i>C. atacamensis</i>] *	Andean Pampas Grass	PG	(FACW-)	Poaceae
<i>Cotula coronopifolia</i> *	African Brass-buttons	AH	FACW+	Asteraceae
<i>Crepis occidentalis</i> ssp. <i>pumila</i>	Western Hawksbeard	PH	.	Asteraceae
<i>Crypsis vaginiflora</i> *	Prickle Grass	AG	OBL	Poaceae
<i>Cryptantha clevelandii</i> var. <i>clevelandii</i>	Cleveland Forget-Me-Not	AH	.	Boraginaceae
<i>Cryptantha clevelandii</i> var. <i>florosa</i>	Coastal Forget-Me-Not	AH	.	Boraginaceae
<i>Cuscuta pacifica</i> var. <i>pacifica</i>	Pacific Saltmarsh Dodder	AV	(OBL)	Cuscutaceae
<i>Cuscuta salina</i>	Saltmarsh Dodder	AV	(FACW)	Cuscutaceae

David Magney Environmental Consulting
P.O. Box 1346, Ojai, CA 93024
805/646-6045 - www.magney.org

Plants of the Ventura River Mouth, Ventura, California

By David L. Magney

Scientific Name	Common Name	Habit	WIS	Family
<i>Cuscuta subinclusa</i> [C. <i>ceanothii</i>]	Chaparral Dodder	AV	.	Cuscutaceae
<i>Cynodon dactylon</i> var. <i>dactylon</i> *	Bermuda Grass	PG	FAC	Poaceae
<i>Cyperus esculentus</i> var. <i>leptostachyus</i>	Eragroid Sedge	PG	FACW	Cyperaceae
<i>Cyperus odoratus</i>	Flatsedge	AG	FACW	Cyperaceae
<i>Dactylis glomerata</i> *	Orchard Grass	PH	FACU	Poaceae
<i>Datura wrightii</i>	Jimson Weed	PH	.	Solanaceae
<i>Descurainia pinnata</i> ssp. <i>menziesii</i>	Tansy Mustard	AH	.	Brassicaceae
<i>Dichondra micrantha</i> *	Dichondra	PH	.	Convolvulaceae
<i>Distichlis spicata</i>	Saltgrass	PG	FACW	Poaceae
<i>Dudleya caespitosa</i>	Sea Lettuce	PH	.	Crassulaceae
<i>Dudleya lanceolata</i>	Lanceleaf Live-forever	PH	.	Crassulaceae
<i>Dysphania ambrosioides</i>	Mexican Tea	AH	FAC	Chenopodiaceae
<i>Dysphania botrys</i> *	Jerusalem Oak, Feather Geranium	AH	FACU	Chenopodiaceae
<i>Dysphania multifida</i> *	Cut-leaf Goosefoot	AH	.	Chenopodiaceae
<i>Echinochloa colona</i> *	Awnless Barnyard Grass	AG	FACW	Poaceae
<i>Echinochloa crus-galli</i> *	Barnyard Grass	AG	FACW	Poaceae
<i>Eclipta prostrata</i>	False Daisy	AH	(FACW)	Asteraceae
<i>Ehrendorferia</i> [<i>Dicentra</i>] <i>chrysantha</i>	Golden Eardrops	PH	.	Fumariaceae
<i>Eleocharis parishii</i>	Parish Spikerush	PG	FACW	Cyperaceae
<i>Elymus condensatus</i>	Giant Wildrye	PG	.	Poaceae
<i>Elymus triticoides</i> ssp. <i>triticoides</i>	Creeping Wildrye	PG	FAC+	Poaceae
<i>Encelia californica</i>	California Bush Sunflower	S	.	Asteraceae
<i>Epilobium canum</i> ssp. <i>canum</i>	California Fuchsia	PH	.	Onagraceae
<i>Epilobium ciliatum</i> ssp. <i>ciliatum</i>	Northern Willow-herb	AH	FACW	Onagraceae
<i>Equisetum laevigatum</i>	Smooth Scouring Rush	PF	FACW	Equisetaceae
<i>Equisetum telmateia</i> ssp. <i>braunii</i>	Giant Horsetail	PF	FAC	Equisetaceae
<i>Eriogonum cinereum</i>	Ash or Gray Coast Buckwheat	S	.	Polygonaceae
<i>Eriogonum fasciculatum</i> var. <i>fasciculatum</i> *	California Wild Buckwheat	S	.	Polygonaceae
<i>Eriogonum parvifolium</i> var. <i>parvifolium</i>	Seacliff Buckwheat	S	.	Polygonaceae
<i>Eriophyllum confertiflorum</i> var. <i>confertiflorum</i>	Golden Yarrow	S	.	Asteraceae
<i>Erodium cicutarium</i> *	Redstem Filaree	AH	.	Geraniaceae
<i>Eucalyptus</i> sp.*	Eucalyptus	T	.	Myrtaceae
<i>Euphorbia lathyris</i> *	Caper Spurge	AH	.	Euphorbiaceae
<i>Euphorbia peplus</i> *	Petty Spurge	AH	.	Euphorbiaceae
<i>Euthamia occidentalis</i>	Western Goldenrod	PH	OBL	Asteraceae
<i>Extiplex californica</i>	California Saltbush	PH/S	.	Chenopodiaceae
<i>Festuca arundinacea</i> *	Alta Fescue	PG	FAC-	Poaceae
<i>Foeniculum vulgare</i> *	Sweet Fennel	PH	FACU	Apiaceae
<i>Frankenia salina</i>	Alkali Heath	S	FACW+	Frankeniaceae
<i>Gaillardia pulchella</i> var. <i>pulchella</i> *	Blanket Wheel	AH	.	Asteraceae
<i>Gnaphalium palustre</i>	Lowland Cudweed	AH	FACW-	Asteraceae
<i>Grindelia camporum</i> var. <i>camporum</i>	Great Valley Gumplant	S	FACU	Asteraceae
<i>Grindelia hirsutula</i> var. <i>hirsutula</i>	Hirsute Gumplant	S/PH	FACW	Asteraceae
<i>Hazardia squarrosa</i> var. <i>squarrosa</i>	Sawtooth Goldenbush	S	.	Asteraceae
<i>Hedynois cretica</i> *	Crete Hedynois	AH	.	Asteraceae
<i>Helenium puberulum</i>	Rosilla	PH	FACW	Asteraceae
<i>Heliotropium curvassavicum</i> var. <i>oculatum</i>	Chinese Pusley	PH	OBL	Boraginaceae
<i>Helminthotheca</i> [<i>Picris</i>] <i>echioides</i> *	Bristly Ox-tongue	AH	FAC*	Asteraceae
<i>Heteromeles arbutifolia</i>	Toyon	S	.	Rosaceae
<i>Heterotheca grandiflora</i>	Telegraph Weed	BH	.	Asteraceae
<i>Heterotheca sessiliflora</i> ssp. <i>camphorata</i>	Hairy Goldenaster	PH	.	Asteraceae
<i>Heterotheca sessiliflora</i> ssp. <i>fastigiata</i>	Hairy Goldenaster	PH	.	Asteraceae
<i>Hirschfeldia incana</i> *	Summer Mustard	BH	.	Brassicaceae

David Magney Environmental Consulting
P.O. Box 1346, Ojai, CA 93024
805/646-6045 - www.magney.org

Plants of the Ventura River Mouth, Ventura, California

By David L. Magney

Scientific Name	Common Name	Habit	WIS	Family
<i>Hordeum murinum</i> ssp. <i>murinum</i> *	Winter Barley	AG	.	Poaceae
<i>Isocoma menziesii</i> var. <i>sedoides</i>	Coastal Goldenbush	S	FACW*	Asteraceae
<i>Isocoma menziesii</i> var. <i>vernonioides</i>	Coastal Goldenbush	S	FACW*	Asteraceae
<i>Isolepis cernua</i> var. <i>cernua</i>	Low Clubrush	AH	OBL	Cyperaceae
<i>Jaumea carnosa</i>	Fleshy Jaumea	S	OBL	Asteraceae
<i>Juglans californica</i> var. <i>californica</i>	Southern California Black Walnut	S/T	FAC	Juglandaceae
<i>Juncus acutus</i> ssp. <i>leopoldii</i>	Spiny Rush	PG	FACW	Juncaceae
<i>Juncus balticus</i> ssp. <i>balticus</i>	Baltic Rush	PG	OBL	Juncaceae
<i>Juncus mexicanus</i>	Mexican Rush, Wire Grass	PG	FACW	Juncaceae
<i>Juncus textilis</i>	Basket Rush	PG	OBL	Juncaceae
<i>Juncus xiphioides</i>	Iris-leaved Rush	PG	OBL	Juncaceae
<i>Kickxia elatine</i> *	Arrowleaf Fluellin	AH	.	Plantaginaceae
<i>Kochia scoparia</i> *	Common Kochia	AH	NI*	Chenopodiaceae
<i>Lactuca serriola</i> *	Prickly Wild Lettuce	AH	FAC	Asteraceae
<i>Laënnecia coulteri</i>	Coulter Horseweed	AH	FAC+	Asteraceae
<i>Lamarckia aurea</i> *	Goldentop	AG	.	Poaceae
<i>Lathyrus latifolius</i> *	Perennial Sweet Pea	PV	.	Fabaceae
<i>Lemna gibba</i>	Gibbose Duckweed	AG	OBL	Araceae
<i>Lemna minor</i>	Duckweed	AH	OBL	Araceae
<i>Lemna turionifera</i>	Duckweed	AG	OBL	Araceae
<i>Lemna valdiviana</i>	Big Duckweed	AG	OBL	Araceae
<i>Lepidium didymum</i> *	Wart Cress	AH	.	Brassicaceae
<i>Lepidium draba</i> *	Hoary Cress	PH	(FACU)	Brassicaceae
<i>Lepidium lasiocarpum</i> var. <i>lasiocarpum</i>	Hairy-pod Peppergrass	AH	.	Brassicaceae
<i>Lepidospartum squamatum</i>	Scalebroom	S	(FACW)	Asteraceae
<i>Linum usitatissimum</i> *	Common Linen Flax	AH	.	Linaceae
<i>Lobularia maritima</i> *	Sweet Alyssum	PH	.	Brassicaceae
<i>Logfia filaginoides</i>	California Filago	AH	.	Asteraceae
<i>Lolium multiflorum</i> *	Italian Ryegrass	AG	FAC*	Poaceae
<i>Lotus corniculatus</i> *	Birdsfoot Trefoil	PH	FAC	Fabaceae
<i>Lotus salsuginosus</i> var. <i>salsuginosus</i>	Coastal Hosackia	AH	.	Fabaceae
<i>Lotus scoparius</i> var. <i>scoparius</i>	Deerweed	S	.	Fabaceae
<i>Lotus tenuis</i> *	Trefoil	AH	.	Fabaceae
<i>Ludwigia hexapetala</i> *	Uruguay Water Primrose	PH	OBL	Onagraceae
<i>Ludwigia peploides</i> var. <i>peploides</i> *	Floating Seedbox	PH	OBL	Onagraceae
<i>Ludwigia uruguayensis</i> *	Uruguay Water Primrose	PH	OBL	Onagraceae
<i>Lupinus arboreus</i>	Yellow Bush Lupine	S	.	Fabaceae
<i>Lupinus succulentus</i>	Fleshy Lupine	AH	.	Fabaceae
<i>Lythrum californicum</i>	California Loosestrife	AH	OBL	Lythraceae
<i>Madia sativa</i>	Coast Tarplant	AH	.	Asteraceae
<i>Malacothamnus nuttallii</i>	Nuttall's Bushmallow	S	.	Malvaceae
<i>Malacothrix saxatilis</i> ssp. <i>tenuifolia</i>	Coastal Cliff-aster	PH	.	Asteraceae
<i>Malacothrix saxatilis</i> var. <i>saxatilis</i>	California Cliff-aster	PH	.	Asteraceae
<i>Malosma laurina</i>	Laurelleaf Sumac	S	.	Anacardiaceae
<i>Malva nicaeensis</i> *	Bull Mallow	AH	.	Malvaceae
<i>Malva parviflora</i> *	Cheeseweed	AH	.	Malvaceae
<i>Marah fabaceus</i> var. <i>agrestis</i>	California Man-root	PV	.	Cucurbitaceae
<i>Marrubium vulgare</i> *	Horehound	PH	FAC	Lamiaceae
<i>Medicago polymorpha</i> *	Bur-clover	AH	.	Fabaceae
<i>Medicago sativa</i> ssp. <i>sativa</i> *	Alfalfa	PH	(FACW)	Fabaceae
<i>Melica imperfecta</i>	Coast Melic Grass	PG	.	Poaceae
<i>Melilotus alba</i> *	White Sweetclover	AH	FACU+	Fabaceae

Plants of the Ventura River Mouth, Ventura, California

By David L. Magney

Scientific Name	Common Name	Habit	WIS	Family
<i>Melilotus indica</i> *	Yellow Sweetclover	AH	FAC	Fabaceae
<i>Mentzelia</i> sp.	Blazing Star	AH	.	Loasaceae
<i>Mesembryanthemum nodiflorum</i> *	Slenderleaf Iceplant	AH	FACU	Aizoaceae
<i>Mesembryanthemum crystallinum</i> *	Crystalline Iceplant	AH	(FAC)	Aizoaceae
<i>Monanthochloe littoralis</i> *	Shoregrass	PG	OBL	Poaceae
<i>Myoporum laetum</i> *	Myoporum	S	(FAC)	Myoporaceae
<i>Narcissus tazetta</i> *	Paper White	PG	.	Amaryllidaceae
<i>Nassella lepida</i>	Foothill Needlegrass	PG	.	Poaceae
<i>Nasturtium officinale</i> *	Water-cress	PH	OBL	Brassicaceae
<i>Nicotiana glauca</i> *	Tree Tobacco	S	FAC	Solanaceae
<i>Oenothera elata</i> ssp. <i>hirsutissima</i>	Great Marsh Evening-primrose	BH	FACW	Onagraceae
<i>Oenothera glazionviana</i> *	Redsepal Evening-primrose	BH	(FACW-)	Onagraceae
<i>Osteospermum fruticosum</i> *	Trailing African Daisy	S	.	Asteraceae
<i>Oxalis pes-capris</i> *	Bermuda Buttercup	PH	.	Oxalidaceae
<i>Panicum capillare</i> var. <i>occidentale</i> *	Common Witch Grass	PG	FAC	Poaceae
<i>Papaver somniferum</i> *	Opium Poppy	AH	.	Papaveraceae
<i>Parapholis incurva</i> *	Sickle Grass	AG	OBL	Poaceae
<i>Paspalum dilatatum</i> *	Joint Dallis Grass	PG	FAC	Poaceae
<i>Paspalum dilatatum</i> *	Dallis Grass	PG	FAC	Poaceae
<i>Pennisetum clandestinum</i> *	Kikuya Grass	PG	FACU+	Poaceae
<i>Pennisetum setaceum</i> *	African Fountain Grass	PG	.	Poaceae
<i>Pennisetum villosum</i> *	Feathertop	PG	.	Poaceae
<i>Phacelia ramosissima</i> var. ?	Branching Phacelia	PH	.	Boraginaceae
<i>Phalaris aquatica</i> *	Harding Canarygrass	PG	FACW	Poaceae
<i>Phalaris canariensis</i> *	Canarygrass	PG	FACU	Poaceae
<i>Phalaris minor</i> *	Lesser Canarygrass	AG	.	Poaceae
<i>Phleum pratense</i> *	Cultivated Timothy Grass	PG	FACU	Poaceae
<i>Phyllospadix torreyi</i>	Torrey Surf-grass	PH	OBL	Zosteraceae
<i>Piptatherum miliaceum</i> *	Smilo Grass	PG	(FACU-)	Poaceae
<i>Plantago lanceolata</i> *	Narrowleaf Plantain	PH	FAC-	Plantaginaceae
<i>Plantago major</i> *	Broadleaf Plantain	PH	FACW-	Plantaginaceae
<i>Pluchea odorata</i>	Saltmarsh Fleabane	P/AH	OBL	Asteraceae
<i>Polygonum amphibium</i> var. <i>emersum</i>	Swamp Knotweed	AH	OBL	Polygonaceae
<i>Polygonum argyrocoleon</i> *	Persian Knotweed	AH	FAC+	Polygonaceae
<i>Polygonum aviculare</i> ssp. <i>depressum</i> *	Common Knotweed	AH	FAC	Polygonaceae
<i>Polygonum lapathifolium</i>	Willow Weed	AH	OBL	Polygonaceae
<i>Polygonum punctatum</i>	Dotted Smartweed	AH	OBL	Polygonaceae
<i>Polypogon monspeliensis</i> *	Rabbitsfoot Grass	AG	FACW+	Poaceae
<i>Polypogon viridis</i> [<i>Agrostis semiverticillata</i>]*	Green Bentgrass	PG	OBL	Poaceae
<i>Populus alba</i> *	Poplar	T	.	Salicaceae
<i>Populus trichocarpa</i>	Black Cottonwood	T	FACW	Salicaceae
<i>Portulaca oleracea</i> *	Common Purslane	AH	FAC	Portulacaceae
<i>Pseudognaphalium beneolens</i>	Coastal Everlasting	AH	(FAC)	Asteraceae
<i>Pseudognaphalium biolettii</i>	Bicolored Everlasting	AH	.	Asteraceae
<i>Pseudognaphalium californicum</i>	Green Everlasting	AH	.	Asteraceae
<i>Pseudognaphalium luteoalbum</i> *	Cudweed Everlasting	AH	FACW-	Asteraceae
<i>Pseudognaphalium ramosissimum</i>	Pink Everlasting	BH	.	Asteraceae
<i>Pseudognaphalium stramineum</i>	Western Everlasting	A/BH	FAC-	Asteraceae
<i>Pulicaria paludosa</i> *	Spanish Sunflower	PH	(FACW)	Asteraceae
<i>Raphanus raphanistrum</i> *	Wild Radish	AH	.	Brassicaceae
<i>Raphanus sativus</i> *	Wild Radish	AH	.	Brassicaceae
<i>Rhus integrifolia</i>	Lemonade Berry	S	.	Anacardiaceae
<i>Ribes malvaceum</i> var. <i>malvaceum</i>	Chaparral Currant	S	.	Grossulariaceae

David Magney Environmental Consulting
P.O. Box 1346, Ojai, CA 93024
805/646-6045 - www.magney.org

Plants of the Ventura River Mouth, Ventura, California

By David L. Magney

Scientific Name	Common Name	Habit	WIS	Family
<i>Ricinus communis</i> *	Castor Bean	S	FACU	Euphorbiaceae
<i>Romneya coulteri</i>	Coulter Matilija Poppy	S	.	Papaveraceae
<i>Rosa californica</i>	California Wild Rose	S	FAC+	Rosaceae
<i>Rubus ursinus</i>	California Blackberry	PV	FACW*	Rosaceae
<i>Rumex conglomeratus</i> *	Green Dock	PH	FACW	Polygonaceae
<i>Rumex crispus</i> *	Curly Dock	PH	FACW-	Polygonaceae
<i>Rumex maritimus</i>	Golden Dock	A/BH	OBL	Polygonaceae
<i>Rumex salicifolius</i> var. <i>crassus</i>	Willow Dock	PH	OBL	Polygonaceae
<i>Rumex salicifolius</i> var. <i>salicifolius</i>	Willow Dock	PH	OBL	Polygonaceae
<i>Ruppia cirrhosa</i>	Spiral Wigeon-grass	PH	OBL	Potamogetonaceae
<i>Salix exigua</i> var. <i>hindsiana</i>	Hind's Willow	S	OBL	Salicaceae
<i>Salix laevigata</i>	Red Willow	T	FACW	Salicaceae
<i>Salix lasindra</i> ssp. <i>lasiandra</i>	Yellow Willow	T	OBL	Salicaceae
<i>Salix lasiolepis</i> var. <i>lasiolepis</i>	Arroyo Willow	S/T	FACW	Salicaceae
<i>Salsola australis</i> *	Australian Thistle	AH	FACU+	Chenopodiaceae
<i>Salsola tragus</i> *	Russian Thistle	AH	FACU+	Chenopodiaceae
<i>Salvia leucophylla</i>	Purple Sage	S	.	Lamiaceae
<i>Salvia mellifera</i>	Black Sage	S	.	Lamiaceae
<i>Sambucus mexicana</i>	Blue Elderberry	S	FAC	Caprifoliaceae
<i>Sarcocornia pacifica</i> [S. <i>virginica</i>]	Pacific Pickleweed	S	OBL	Chenopodiaceae
<i>Scabiosa atropurpurea</i> *	Pincushion Flower	AH	.	Dipsacaceae
<i>Schismus barbatus</i> *	Abu Mashi	AG	.	Poaceae
<i>Schoenoplectus acutus</i> var. <i>occidentalis</i>	Viscid Tule	PG	OBL	Cyperaceae
<i>Schoenoplectus americanus</i>	American Bulrush	PG	OBL	Cyperaceae
<i>Schoenoplectus californicus</i>	California Bulrush	PG	OBL	Cyperaceae
<i>Schoenoplectus pungens</i> var. <i>badius</i>	Common Threesquare	PG	OBL	Cyperaceae
<i>Scrophularia californica</i> ssp. <i>californica</i>	California Figwort	PH	FAC	Scrophulariaceae
<i>Senecio mikanoides</i> *	Cape Ivy	PV	(FACW)	Asteraceae
<i>Silene gallica</i> *	Windmill Pink	AH	.	Caryophyllaceae
<i>Silybum marianum</i> *	Milk Thistle	AH	.	Asteraceae
<i>Sinapis alba</i> *	White Charlock	AH	OBL	Brassicaceae
<i>Sisymbrium irio</i> *	London Rocket	AH	.	Brassicaceae
<i>Sisymbrium occidentale</i> *	Western Hedge Mustard	AH	.	Brassicaceae
<i>Sisyrinchium bellum</i>	Blue-eyed Grass	PH	FAC	Iridaceae
<i>Solanum americanum</i> *	White Nightshade	A/PH	FAC	Solanaceae
<i>Solanum douglasii</i>	Douglas Nightshade	AH	FAC	Solanaceae
<i>Solanum nodiflorum</i> *	Nightshade	AH	.	Solanaceae
<i>Solanum rantonnetii</i> *	Blue Potatobush	S	.	Solanaceae
<i>Solanum rostratum</i> *	Buffalo Bur	AH	.	Solanaceae
<i>Solanum xanti</i> var. <i>xanti</i>	Chaparral Nightshade	S	.	Solanaceae
<i>Solidago confinis</i>	Southern Goldenrod	PH	FAC	Asteraceae
<i>Sonchus asper</i> ssp. <i>asper</i> *	Prickly Sow-thistle	AH	FAC	Asteraceae
<i>Sonchus oleraceus</i> *	Sow-thistle	AH	NI*	Asteraceae
<i>Sorghum bicolor</i> var. <i>bicolor</i> *	Sorghum	AG	FAC*	Poaceae
<i>Sorghum halapense</i> *	Johnson Grass	PG	FACU	Poaceae
<i>Spartium junceum</i> *	Spanish Broom	S	(FACU)	Fabaceae
<i>Spergula arvensis</i> ssp. <i>arvensis</i> *	Corn Spurrey	AH	.	Caryophyllaceae
<i>Spergularia macrotheca</i> var. <i>macrotheca</i>	Sandspurrey	AH	FAC+	Caryophyllaceae
<i>Spergularia marina</i>	Marsh Spurrey	AH	OBL	Caryophyllaceae
<i>Spergularia salina</i> *	Hairy Sandspurrey	AH	.	Caryophyllaceae
<i>Stachys bullata</i>	Pink Hedge Nettle	PH	.	Lamiaceae
<i>Stuckenia pectinata</i>	Fennel-leaf Pondweed	PH	OBL	Potamogetonaceae
<i>Suaeda calceoliformis</i>	Horned Seablite	AH	FACW+	Chenopodiaceae

David Magney Environmental Consulting
P.O. Box 1346, Ojai, CA 93024
805/646-6045 - www.magney.org

Plants of the Ventura River Mouth, Ventura, California

By David L. Magney

Scientific Name	Common Name	Habit	WIS	Family
<i>Suaeda californica</i> var. <i>pubescens</i>	Hairy California Seablite	PH	FACW+	Chenopodiaceae
<i>Suaeda californica</i> var. <i>taxifolia</i>	Woolly Seablite	S	FACW+	Chenopodiaceae
<i>Symphyotrichum subulatum</i> var. <i>parviflorum</i>	Annual Saltmarsh Aster	AH	FACW	Asteraceae
<i>Tamarix gallica</i> *	French Tamarisk	S/T	FACW	Tamaricaceae
<i>Tamarix ramosissima</i> *	Tamarisk, Saltcedar	S	FAC	Tamaricaceae
<i>Tanacetum parthenium</i> *	Feverfew	PH	.	Asteraceae
<i>Tetragonia tetragonioides</i> *	New Zealand Spinach	AH	.	Aizoaceae
<i>Toxicodendron diversilobum</i>	Western Poison Oak	PV	(FACU)	Anacardiaceae
<i>Triticum aestivum</i> *	Cultivated Wheat	AG	.	Poaceae
<i>Tropaeolum majus</i> *	Garden Nasturtium	PH	(FACW)	Tropaeolaceae
<i>Typha domingensis</i>	Narrowleaf Cattail	PG	OBL	Typhaceae
<i>Typha domingensis</i> aff. <i>T. latifolia</i>	Narrowleaf Cattail hybrid	PG	OBL	Typhaceae
<i>Typha latifolia</i>	Broadleaf Cattail	PG	OBL	Typhaceae
<i>Urtica dioica</i> ssp. <i>holosericea</i>	Giant Stinging Nettle	PH	FACW	Urticaceae
<i>Urtica urens</i> *	Dwarf Stinging Nettle	AH	.	Urticaceae
<i>Venegasia carpesioides</i>	Canyon Sunflower	S	.	Asteraceae
<i>Verbena lasiostachys</i> var. <i>lasiostachys</i>	Western Verbena	AH	FAC-	Verbenaceae
<i>Verbesina encelioides</i> ssp. <i>exauriculata</i> *	Golden Crownbeard	AH	FAC	Asteraceae
<i>Veronica anagallis-aquatica</i> *	Speedwell	AH	OBL	Plantaginaceae
<i>Vicia ludoviciana</i> var. <i>ludoviciana</i>	Slender Vetch	AH	NI	Fabaceae
<i>Vulpia myuros</i> forma <i>megalura</i> *	Foxtail Fescue	AG	FACU*	Poaceae
<i>Washingtonia robusta</i> *	Mexican Fan Palm	T	(FACW)	Areaceae
<i>Xanthium spinosum</i>	Spiny Clotbur	AH	FAC+	Asteraceae
<i>Xanthium strumarium</i>	Cocklebur	AH	FAC+	Asteraceae
<i>Yucca</i> sp.*	Yucca	S	.	Agavaceae
<i>Zannichellia palustris</i>	Horned-Pondweed	PG	OBL	Potamogetonaceae
<i>Zantedeschia aethiopica</i> *	Calla Lily	PG	OBL	Araceae

Notes: Scientific nomenclature follows Flora of North America Committee (1993-2011 - *Flora of North America*) or Hickman (1993 - *The Jepson Manual: Higher Plants of California*).

Common names follow Abrams and Ferris (1960), Neihaus and Ripper (1976), and DeGarmo (1980).

Bold typeface indicates special-status species (CNPS 2011 [*Inventory of Rare & Endangered Plants*], Magney 2011 [Ventura County Rare Plants]).

An "*" indicates non-native species that have become naturalized or persist without cultivation.

An "+" indicates non-native species that were cultivated and/or persist without active cultivation after planting.

Habit definitions:

AF = annual fern or fern ally.

PG = perennial grass or graminoid.

AG = annual grass or graminoid.

PH = perennial herb.

AH = annual herb.

PV = perennial vine.

BH = biennial herb.

S = shrub.

PF = perennial fern or fern ally.

T = tree.

Wetland indicator status (Reed 1988): OBL = obligate wetland species, occurs almost always in wetlands (>99% probability)

FACW = facultative wetland species, usually found in wetlands (67-99% probability).

FAC = facultative species, equally likely to occur in wetlands or nonwetlands (34-67% probability).

FACU = facultative upland species, usually occur in nonwetlands (67-99% probability).

+ or - symbols are modifiers that indicate greater or lesser affinity for wetland habitats.

NI = no indicator has been assigned due to a lack of information to determine indicator status.

* = a tentative assignment to that indicator status by Reed (1988).

A period "." indicates that no wetland indicator status has been given in Reed (1988).

Parentheses around an indicator status indicates the wetland status as suggested by the author.

Developed by David L. Magney 2011. Checklist may be used for educational and nonprofit purposes only.

Based on voucher specimens at one or more California public herbaria and direct observations by author.