

Checklist of Ventura County Rare Plants¹

By David L. Magney

California Native Plant Society, Rare Plant Program, Locally Rare Project

Updated 21 September 2020

Ventura County is located in southern California, USA, along the east edge of the Pacific Ocean. The coastal portion occurs along the south and southwestern quarter of the County. Ventura County is bounded by Santa Barbara County on the west, Kern County on the north, Los Angeles County on the east, and the Pacific Ocean generally on the south (Figure 1, General Location Map of Ventura County).

Ventura County extends north to 34.9014°N latitude at the northwest corner of the County. The County extends westward at Rincon Creek to 119.47991°W longitude, and eastward to 118.63233°W longitude at the west end of the San Fernando Valley just north of Chatsworth Reservoir. The mainland portion of the County reaches southward to 34.04567°N latitude between Solromar and Sequit Point west of Malibu. When including Anacapa and San Nicolas Islands, the southernmost extent of the County occurs at 33.21°N latitude and the westernmost extent at 119.58°W longitude, on the south side and west sides of San Nicolas Island, respectively.

Ventura County occupies 480,996 hectares [ha] (1,188,562 acres [ac]) or 4,810 square kilometers [sq. km] (1,857 sq. miles [mi]), which includes Anacapa and San Nicolas Islands. The mainland portion of the county is 474,852 ha (1,173,380 ac), or 4,748 sq. km (1,833 sq. mi.) in area and ranges in elevation from sea level on the southwest to 2,692 meters [m] (8,831 feet [ft.]) above sea level at its northern border on Mount Piños (Figure 2, Shade Relief Map of Mainland Ventura County). There appears to be some discrepancy in the actual area covered by Ventura County, depending on the source. For example, according to the California County Fact Book, 1983 edition (California Supervisors Association of California 1983), Ventura County occupies an area of 482,668 ha (1,192,680 ac) or 2,999 sq. km (1,863.6 sq. mi), with 3,254 ha (8,040 ac) or 20.3 sq. km (12.6 sq. mi) of that as water. The discrepancy appears to be a little over 2,469 ha (6,100 ac), which does not correspond to the area occupied by the two islands within the County. However, the difference does appear to match the area occupied by a rectangular portion of the county in the northeast corner, where the Ventura County Board of Supervisors voted to give away approximately 6,100 acres to Kern County to accommodate a proposed development that Ventura County felt it could not provide adequate County services to.

Mainland Ventura County is located between 34°00' and 35°00'N latitude and 118°38' and 119°28'W longitude, excluding Anacapa and San Nicolas Islands, and is generally longer than wide. Anacapa Islands are the smallest and easternmost of the northern Channel Islands while San Nicolas Island is an outer southern Channel Island.

¹ This document should be cited as: Magney, D.L. 2020. Checklist of Ventura County Rare Plants. 21 September 2020, Twenty-fourth Edition. California Native Plant Society, Channel Islands Chapter, Ojai, California. (Previous published update dated 14 May 2018.)

Figure 1. General Location Map of Ventura County




Figure 2. Shade Relief Map of Mainland Ventura County



The flora of Ventura County is comprised of approximately **2,832** native and naturalized vascular plant taxa, including those expected to occur but for which no vouchers are known (147 taxa) (Magney 2020²). A total of 2,585 taxa (91.3%) are known to occur in the county, which are supported by voucher specimens, with another 50 that have been observed by the author or reported by others, representing 93.0% of the county flora. Approximately 1,948 taxa (73.9%) of the flora are native, and another 687 (26.1%) taxa are not native (based on a flora of 2,585 taxa). A small percentage (10.9%) of the flora taxa (287 taxa) are quite common (dominant or common), on a scale ranging from dominant to rare (common, occasional, scattered, uncommon, and rare). Many more of the plant taxa in Ventura County are uncommon to quite rare.

All the species (including varieties and subspecies, which are lower taxonomic units than full species) of native and naturalized plants are important components of the biodiversity of life in Ventura County. While most species do not recognize political boundaries, such as county boundaries, our government agencies set policies and manage land use and resources based on such jurisdictional boundaries.

This list represents a compilation of known records and observations (many by the author) of all native vascular plant species:

- With ten (10) or fewer populations within Ventura County;
- Listed by the California Native Plant Society (CNPS) on a statewide basis (CNPS 2001³, 2020⁴);
- Listed by the US Fish and Wildlife Service as Threatened or Endangered under the federal Endangered Species Act;
- Listed by the California Fish and Game Commission as Rare, Threatened, or Endangered;
- Are at the limits of their distribution range (southernmost, northernmost, westernmost extent); or
- The Type Locality occurs within the County (then only the Type Locality is considered sensitive).

Some taxa are considered rare or uncommon throughout California, as established by CNPS in its *Inventory of Rare and Endangered Plants of California*, sixth edition (CNPS 2001), and the continuously updated online version (CNPS 2020) even though more than ten populations are known from Ventura County, including Anacapa Islands and San Nicolas Island. Such taxa known to occur within Ventura County are included, but lack an “R” or “U” designation if there are more than the 5 or 10 populations, respectively. Currently there are **1,299**⁵ taxa (49.3% of the known county flora of 2,635 taxa) included on this list of locally rare plants of Ventura County (including taxa that are rare statewide), present on the mainland and the two islands (Anacapa and San Nicolas). Another 145 (5.1% of the expected flora of 2,832 taxa) were appended that are likely to occur in the County but for which no voucher specimens or reliable locality data are available. These are included at the end of this list. Many of these potential additions are known to occur in adjacent counties and expected to occur in Ventura County. A total of 64 plants (2.4%) considered rare in Ventura County occur only on the Channel Islands (Anacapa and San Nicolas Islands) portion of the county. A number of taxa were deleted from this list when over ten (10) occurrences are known to occur in Ventura County.

² Magney, David L. 2020. Checklist of Vascular Plants of Ventura County, California. David Magney Environmental Consulting, Cedar Ridge, California, published on www.venturaflora.com. Based on Magney's *A Flora of Ventura County: Annotated Catalogue of Vascular Plants*. Unpublished manuscript of 22 April 2020. David Magney Environmental Consulting, Cedar Ridge, California.

³ California Native Plant Society. 2001. *Inventory of Rare and Endangered Plants of California*. Sixth edition. (Special Publication No. 1.) Rare Plant Scientific Advisory Committee, David Tibor, Convening Editor, Sacramento, California. September.

⁴ California Native Plant Society. 2020. *Inventory of Rare and Endangered Plants of California*. (Online edition, v8-03 0.39.) 22 April 2020. Rare Plant Program, Sacramento, California.

⁵ This number is five (5) more taxa than included on the previous edition of this list.

This list was compiled as the results of extensive research of the flora of Ventura County. It is based on extensive field searches; examination of specimens collected by others housed at public herbaria; and published reports. The author began research on the Ventura County flora in the late 1970s.

To be published in the future separately, *Ventura County Rare Plants* will provide much more information about those plants included in this checklist, including: a brief description of the plant, habitat preferences, associated plant communities, elevation range, and blooming period. That publication will include additional information for each taxon, including complete scientific name, known synonyms, common name(s), habit and size, rarity status, months it is in bloom or identifiable, and general and specific locality data, with supporting voucher collection information. Each specimen cited for a specific location includes the name of the collector, the collection number (or collection date if no number was assigned), and the herbarium in which it is stored (some duplicate specimens have been deposited in more than one herbarium). Location information is provided at two levels: a general geographic area, and then specific locations.

This list should be considered the best available information at the time of publication, as our knowledge of the Ventura County flora is dynamic, and growing with each botanical survey or foray. This checklist will be updated periodically and revised according to all new verifiable information provided. Occurrences of vascular plants found in Ventura County that add to or could change the status of any plant listed here should be submitted to the author via CNPS (attention: David Magney) or via email to [david\(at\)magney\(dot\)org](mailto:david(at)magney(dot)org). Any lists submitted must be supported by voucher specimens that are deposited in a public herbarium, according to CNPS and California Botanical Society policies based on Ferren et al. (1995⁶).

Plants not included in CNPS's *Inventory*, or listed by federal and state agencies, that have more than ten populations in Ventura County will be dropped from this list, except for those plants:

- representing range limits, such as the westernmost limit of the taxons range; or
- the "Type Locality" sites ("Type Locality" sites are the sites from which the plant was originally collected and formally described from, and is represented by a "Type Specimen", for which a note occurs after the herbarium at which it is deposited as "Holotype" or "Isotype").

For those plants that are otherwise relatively common in Ventura County, only the populations that represent the limit of a plants range should be considered of concern (as sensitive), with the remaining population(s) noted to provide perspective, but not considered sensitive/rare for the purposes of this checklist. *Artemisia tridentata* var. *tridentata* is an example of this, where it should be considered of local concern when it occurs in the western portion of the Santa Clara River Valley (the limit of its range) while the populations in the Upper Sespe Creek watershed and the northern part of the county are not of concern from a rarity perspective.

Special-status species are plants that are either listed as endangered or threatened under the Federal or California Endangered Special Acts; or considered to be rare under the California Native Plant Protection Act; or considered to be rare (but not formally listed) by resource agencies, professional organizations (e.g. California Native Plant Society), and the scientific community. For the purposes of this checklist, special-status species are further defined in Table 1, Definitions of Special-Status Plant Species.

Listed species are those taxa that are formally listed as endangered or threatened by the federal government (e.g. U.S. Fish and Wildlife Service [USFWS]) pursuant to the national Endangered Species Act or as endangered, threatened, or rare (for plants only) by the State of California (i.e. California Fish and Game Commission) pursuant to the California Endangered Species Act or the California Native Plant Protection Act.

⁶ Ferren, W.R., Jr., D.L. Magney, and T.A. Sholars. 1995. The Future of California Floristics and Systematics: Collecting Guidelines and Documentation Techniques. *Madroño* 42(2):197-210.

The CNDDDB Element Ranking system provides a numeric global and state ranking system for all special-status plant and wildlife species and rare habitats tracked by the CNDDDB. The global rank (G-rank) is a reflection of the overall condition of an element (species or natural community) throughout its global range. The state ranking (S-rank) is assigned much the same way as the global rank, except state ranks in California often also contain a threat designation attached to the S-rank. This Element Ranking system is defined below in Table 2, Natural Diversity Data Base Element Ranking System. Not all special-status species considered in this checklist are tracked by the CNDDDB, nor have global or state rarity ranking been given to them; therefore, the author has applied the rules described above to “rank” those special-status species lacking such ranking. Taxa for which Global and State rarity ranking have been devised here are followed by a “?” in parentheses, denoting tentative assignment.

Table 1. Definitions of Special-Status Plant Species

<ol style="list-style-type: none"> 1. Plants legally protected under the California and Federal Endangered Species Acts or under other regulations. 2. Plants considered sufficiently rare by the scientific community to qualify for such listing; or 3. Plants considered to be sensitive because they are unique, declining regionally or locally, or are at the extent of their natural range.
Special-Status Plant Species
<ul style="list-style-type: none"> ◆ Plants listed or proposed for listing as threatened or endangered under the Federal Endangered Species Act (50 CFR 17.12 for listed plants and various notices in the Federal Register for proposed species). ◆ Plants that are Category 1 or 2 (species of special concern) candidates for possible future listing as threatened or endangered under the Federal Endangered Species Act (55 CFR 6184, February 21, 1990). ◆ Plants that meet the definitions of rare or endangered species under the CEQA (<i>State CEQA Guidelines</i>, Section 15380). ◆ Plants considered by the CNPS to be "rare, threatened, or endangered" in California (Lists 1A, 1B, and 2 in CNPS [2001]⁷). ◆ Plants listed by CNPS as plants about which we need more information and plants of limited distribution (Lists 3 and 4 in CNPS [2001]). ◆ Plants listed or proposed for listing by the State of California as threatened or endangered under the California Endangered Species Act (14 CCR 670.5). ◆ Plants listed under the California Native Plant Protection Act (California Fish and Game Code 1900 <i>et seq.</i>). ◆ Plants considered sensitive by other federal agencies (i.e. U.S. Forest Service, Bureau of Land Management) or state and local agencies or jurisdictions. ◆ Plants considered sensitive or unique by the scientific community or occurring at the limits of its natural range (<i>State CEQA Guidelines</i>, Appendix G).

CNPS’s *Inventory of Rare and Endangered Plants of California*⁸ categorizes rare California plants into one of five lists or Ranks (1A, 1B, 2A, 2B, 3, & 4) representing the five levels of species status, one of which is assigned to a sensitive species to indicate its status of rarity or endangerment and distribution. A CNPS List is a more general designation than the three separate sets of information provided in a CNPS R-E-D Code (see the CNPS *Inventory* for definitions). However, the CNPS List is a significant designation in terms of a species’ overall status throughout all of California, and it works well in conjunction to the specifications of the R-E-D Code. The CNPS R-E-D Code is a three-numbered numeric ranking, which is assigned to a special-status species, consisting of one number (1, 2, or 3) for each of the three categories (Rarity-Endangerment-Distribution). Each number accurately describes the species’ population levels and distribution patterns within each category.

As described for the NDDB ranking, not all special-status species (most) considered in this checklist are tracked by CNPS, nor have R-E-D codes been given to them; however, the author has applied the rules described above to “rank” those special-status species lacking such ranking to either “rare” or

⁷ California Native Plant Society. 2001. *Inventory of Rare and Endangered Plants of California*. Sixth Edition. Sacramento, California. September.

⁸ Ibid.

“uncommon”; however, these rankings are not included in the checklist. Rather the occurrence rankings for each are provided in the *Ventura County Rare Plants* and in the *Flora of Ventura County* to be published in 2019 by the author.

The large number of taxa on this list is the result of several factors:

1. Development in Ventura County has eliminated a majority of the natural vegetation in the southern half of the County, eliminating many occurrences of native plant species;
2. A number of taxa found nowhere else are present in Ventura County, local endemics, and several of these are listed as threatened or endangered by either the California Department of Fish and Game or the U.S. Fish and Wildlife Service;
3. Ventura County is geographically situated such that floral influences from the north, south, and east enter the County at its edges (limits of some species' ranges);
4. Anacapa and San Nicolas Islands support many species found only on the California Channel Islands, including island endemics;
5. Ventura County is topographically and climatically diverse, providing numerous habitats for uncommon and rare species; and
6. Botanical surveys have not been conducted systematically everywhere in the County. In other words, the flora of Ventura County is not fully understood or documented, and additional populations of a number of the plants listed below likely occur in the County, we just aren't aware of them yet. Regardless, significant collecting has occurred in the County over the last 150 years, and the author has a reasonably good understanding of the flora.

This list was compiled according to definitions under the California Environmental Quality Act (CEQA) under Initial Study Checklist Section 6, Subsections A and E. Projects reviewed under CEQA should consider impacts to one or more of the species included in this checklist as potentially significant. Generally, if a project would impact a population of one or more of the plants listed herein, that/those impact(s) should be considered significant unless substantial evidence is provided that may support an alternate conclusion.

What significance does a list of locally rare species have under CEQA?

The following answer is provided by John Buse, Esq., of the Environmental Defense Center of Ventura, California⁹. The CEQA Guidelines provide that a lead agency shall find that a project may have a significant effect on the environment if the project “... has the potential to ... reduce the number or restrict the range of an endangered, rare or threatened species ...”. Guidelines §15065(a). In addition, the CEQA Guidelines Appendix G Environmental Checklist Form considers whether a project would “have a substantial adverse effect, either directly or through habitat modifications, on any species identified as a candidate, sensitive, or special status species in local or regional plans, policies, or regulations ...”.

⁹ Buse, John, Esq., Environmental Defense Center, memorandum to David Magney of CNPS dated 14 September 2002.

Table 2. Natural Diversity Database Element Ranking System

Global Ranking (G)	
G1	Less than 6 viable element occurrences (populations for species) OR less than 1,000 individuals OR less than 809.4 hectares (ha) (2,000 acres [ac]).
G2	6 to 20 element occurrences OR 809.4 to 4,047 ha (2,000 to 10,000 ac).
G3	21 to 100 element occurrences OR 3,000 to 10,000 individuals OR 4,047 to 20,235 ha (10,000 to 50,000 ac).
G4	Apparently secure; this rank is clearly lower than G3 but factors exist to cause some concern (i.e. there is some threat, or somewhat narrow habitat).
G5	Population or stand demonstrably secure to ineradicable due to being commonly found in the world.
GH	All sites are historic ; the element has not been seen for at least 20 years, but suitable habitat still exists.
GX	All sites are extirpated ; this element is extinct in the wild.
GXC	Extinct in the wild; exists in cultivation.
G1Q	The element is very rare, but there is a taxonomic question associated with it.
Subspecies Level	
Subspecies receive a T-rank attached to the G-rank. With the subspecies, the G-rank reflects the condition of the entire <u>species</u> , whereas the T-rank reflects the global situation of just the <u>subspecies</u> or <u>variety</u> . For example: <i>Chorizanthe robusta</i> var. <i>hartwegii</i> . This plant is ranked G2T1. The G-rank refers to the whole species range (i.e. <i>Chorizanthe robusta</i> , whereas the T-rank refers only to the global condition of var. <i>hartwegii</i> .	
State Ranking (S)	
S1	Less than 6 element occurrences OR less than 1,000 individuals OR less than 809.4 ha (2,000 ac). S1.1 = very threatened S1.2 = threatened S1.3 = no current threats known
S2	6 to 20 element occurrences OR 3,000 individuals OR 809.4 to 4,047 ha (2,000 to 10,000 ac). S2.1 = very threatened S2.2 = threatened S2.3 = no current threats known..
S3	21 to 100 element occurrences OR 3,000 to 10,000 individuals OR 4,047 to 20,235 ha (10,000 to 50,000 ac). S3.1 = very threatened S3.2 = threatened S3.3 = no current threats known
S4	Apparently secure within California; this rank is clearly lower than S3 but factors exist to cause some concern (i.e. there is some threat, or somewhat narrow habitat). NO THREAT RANK.
S5	Demonstrably secure to ineradicable in California. NO THREAT RANK.
SH	All California sites are historic ; the element has not been seen for at least 20 years, but suitable habitat still exists.
SX	All California sites are extirpated ; this element is extinct in the wild.

Notes: 1. Other considerations used when ranking a species or natural community include the pattern of distribution of the element on the landscape, fragmentation of the population/stands, and historical extent as compared to its modern range. It is important to take a bird's eye or aerial view when ranking sensitive elements rather than simply counting element occurrences.

2. Uncertainty about the rank of an element is expressed in two major ways: by expressing the rank as a range of values (e.g., S2S3 means the rank is somewhere between S2 and S3), and by adding a ? to the rank (e.g. S2?). This represents more certainty than S2S3, but less than S2. (CNDDDB 2002.)

According to the CEQA Guidelines, a species is considered “rare” when either:

- (A) Although not presently threatened with extinction, the species is existing in such small numbers throughout all or a significant portion of its range that it may become endangered if its environment worsens; or

- (B) The species is likely to become endangered within the foreseeable future throughout all or a significant portion of its range and may be considered “threatened” as that term is used in the Federal Endangered Species Act. Guidelines §15380(b)(2).

Species already listed under the California or federal ESA shall be presumed to be endangered, rare, or threatened. Guidelines §15380(c). A species not currently listed shall nevertheless be considered to be endangered, threatened, or rare if it meets the criteria in the CEQA definitions of “endangered” or “rare”. The term “sensitive” species, which appears in the Appendix G checklist, is not defined in CEQA.

If a species is considered locally rare due to its limited occurrence within a political boundary, such as the County of Ventura, and if the species’ local population constitutes a significant portion of its range, the species must be considered a rare species under CEQA. The mere placement of a species on a list of locally rare species is probably not enough to meet the CEQA criteria for endangered, threatened, or rare species. However, if the list contains some additional explanation indicating why the species meets the CEQA criteria, such as the fact that the local population constitutes a significant portion of the species’ range, the list should provide substantial evidence of rarity.

If the CEQA criteria are satisfied, it is irrelevant that a species is relatively common in other locations. For example, the Pacific Coast populations of the Snowy Plover are listed as threatened under the federal ESA, despite the fact that inland populations are relatively common and are not protected. The existence of the non-listed populations does not diminish the Snowy Plover’s status as a endangered, threatened, or rare species under CEQA. By extension, if the Pacific Coast populations of the Snowy Plover were not listed as threatened, these populations would still be considered endangered, threatened, or rare under CEQA. Accordingly, the special status for Snowy Plover in Ventura County under CEQA would still apply even if Snowy Plover was relatively common in, for example, Mono County. Assertions implying that a species necessarily does not warrant inclusion on a list of locally rare species if it is common elsewhere in California simply because it occurs rarely in Ventura County within a political boundary are incorrect. As the Snowy Plover example indicates, there will be instances when a locally rare species must be considered rare under CEQA despite the species’ common occurrence elsewhere in California.

Snowy Plover on the Pacific Coast is protected under the federal ESA based on the concept of a “distinct population segment” (DPS). Something similar to the DPS concept could be used to determine whether a locally rare species is, in fact, endangered, threatened, or rare under CEQA. The federal ESA allows a DPS, defined according to geographic or reproductive isolation, to be treated as a “species”. Therefore, as in the Snowy Plover example, a DPS can be listed even though the populations of the taxonomic species are common elsewhere. CEQA does not preclude use of the DPS concept to assist in understanding whether a species is endangered, threatened, or rare based on its local rarity; on the contrary, the CEQA Guidelines definition of “rare” appears to invite the consideration of similar circumstances that would inform the determination of a DPS under the federal ESA.

Under CEQA, lead agencies have considerable discretion in determining whether a species should be considered rare or sensitive. See, for example, the *State CEQA Guidelines* Appendix G checklist cited above, which indicates that lead agencies may designate candidate, sensitive, or special-status species in local or regional plans, policies, or regulations. A list of locally rare or sensitive species, if it is developed based on evidence that the local rarity meets the CEQA criteria for rarity, will effectively establish a rebuttable presumption of significance for species that may be adversely affected by a project. In this respect, a list of locally rare species as presented below will function in a manner similar to the threshold of significance that a lead agency may establish. CEQA requires, however, that thresholds of significance for general use in a lead agency’s environmental review process “must be adopted by ordinance, resolution, rule, or regulation, and developed through a public review process and be supported by substantial evidence.” Guidelines §15064.7. For a list of locally rare or sensitive species to function as a set of thresholds of significance, therefore, the list should be adopted through a public review process.

Even if the list is not adopted through a public review process, it will establish substantial evidence of rarity if it is accompanied by additional information showing, for example, that the local occurrences of a listed species constitute a substantial portion of the species' range.

CNPS believes that this list of locally rare plants meets the definitions of rarity, at least locally, to satisfy consideration under CEQA. This checklist is supported by substantial evidence in the files of the author and data obtained from public herbaria and knowledgeable local botanists. Many of the taxa listed in this checklist are also listed by CNPS as rare or sensitive statewide, as well as those taxa formally listed under the California and/or federal ESA.

This checklist is updated regularly based on new information on the Ventura County flora. Species are added or deleted from this list as the new data warrant; therefore, be sure to obtain the most up-to-date version of this checklist. For example, for this update, compared to the 21 March 2019 (25th) edition (previous), 5 taxa were added (0 of which were added to the "expected to occur" list), 59 were dropped (listed at end of this list), 4 had some sort of name change or a spelling error corrected, and 15 had their rarity status changed (usually lowered from Rare to Uncommon). Also added as an indication of those on the Los Padres National Forest Sensitive Species List. Future changes to this list will likely be a result in taxonomic changes. However, information on the flora is continually expanding with every botanical survey conducted, which may result in additional occurrences of plants on this list, or taxa not previously known to occur in Ventura County.

The most up-to-date version can be downloaded (as a PDF) from the Channel Islands Chapter CNPS website at www.cnpsci.org, or by contacting the author directly. Please send your notes on corrections, errors, and plant populations/occurrences you are aware of that may not be on this checklist to the author: David Magney, P.O. Box 1539, Cedar Ridge, CA 95924-1539 or via email at [david\(at\)magney\(dot\)org](mailto:david(at)magney(dot)org). Also contact the author if you need any specific locality data on any particular taxon included in this checklist.

Checklist of Rare Plants

<u>Scientific Name</u> ¹⁰	<u>Common Name</u> ¹¹
<i>Abronia maritima</i> Nutt. ex S. Watson	Red or Sticky Sand-verbena (S, CNPS 4.2)
<i>Abronia maritima</i> Nutt. ex S. Watson X <i>A. umbellata</i> Lam.	Hybrid Sand-verbena (R)
<u><i>Abronia neurophylla</i> Standl.</u>	<u>Beach Sand-verbena (R)</u>
<i>Abronia pogonantha</i> Heimerl	Desert Sand-verbena (R)
<i>Abronia turbinata</i> Torr. ex S. Watson	Turbinate Sand-verbena (R)
<i>Abronia villosa</i> S. Watson var. <i>aurita</i> (Abrams) Jeps.	Woolly Sand-verbena (R, CNPS 1B.1)
<i>Acamptopappus sphaerocephalus</i> (Har. & A. Gray) A. Gray var. <i>sphaerocephalus</i>	Rayless Goldenhead (R)
<i>Acanthomintha obovata</i> var. <i>cordata</i> Jokerst	Heartleaf Thornmint (S, CNPS 4.2)
<i>Acanthoscyphus parishii</i> var. <i>abramsii</i> (E.A. McGregor) Reveal	Abrams Spineflower (U, CNPS 1B.2, LPNF ¹²)
<i>Acanthoscyphus</i> [<i>Oxytheca</i>] <i>parishii</i> (Parry) Small var. <i>parishii</i>	Parish's Oxytheca (R, CNPS 4.2)
<i>Acer negundo</i> var. <i>californicum</i> (Torrey & A. Gray) Sarg.	Box Elder (R)
<u><i>Achillea millefolium</i> var. <i>arenicola</i> (Heller) Nobs in Ferris</u>	<u>Common Island White Yarrow (U)</u>
<i>Achillea millefolium</i> var. <i>californica</i> (Pollard) Jepson	California White Yarrow (U)
<i>Achillea millefolium</i> var. <i>occidentale</i> DC	Woolly White Yarrow (U)

¹⁰ Scientific name: The complete scientific name is provided for each taxon and consists of the genus, species, and author (person who formally described and named the plant). Underlined entries indicate taxa found only on the Channel Islands (Anacapa or San Nicolas Islands).

¹¹ Common names are given for all taxa, many of which are invented by the author as no common name has been identified otherwise. "R", "U", "Limits", or "Type" in parentheses indicated the category of rarity: R = rare (formally listed by USFWS, CDFG, CNPS, or with 5 or fewer occurrences in Ventura County); U = uncommon (with 6 to 10 occurrences in Ventura County); Limits = indicate taxon reaches its distribution limits in Ventura County; Type = type locality is within Ventura County.

¹² LPNF = Los Padres National Forest Sensitive Plant List

<u>Scientific Name</u>	<u>Common Name</u>
<i>Achillea millefolium</i> var. <i>pacifica</i> (Rydb.) G.N. Jones	Pacific White Yarrow (R)
<i>Acmispon argophyllus</i> ssp. <i>argenteus</i> (Dunkle) Brouillet	Silver Deervetch (U)
<i>Acmispon argophyllus</i> ssp. <i>nivius</i> (E. Greene) Brouillet	Santa Cruz Island Silverhosackia (R)
<i>Acmispon dendroideus</i> (Greene) Brouillet var. <i>dendroideus</i>	Island Broom (R)
<i>Acmispon dendroideus</i> var. <i>veatchii</i> (Greene) Brouillet	San Miguel Island Deerweed (R)
<i>Acmispon denticulatus</i> (Drew) D.D. Sokoloff	White Lotus (U)
<i>Acmispon glaber</i> var. <i>brevialatus</i> (Ottley) Brouillet	Deerweed (R)
<i>Acmispon heermanii</i> (Durand & Hilg.) Brouillet var. <i>heermanii</i>	Heerman Lotus or Hosackia (R)
<i>Acmispon heermanii</i> var. <i>orbicularis</i> (Gray) Brouillet	Heerman Lotus (R)
<i>Acmispon junceus</i> (Benth.) Brouillet var. <i>junceus</i>	Rush Lotus (R)
<i>Acmispon micranthus</i> (Torrey & A. Gray) Brouillet	Grab Hosackia or Lotus (R)
<i>Acmispon nevadensis</i> var. <i>davisonii</i> (Greene) Brouillet	Suphur-flowered Hosackia (U)
<i>Acmispon nevadensis</i> (S. Watson) Brouillet var. <i>nevadensis</i>	Sierra Nevada Hosackia (U)
<i>Acmispon parviflorus</i> (Benth.) Brouillet	Tiny Lotus (R)
<i>Acmispon prostratus</i> (T.& G.) Brouillet	Nuttall's Lotus (R, 1B.1)
<i>Adenostoma sparsifolium</i> Torrey	Red Shank, Ribbon-bush (U)
<i>Aesculus californica</i> (Spach) Nutt.	California Buckeye (R)
<i>Agoseris elata</i> (Nuttall) E. Greene	Tall Mountain Dandelion (R)
<i>Agrostis hallii</i> Vasey	Hall's Bentgrass (R)
<i>Agrostis pallens</i> Trin.	Thingrass (U)
<i>Alisma plantago-aquaticum</i> L.	Common or Broadleaf Water-plantain (R)
<i>Allium amplexans</i> Torrey	Narrowleaf Onion (R)
<i>Allium burlewii</i> A. Davidson	Burlew Onion (U)
<i>Allium cratericola</i> Eastw.	Cratered Onion (R)
<i>Allium denticulatum</i> (Traub) D. McNeal	Dentate Fringed Onion (R)
<i>Allium fimbriatum</i> var. <i>mohavense</i> Jepson	Mojave Onion (R)
<i>Allium haemaetochiton</i> S. Watson	Red-skinned Onion (U)
<i>Allium howellii</i> var. <i>clokeyi</i> Traub	Mount Piños Onion (Type, CNPS 1B.3, LPNF)
<i>Allium lacunosum</i> var. <i>davisiae</i> (M.E. Jones) D. McNeal	Davis Onion (R, W Limits)
<i>Allium lacunosum</i> S. Watson var. <i>lacunosum</i>	Pitted Onion (R)
<i>Allium monticola</i> Davidson	Mountain Onion (R)
<i>Allium parryi</i> S. Watson	Parry Fringed Onion (R)
<i>Allium parvum</i> Kellogg	Small Onion (R)
<i>Allium praecox</i> Brandegee	Early Onion (R)
<i>Allium sanbornii</i> Alph. Wood var. <i>sanbornii</i>	Sanborn Onion (R)
<i>Allium tribracteatum</i> Torrey	Three-bracted Onion (R)
<i>Allium vineale</i> L.	Wild Garlic (R)
<i>Allophyllum divaricatum</i> (Nuttall) A.D. Grant & V. Grant	Divaricate Allophyllum (R)
<i>Allophyllum gilioides</i> (Bentham) A.D. Grant & V. Grant ssp. <i>gilioides</i>	Straggling Gilia (R)
<i>Allophyllum integrifolium</i> (Brand) A.D. Grant & V. Grant	Sticky Allophyllum (R)
<i>Alnus incana</i> ssp. <i>tenuifolia</i> (Nuttall) Breitung	Mountain Alder (R, Disjunct, S Limits)
<i>Alopecurus carolinianus</i> Walter	Carolina Foxtail (R)
<i>Alopecurus saccatus</i> Vasey	Pacific Foxtail (R)
<i>Amaranthus californicus</i> (Moq.) S. Watson	California Amaranth (R)
<i>Amaranthus palmeri</i> S. Watson ssp. <i>palmeri</i>	Palmer Amaranth (U)
<i>Amaranthus powellii</i> ssp. <i>bouchenii</i> (Thell.) Costea & Carretero	Bouchenl Amaranth (R)
<i>Amaranthus powellii</i> S. Watson ssp. <i>powellii</i>	Powell Amaranth (U)
<i>Ambrosia confertiflora</i> DC.	Weak-leaved Burweed or Bur-sage (R)
<i>Ambrosia dumosa</i> (A. Gray) Payne	White Bur-sage (R)
<i>Ambrosia salsola</i> var. <i>fasciculata</i> (A. Nelson) Stother & B.G. Baldwin	White Burrobrush (R)
<i>Ambrosia salsola</i> (T.&G. Ex G.) Stother & B.G. Baldwin var. <i>salsola</i>	Burrobrush (R)
<i>Amelanchier alnifolia</i> var. <i>pumila</i> (Nuttall) Nelson	Alderleaf Service-berry (R)
<i>Amelanchier pallida</i> E. Greene	Western or Pallid Service-berry (R, Type)
<i>Amelanchier utahensis</i> Koehne	Utah Service-berry (R)
<i>Ammannia coccinea</i> Rottb.	Long-leaved or Purple Ammannia (R)
<i>Ammannia robusta</i> Heer & Regel	Grand Redstem (R)
<i>Amsinckia douglasiana</i> A. DC.	Douglas Fiddleneck (U, CNPS 4.2)
<i>Amsinckia eastwoodae</i> J.F. Macbr.	Elegant Fiddleneck (R)
<i>Amsinckia spectabilis</i> Fischer & C. Meyer var. <i>spectabilis</i>	Showy Fiddleneck_(U)

Scientific Name

Common Name

<i>Amsinckia vernicosa</i> Hook. & Arn. var. <i>vernicosa</i>	Vernal or Green Fiddleneck (R)
<i>Andropogon glomeratus</i> var. <i>pumilus</i> Vasey ex Dewey	Bushy Bluestem (R)
<i>Andropogon glomeratus</i> var. <i>scabriglumis</i> C.S. Campbell	Southwestern Bushy Bluestem (U)
<i>Androsace elongata</i> ssp. <i>acuta</i> (E. Greene) G. Robb.	Rock-jasmine (R)
<i>Antennaria dimorpha</i> (Nuttall) Torrey & A. Gray	Low Everlasting (R)
<i>Anthoxanthum occidentale</i> (Buckley) Veldkamp	California Sweet Grass (R)
<i>Antirrhinum coulterianum</i> Benth. ssp. <i>coulterianum</i>	White Snapdragon (U)
<u><i>Antirrhinum nuttallianum</i> Benth. ssp. <i>nuttallianum</i></u>	<u>Nuttall Snapdragon</u> (R)
<i>Antirrhinum nuttallianum</i> ssp. <i>subsessile</i> (A. Gray) D. Thompson	Nuttall Snapdragon (R)
<i>Antirrhinum ovatum</i> Eastwood	Oval-leaved Snapdragon (R, CNPS 4.2)
<i>Aphanes occidentalis</i> (Nuttall) Rydb.	Dew-cup, Lady's Mantle (U)
<i>Aphanisma blitoides</i> Moq.	Aphanisma (U, CNPS 1B.2)
<i>Apocynum androsaemifolium</i> L.	Bitter Dogbane (R)
<i>Apocynum Xmedium</i> E. Greene (<i>A. androsaemifolium</i> ssp. <i>a.</i> var. <i>incanum</i> X <i>A. cannabinum</i> var. <i>hypericifolium</i>)	Bitter Dogbane (R)
<i>Aquilegia eximia</i> Van Houtte ex Planchon	Van Houtte Columbine (R)
<i>Aquilegia formosa</i> var. <i>truncata</i> (Fischer & C.A. Meyer) Baker	Truncate Crimson Columbine (U)
<i>Aralia californica</i> S. Watson	Elk Clover, Spikenard (R)
<i>Arbutus menziesii</i> Pursh	Pacific Madrone (U)
<i>Arctostaphylos glandulosa</i> ssp. <i>adamsii</i> (Munz) Munz	Adams Eastwood Manzanita (R)
<i>Arctostaphylos glandulosa</i> Eastw. X.A. <i>glauca</i> Lindley	Eastwood-Bigberry Manzanita Hybrid (R)
<i>Arctostaphylos patula</i> Greene	Greenleaf Manzanita (R)
<i>Argemone corymbosa</i> E. Greene ssp. <i>corymbosa</i>	Desert Prickly Poppy (R)
<i>Argemone munita</i> ssp. <i>rotundata</i> (Rydberg) G. B. Ownbey	Prickly Poppy (R)
<i>Argentina egedii</i> (Wormsk.) Rydb. ssp. <i>egedii</i>	Pacific Coast Cinquifol or Silverweed (R)
<i>Aristida adscensionis</i> L.	Sixweeks Threeawn Grass (R)
<i>Aristida divaricata</i> Humb. & Bonpl. ex Willd.	Poverty Threeawn Grass (R)
<i>Aristida purpurea</i> Nuttall var. <i>purpurea</i>	Purple Three-awn Grass (R)
<i>Aristida ternipes</i> var. <i>hamulosa</i> (Henrard) J.S. Trent	Hook Threeawn Grass (R)
<i>Arnica discoidea</i> Benth. var. <i>discoidea</i>	Rayless or Discoid Arnica (R)
<i>Ambrosia artemisiifolia</i> L.	Common Ragweed (R)
<i>Artemisia ludoviciana</i> ssp. <i>albula</i> (Wooton) Keck	Silver Mugwort (R)
<i>Artemisia ludoviciana</i> ssp. <i>incompta</i> (Nutt.) Keck	Silver Mugwort (R)
<i>Artemisia ludoviciana</i> Nuttall ssp. <i>ludoviciana</i>	Silver or Western Mugwort (R)
<u><i>Artemisia nesiotica</i> Raven</u>	<u>Island Sagebrush</u> (R)
<i>Artemisia tridentata</i> ssp. <i>parishii</i> (Gray) H.M. Hall & Clements	Parish Great Basin Sagebrush (R, W Limits)
<i>Artemisia tridentata</i> ssp. <i>vaseyana</i> (Rydb.) Beetle	Vasey Great Basin or Mountain Sagebrush (U)
<i>Arthrocnemum [Salicornia] subterminalis</i> (Parish) Standley	Common or Parish Glasswort (U)
<i>Asclepias erosa</i> Torrey	Desert Milkweed (U)
<i>Asclepias vestita</i> Hook. & Arn.	Woolly Milkweed (R)
<i>Asplenium vespertinum</i> Maxon	Western Spleenwort (R, CNPS 4.2)
<i>Aster ascendens</i> Lindley	Long-leaved Aster (R)
<i>Aster chilensis</i> Nees	Common California Aster (U)
<i>Aster lanceolatus</i> ssp. <i>hesperius</i> (Gray) Semple & Chmielewski	Siskiyou Aster (R)
<i>Aster lentus</i> E. Greene	Suisun Marsh Aster (R)
<i>Astragalus asymmetricus</i> E. Sheldon	Cockeyed Milkvetch (R)
<i>Astragalus brauntonii</i> Parish	Braunton Milkvetch (R, CNPS 1B.1, FE ¹³)
<i>Astragalus coccineus</i> Brandege	Scarlet Milkvetch (R)
<i>Astragalus curtipes</i> A. Gray	San Luis Obispo Milkvetch (R)
<i>Astragalus didymocarpus</i> Hook. & Arn. var. <i>didymocarpus</i>	Two-seeded Milkvetch (U)
<i>Astragalus didymocarpus</i> var. <i>dispermus</i> (A. Gray) Jepson	Disperse Two-seeded Milkvetch (R)
<i>Astragalus didymocarpus</i> var. <i>milesianus</i> (Rydb.) Jeps.	South Coast Two-seeded Milkvetch (R, CNPS 1B.2)
<i>Astragalus didymocarpus</i> var. <i>obispoensis</i> (Rydb.) Jeps.	San Luis Obispo Two-seeded Milkvetch (R)
<i>Astragalus douglasii</i> var. <i>parishii</i> (Gray) M.E. Jones	Parish Milkvetch (R)
<i>Astragalus filipes</i> Gray	Thread-leaved Locoweed (U)
<i>Astragalus gambeliansus</i> E. Sheldon	Dwarf Locoweed (U)
<i>Astragalus lentiginosus</i> Hook. var. <i>diphysus</i>	Freckled Locoweed (R)

¹³ FE = Federally listed Endangered.

Scientific Name

Common Name

<i>Astragalus lentiginosus</i> Hooker var. <i>fremontii</i> (A. Gray) S. Watson	Fremont Spotted Locoweed (U)
<i>Astragalus lentiginosus</i> var. <i>nigricalycis</i> M.E. Jones	Black-sepaled Freckled Locoweed (R)
<i>Astragalus lentiginosus</i> var. <i>sierrae</i> M.E. Jones	Bear Valley Milkvetch (R, CNPS 1B.2)
<i>Astragalus leucolobus</i> M.E. Jones	Bear Valley Woollypod (R, CNPS 1B.2)
<i>Astragalus leucopsis</i> Torrey var. <i>leucopsis</i>	Coast Rattleweed (R)
<i>Astragalus macrodon</i> (Hook. & Arn.) Gray	Salinas Valley Milkvetch (R, CNPS 4.3)
<u><i>Astragalus miguelensis</i> Greene</u>	<u>San Miguel Milkvetch</u> (R, CNPS 4.3)
<i>Astragalus nuttallii</i> (Torrey & A. Gray) J.T. Howell var. <i>nuttallii</i>	Nuttall's Milkvetch (R, CNPS 4.2)
<i>Astragalus oxyphysus</i> Gray	Robust Milkvetch (R)
<i>Astragalus pomonensis</i> M.E. Jones	Pomona Locoweed (R)
<i>Astragalus purshii</i> Douglas ex Hooker var. <i>purshii</i>	Pursh's Woollypod Milkvetch (R)
<i>Astragalus pycnostachyus</i> var. <i>lanosissimus</i> (Rydb.) Munz	Ventura Marsh Milkvetch (R, CNPS 1B.1, FE, SE ¹⁴)
<u><i>Astragalus traskiae</i> Eastwood</u>	<u>Trask Locoweed or Milkvetch</u> (R, CNPS 1B.2)
<i>Astragalus trichopodus</i> (Nutt.) Gray var. <i>trichopodus</i>	Three-pod Milkvetch (U)
<i>Astragalus whitneyi</i> Gray var. <i>whitneyi</i>	Whitney Locoweed (R)
<i>Astragalus whitneyi</i> var. <i>pinosus</i> Elmer	Mount Pinos Locoweed (R, Type)
<i>Athysanus unilateralis</i> (M.E. Jones) Jeps.	Ladiestongue Mustard (R)
<i>Atriplex argentea</i> Nutt. var. <i>argentea</i>	Silverscale (R)
<i>Atriplex argentea</i> var. <i>expansa</i> (S. Watson) S.L. Welsh & Reveal	Broad Silverscale (R)
<i>Atriplex argentea</i> var. <i>mohavensis</i> (M.E. Jones) S.L. Welsh	Mojave Silverscale (R)
<i>Atriplex canescens</i> (Pursh) Nutt. var. <i>laciniata</i> Parish in Jepson	Caleb Saltbush (R)
<i>Atriplex linearis</i> S. Watson	Slenderleaf Saltbush (R)
<i>Atriplex coulteri</i> (Moq.) D. Dietr.	Coulter Saltbush (R, CNPS 1B.2)
<i>Atriplex dioica</i> Raf.	Thickleaf Orach (R)
<i>Atriplex lentiformis</i> (Torrey) S. Watson ssp. <i>lentiformis</i>	Big Saltbush, Quailbrush (W Limits)
<i>Atriplex pacifica</i> Nelson	South Coast Saltbush (R, CNPS 1B.2)
<u><i>Atriplex parishii</i> S. Watson var. <i>parishii</i></u>	<u>Parish Brittlescale</u> (R, CNPS 1B)
<i>Atriplex polycarpa</i> (Torrey) S. Watson	Common Saltbush, Allscale (U)
<i>Atriplex prostrata</i> Boucher ex de Candolle	Spearscale (U)
<i>Atriplex serenana</i> var. <i> davidsonii</i> (Standley) Munz	Davidson Bractscale (R, CNPS 1B.2)
<i>Atriplex serenana</i> Nelson var. <i>serenana</i>	Bractscale (R)
<i>Baccharis salicina</i> Torrey & A. Gray	Emory Baccharis (R)
<i>Baccharis malibuensis</i> Beauchamp & Henrickson	Malibu Baccharis (R, CNPS 1B.1)
<i>Baccharis plummerae</i> Gray ssp. <i>plummerae</i>	Plummer Baccharis (CNPS 4.3)
<i>Bahiopsis laciniata</i> (A. Gray) E.E. Schill.	San Diego County Viguiera (R)
<i>Batis maritima</i> L.	Saltwort, Beachwort (R)
<i>Berberis dictyota</i> Jeps.	Dull-leaf Barberry (R)
<u><i>Berberis pinnata</i> ssp. <i>insularis</i> Munz</u>	<u>Island Barberry</u> (R, FE, SE, CNPS 1B.1)
<i>Berberis pinnata</i> Lagasca ssp. <i>pinnata</i>	Pinnate-leaved Barberry (R)
<i>Bergia texana</i> (Hook.) Seub. ex Walp.	Texas Bergia (R)
<i>Bidens frondosa</i> L.	Sticktight (R)
<i>Bidens laevis</i> (L.) Britton, Sterns & Pogg.	Bur-marigold (R)
<i>Boechera breweri</i> (S. Watson) Al-Shehbaz ssp. <i>breweri</i>	Brewer Rockcress (R, S Limits)
<i>Boechera californica</i> (Rollins) Windham & Al-Shehbaz	California Rockcress (U)
<i>Boechera perennans</i> (S. Watson) W.A. Weber	Perennial Rockcress (R)
<i>Boechera retrofracta</i> (Graham) A. Löve & D. Löve	Holboell Rockcress (R)
<i>Boechera xylopoda</i> Windham & Al-Shehbaz	Desert Rockcress (R, SW Limits)
<i>Boerhavia coccinea</i> Mill.	Scarlet Spiderling (R)
<i>Bolboschoenous maritimus</i> X <i>B. robustus</i>	Hybrid Bulrush (R)
<i>Bolboschoenous robustus</i> (Pursh) Soják, Čas. Nár.	Seashore Bulrush (R)
<i>Boschniakia strobilacea</i> Gray	California Ground Cone (R)
<i>Bothriochloa barbinodis</i> (Lagasca) Herter	Cane Bluestem (U)
<i>Botrychium simplex</i> E. Hitchc.	Least Moonwort, Little Grapefern (R)
<i>Boykinia occidentalis</i> T. & G.	Santa Lucia Brookfoam (U)
<i>Boykinia rotundifolia</i> C. Parry	Roundleaved Boykinia (R)
<i>Brickellia californica</i> (T. & G.) Gray X <i>B. nevinii</i> Gray	California-Nevin Brickellbush Hybrid (R)

¹⁴ SE = State listed Endangered

Scientific Name

Common Name

<i>Brickellia longifolia</i> S. Watson var. <i>longifolia</i>	Long-leaved Brickellbush (R)
<i>Brodiaea coronaria</i> (Salisbury) Jepson ssp. <i>coronaria</i>	Crown Brodiaea (R)
<i>Brodiaea jolonensis</i> Eastw.	Dwarf Brodiaea (U)
<i>Brodiaea terrestris</i> ssp. <i>kernensis</i> (Hoover) Niehaus	Harvest Brodiaea (U)
<i>Bromus arizonicus</i> (Shear) Stebbins	Arizona Brome (U)
<i>Bromus orcuttianus</i> (Shear) A. Hitchc.	Orcutt Brome (R)
<i>Bromus porteri</i> (J.M. Coult.) Nash	Nodding Brome (R)
<i>Bromus pseudolaevipes</i> Wagon	Woodland Brome (U)
<u><i>Bromus sitchensis</i> var. <i>maritimus</i> (Piper) Otting & R.E. Brainerd</u>	<u>Maritime Brome (R)</u>
<u><i>Bromus sitchensis</i> Trin. var. <i>sitchensis</i></u>	<u>Sitka Brome (R)</u>
<i>Cakile edentula</i> (Bigelow) Hooker ssp. <i>edentula</i>	American Searocket (R)
<i>Calandrinia breweri</i> S. Watson	Brewer Calandrinia (U, CNPS 4.2)
<i>California macrophylla</i> (H.& A.) Aldas., C. Navarro, P. Vargas, Ll. Saez & Aedo	Largeleaf Filaree (R)
<i>Callitriche marginata</i> Torrey	California Water-starwort, Wallow Starwort (R)
<i>Calochortus catalinae</i> S. Watson	Catalina Mariposa Lily (CNPS 4.2)
<i>Calochortus clavatus</i> S. Watson ssp. <i>clavatus</i>	Club-haired Mariposa Lily (C, CNPS 4.3)
<i>Calochortus clavatus</i> ssp. <i>gracilis</i> Ownby	Slender Club-haired Mariposa Lily (R, CNPS 1B.2)
<i>Calochortus clavatus</i> ssp. <i>pallidus</i> (Hoover) Munz	Pale Yellow Mariposa Lily (U)
<i>Calochortus coeruleus</i> (Kellogg) S. Watson	Beavertail-grass (R)
<i>Calochortus fimbriatus</i> H.P. McDonald	Late-flowered Mariposa Lily (R, CNPS 1B.2, LPNF)
<i>Calochortus luteus</i> Lindley	Gold Nuggets (R)
<i>Calochortus palmeri</i> S. Watson var. <i>palmeri</i>	Palmer Mariposa Lily (U, CNPS 1B.2, LPNF)
<i>Calochortus plummerae</i> Greene	Plummer Mariposa Lily (S, CNPS 4.2, LPNF)
<i>Calochortus rustvoldii</i> Callahan	Rustvold's Mariposa Lily (R, CNPS 1.B)
<i>Calyptridium monospermum</i> Greene	One-seeded Pussypaws (R)
<i>Calyptridium parryi</i> var. <i>nevadense</i> J.T. Howell	Nevada Pussypaws (R)
<i>Calyptridium parryi</i> Gray var. <i>parryi</i>	Parry Calyptridium (U)
<i>Calyptridium umbellatum</i> (Torrey) Greene	Pussypaws (U)
<u><i>Calystegia macrostegia</i> ssp. <i>amplissima</i> Brummitt</u>	<u>Island Morning-glory (R, CNPS 4.3)</u>
<i>Calystegia malacophylla</i> ssp. <i>tomentella</i> var. <i>deltoidea</i> (Greene) Munz	Tehachapi Morning-glory (R)
<i>Calystegia occidentalis</i> ssp. <i>fulcrata</i> (Gray) Brummitt	Western Morning-glory (R)
<i>Calystegia occidentalis</i> ssp. <i>occidentalis</i> var. <i>tomentella</i> (Greene) Brummitt	Woolly Western Morning-glory (R)
<i>Calystegia peirsonii</i> (Abrams) Brummitt	Peirson's Morning-glory (R, CNPS 4.2)
<i>Calystegia sepium</i> ssp. <i>binghamiae</i> (Greene) Brummitt	Santa Barbara Morning-glory (R, CNPS 1A)
<i>Camissonia boothii</i> ssp. <i>desertorum</i> (Munz) P.H. Raven	Desert Shredding Primrose (R)
<i>Camissonia boothii</i> ssp. <i>rutila</i> (Davidson) Munz	Booth's Shredding Primrose (R)
<i>Camissonia brevipes</i> (A. Gray) Raven ssp. <i>brevipes</i>	Yellow Cups (R)
<i>Camissonia campestris</i> cf. ssp. <i>obispoensis</i> Raven	San Luis Obispo Sun-cup (R)
<u><i>Camissoniopsis cheiranthifolia</i> (Sprengel) W.L. Wagner & Hoch ssp. <i>cheiranthifolia</i></u>	<u>Beach Primrose (R)</u>
<i>Camissonia contorta</i> (Douglas) P.H. Raven	Contorted Primrose (R)
<i>Camissonia kernensis</i> (Munz) P.H. Raven ssp. <i>kernensis</i>	Kern County Primrose (R)
<i>Camissonia lacustris</i> P.H. Raven	Lakeside Primrose (R)
<i>Camissonia palmeri</i> (S. Watson) Raven	Palmer Primrose (U)
<i>Camissoniopsis confusa</i> (P.H. Raven) W.L. Wagner & Hoch	Confusing Primrose (U)
<i>Camissoniopsis ignota</i> (Jepson) W.L. Wagner & Hoch	Small Primrose (U)
<i>Camissoniopsis luciae</i> (P.H. Raven) W.L. Wagner & Hoch	Santa Lucia Sun-cup (R)
<i>Camissoniopsis pallida</i> (Abrams) W.L. Wagner & Hoch ssp. <i>pallida</i>	Pale Primrose (R)
<i>Cardamine breweri</i> S. Watson var. <i>breweri</i>	Brewer's Bitter-cress (R)
<i>Cardamine pachystigma</i> (S. Watson) Rollins var. <i>pachystigma</i>	Toothwort (R)
<i>Cardionema ramosissimum</i> (Weinm.) A. Mels. & J.F. Macbr.	Sand Mat (R)
<i>Carex abrupta</i> Mackenzie	Abrupt-beaked Sedge (R)
<i>Carex athrostachya</i> Olney	Slender-beaked Sedge (R)
<i>Carex aurea</i> Nuttall	Golden-fruited Sedge (R)
<i>Carex barbarae</i> Dewey	Santa Barbara Sedge (R)
<i>Carex bolanderi</i> Olney	Bolander Sedge (R)
<i>Carex brainerdii</i> Mack.	Brainerd Sedge (R)
<i>Carex densa</i> L. Bailey	Dense Sedge (R)
<i>Carex douglasii</i> Boott	Douglas Sedge (U)
<i>Carex filifolia</i> var. <i>erostrata</i> Kük.	Short-grass Sedge (R)

Scientific Name

Common Name

<i>Carex fracta</i> Mackenzie	Fragile-sheathed Sedge (R)
<i>Carex globosa</i> Boott	Round-fruited Sedge (R)
<i>Carex hassei</i> L. Bailey	Hasse Sedge (R)
<i>Carex lanuginosa</i> Michaux	Woolly Sedge (R)
<i>Carex multicaulis</i> L. Bailey	Many-stemmed Sedge (R)
<i>Carex nebrascensis</i> Dewey	Nebraska Sedge (R)
<i>Carex pansa</i> L. Bailey	Sand Dune Sedge (R)
<i>Carex pellita</i> Muhl. ex Willd.	Woolly Sedge (R)
<i>Carex rossii</i> Boott	Ross Sedge (R)
<i>Carex schottii</i> Dewey	Schott Sedge (U)
<i>Carex spissa</i> L.H. Bailey	San Diego Sedge (R)
<i>Carex subfusca</i> W. Boott	Brown Sedge (U)
<i>Carex triquetra</i> Boott	Triangular-fruited Sedge (R)
<i>Castilleja angustifolia</i> (Nuttall) G. Don	Desert Indian Paintbrush (R)
<i>Castilleja applegatei</i> ssp. <i>disticha</i> (Eastw.) Chuang & Heckard	Eastwood Indian Paintbrush (R)
<i>Castilleja applegatei</i> ssp. <i>pinetorum</i> (Fern.) Chuang & Heckard	Wavyleaf Indian Paintbrush (U)
<i>Castilleja attenuata</i> (Gray) Chuang & Heckard	Valley Tassels (R)
<i>Castilleja densiflora</i> (Benth.) Chuang & Heckard ssp. <i>densiflora</i>	Dense-flowered Owl's Clover (R)
<u><i>Castilleja lanata</i> ssp. <i>hololeuca</i> (Greene) Chuang & Heckard</u>	<u>White-felted Indian Paintbrush</u> (R, CNPS 1B.2)
<i>Castilleja miniata</i> Hook. ssp. <i>miniata</i>	Great Red Indian Paintbrush (U)
<i>Castilleja minor</i> (A. Gray) A. Gray ssp. <i>minor</i>	Annual Indian Paintbrush (R)
<u><i>Castilleja mollis</i> Pennell</u>	<u>Soft-leaved Indian Paintbrush</u> (R, CNPS 1B.1)
<i>Castilleja plagiotoma</i> A. Gray	Mojave Indian Paintbrush (R, LPNF)
<i>Castilleja subinclusa</i> ssp. <i>franciscana</i> (Pennell) Chuang & Heckard	San Francisco Long-leaved Indian Paintbrush (U)
<i>Castilleja tenuis</i> (A.A. Heller) Chuang & Heckard	Bristle Owl's Clover (R)
<i>Caulanthus amplexicaulis</i> S. Watson var. <i>amplexicaulis</i>	Clasping-leaved Jewelflower (U)
<i>Caulanthus anceps</i> Payson	Lemmon Mustard (R)
<i>Caulanthus californicus</i> (S. Watson) Payson	California Jewelflower (R, FE)
<i>Caulanthus heterophyllus</i> (Nutt.) Payson var. <i>heterophyllus</i>	Different-leaved Jewelflower (U)
<i>Caulanthus inflatus</i> S. Watson	Desert Candle (R)
<i>Caulanthus lemmonii</i> S. Watson	Lemmon Jewelflower (U, CNPS 1B.2, LPNF)
<i>Ceanothus cuneatus</i> var. <i>ramulosus</i> Greene	Coast Ceanothus (R)
<i>Ceanothus dentatus</i> T. & G.	Dentate Ceanothus (R)
<i>Ceanothus integerrimus</i> var. <i>macrothyrsus</i> (Torr.) Benson	Umpqua Deer Brush (R)
<u><i>Ceanothus megacarpus</i> var. <i>insularis</i> (Eastw.) Munz</u>	<u>Island Ceanothus</u> (R)
<i>Ceanothus megacarpus</i> var. <i>pendulous</i> McMinn	Pendulous Bigpod Ceanothus (R)
<i>Ceanothus oliganthus</i> var. <i>sorediatus</i> (Hook. & Arn.) Hoover	Jim Brush (R)
<i>Ceanothus papillosum</i> T. & G. ssp. <i>papillosum</i>	Wartleaf Ceanothus (U)
<i>Ceanothus tomentosus</i> var. <i>olivaceous</i> Jepson	Woollyleaf Ceanothus (R)
<i>Ceanothus tomentosus</i> Parry var. <i>tomentosus</i>	Woollyleaf Ceanothus (R)
<i>Ceanothus thrysiflorus</i> Eschsch. ssp. <i>thrysiflorus</i>	Blue-blossom Ceanothus (R)
<i>Centaurium exaltatum</i> (Griseb.) W. Wright ex Piper	Great Basin Centaury (U)
<i>Centaurium venustum</i> (A. Gray) B.L. Robins. ssp. <i>venustum</i>	Beautiful Centaury, Canchalagua (R)
<i>Centromadia parryi</i> ssp. <i>australis</i> (Keck) B.G. Baldwin	Southern Tarplant (R, CNPS 1B.1)
<i>Centrostegia thurberi</i> var. <i>macrotheca</i>	Thurber Spineflower (R)
<i>Ceratophyllum demersum</i> L.	Hornwort, Coontail (R)
<i>Cercocarpus betuloides</i> var. <i>blancheae</i> (C. Schneider) Little	Island Mountain Mahogany (R, CNPS 4.3)
<i>Cercocarpus ledifolius</i> var. <i>intermontanus</i> N. Holmgren	Cut-leaved Mountain Mahogany (R)
<i>Cercocarpus ledifolius</i> Nuttall var. <i>ledifolius</i>	Mountain Mahogany (U)
<i>Chaenactis artemisiifolia</i> (Gray) Gray	White Pincushion (U)
<i>Chaenactis fremontii</i> A. Gray	Desert Pincushion (R)
<i>Chaenactis glabriuscula</i> var. <i>heterocarpha</i> (A. Gray) H.M. Hall	Different-seeded Yellow Pincushion (R)
<i>Chaenactis glabriuscula</i> var. <i>lanosa</i> (DC.) H.M. Hall	Woolly Yellow Pincushion (U)
<i>Chaenactis glabriuscula</i> var. <i>megacephala</i> A. Gray	Big-flowered Yellow Pincushion (R)
<i>Chaenactis glabriuscula</i> var. <i>orcuttiana</i> (Greene) H.M. Hall	Woolly Yellow Pincushion (R, CNPS 1B.1)
<i>Chaenactis stevioides</i> Hook. & Arn.	Desert Pincushion (R)
<i>Chaenactis xantiana</i> Gray	Xantus Pincushion (U)
<i>Chamaesyce melanadenia</i> (Torrey) Millsp.	Squaw Spurge (R)
<i>Chamaesyce micromera</i> (Engelm.) Wooton & Standl.	Sonoran Sandmat (R)

Scientific Name

Chamaesyce ocellata (Durand & Hilg.) Millsp. ssp. *ocellata*
Chamaesyce polycarpa var. *hirtella* (Boiss.) Parish
Chamaesyce polycarpa (Benth.) Millsp. var. *polycarpa*
Chamaesyce serpyllifolia (Pers.) Small ssp. *serpyllifolia*
Chenopodium atrovirens Rydb.
Chenopodium berlandieri Moq. var. *zschackei* (Murr) Graebn.
Chenopodium desiccatum A. Nelson
Chenopodium pratericola Rydb.
Chenopodium rubrum L. var. *rubrum*
Chloropyron maritimum Benth. ssp. *maritimum*
Chorizanthe blakleyi Hardham
Chorizanthe brevicornu Torr. var. *brevicornu*
Chorizanthe clevelandii C. Parry
Chorizanthe douglasii Benth.
Chorizanthe membranacea Benth.
Chorizanthe parryi var. *fernandina* (S. Watson) Jepson
Chorizanthe procumbens Nutt.
Chorizanthe staticoides forma *bracteata* Goodman
Chorizanthe uniaristata T. & G.
Chorizanthe watsonii T. & G.
Chrysothamnus viscidiflorus (Hook.) Nutt. ssp. *viscidiflorus*
Cicuta douglasii (DC.) Coulter & Rose
Cirsium brevistylum Cronq.
Cirsium scariosum var. *citrinum* (Petr.) D.J. Keil
Cistanthe maritima (Nuttall) Hershk.
Clarkia affinis Lewis & Lewis
Clarkia dudleyana (Abrams) J.F. Macbr.
Clarkia heterandra (Torrey) H. Lewis & Raven
Clarkia modesta Jeps.
Clarkia purpurea ssp. *viminea* (Douglas) Lewis & Lewis
Clarkia rhomboidea Douglas
Clarkia speciosa F.H. Lewis & M.R. Lewis ssp. *speciosa*
Clarkia xantiana Gray ssp. *xantiana*
Claytonia exigua T. & G. ssp. *exigua*
Claytonia parviflora ssp. *viridis* (Davidson) J.M. Miller & Chambers
Claytonia perfoliata ssp. *intermontana* J.M. Miller & K.L. Chambers
Claytonia rubra (J.T. Howell) Tidestrom ssp. *rubra*
Clinopodium douglasii (Benth.) Kuntze
Clinopodium mimuloides Kuntze
Collinsia bartsifolia var. *davidsonii* (Parish) V. Newsom
Collinsia childii A. Gray
Collinsia parryi A. Gray
Collinsia parviflora Lindley
Collinsia torreyi var. *wrightii* (S. Watson) I.M. Johnston
Collomia tinctoria Kellogg
Comarostaphylis diversifolia ssp. *planifolia* (Jeps.) G. Wallace
Conioselinum pacificum (S. Watson) J. Coulter & Rose
Convolvulus simulans Perry
Cordylanthus rigidus ssp. *setiferus* Chuang & Heckard
Coreopsis calliopsidea (DC.) A. Gray
Cornus glabrata Bentham
Cornus sericea L. ssp. *sericea*
Crassula aquatica (L.) Schönl.
Crepis acuminata Nuttall
Crepis occidentalis Nuttall ssp. *occidentalis*
Crepis occidentalis ssp. *pumila* (Rydb.) Babcock & Stebbins
Crocanthemum scoparium var. *vulgare* (Jeps.) Sorrie
Cryptantha affinis (A. Gray) E. Greene
Cryptantha barbigera (A. Gray) E. Greene

Common Name

Littleeye Spurge (R)
Hairy Golondrina (R)
Golondrina (R)
Thyme-leaved Spurge (U)
Pigweed (R)
Pitseed Goosefoot (R)
Aridland Goosefoot (R)
Narrow-leaved Goosefoot (R)
Red Goosefoot (R)
Saltmarsh Birds-beak (R, CNPS 1B.1, FE/SE)
Blakley's Spineflower (R, CNPS 1B.3)
Brittle Spineflower (R)
Cleveland Spineflower (U)
Douglas Spineflower (R)
Pink Spineflower (R)
San Fernando Valley Spineflower (R, SE, LPNF)
Prostrate Spineflower (R)
Bracted Turkish Rugging (R, Type)
One-awned Spineflower (R)
Watson's Spineflower (U)
Yellow Rabbitbrush (R)
Western Water-hemlock (R)
Indian Thistle (U)
Elk Thistle (R)
Seaside Redmaids (R, CNPS 4.2)
Hairy Clarkia (R)
Dudley Godetia (U)
California Gaura (U)
Modest Clarkia (R)
Large Purple Clarkia (R)
Rhomboid Clarkia (U)
Redspot Clarkia (R)
Xantus Clarkia (R)
Small Miner's Lettuce (U)
Green Small-flowered Miner's Lettuce (U)
Great Basin Miner's Lettuce (R)
Red Miner's Lettuce (U)
Yerba Buena (R)
Monkeyflower Yerba Buena (R, CNPS 4.2)
Davidson White Chinese Houses (R)
Child Blue-eyed Mary (R)
Parry Blue-eyed Mary (U)
Blue-eyed Mary, Blue Lips (R)
Wright Blue-eyed Mary (U)
Yellow-staining Collomia (R)
Simpleleaf Summer Holly (R)
Pacific Hemlockparsely (R)
Small-flowered Morning-glory (R)
Dark-tipped Rigid Bird's-Beak (U)
Leafy-stemmed Coreopsis (R)
Brown Dogwood (R)
American or Creek Dogwood (R)
Water Pigmy-Weed (R)
Long-leaved Hawksbeard (R)
Western Hawksbeard (U)
Western Hawksbeard (R)
Common Peak Rushrose (R)
Side-grooved Forget-Me-Not (R)
Bearded Forget-Me-Not (R)

Scientific Name

Common Name

<i>Cryptantha corollata</i> (I.M. Johnston) I.M. Johnston	Crowned Forget-Me-Not (Type)
<i>Cryptantha flaccida</i> (Lehm.) E. Greene	Flaccid Forget-Me-Not (R)
<i>Cryptantha leiocarpa</i> (Fischer & C. Meyer) E. Greene	Coast Forget-Me-Not (R)
<i>Cryptantha mohavensis</i> (Greene) Greene	Mojave Forget-Me-Not (R)
<i>Cryptantha pterocarya</i> (Torr.) E. Greene	Wing-nut Forget-Me-Not (R)
<i>Cryptantha rattanii</i> E. Greene	Rattan's Forget-Me-Not (R)
<i>Cryptantha sparsiflora</i> (E. Greene) E. Greene	Few-flowered Forget-Me-Not (R)
<i>Cryptantha torreyana</i> (A. Gray) E. Greene var. <i>torreyana</i>	Torrey Forget-Me-Not (U)
<u><i>Cryptantha traskiae</i> I.M. Johnston</u>	<u>Trask Forget-Me-Not (U CNPS 1B)</u>
<i>Cucurbita palmata</i> S. Watson	Coyote Melon (R)
<i>Cuscuta occidentalis</i> Milsp.	Western Dodder (R)
<i>Cuscuta campestris</i> Yuncker	Western Field Dodder (U)
<i>Cuscuta denticulata</i> Engelm.	Desert Dodder (R)
<i>Cuscuta indecora</i> Choisy var. <i>indecora</i>	Pretty Dodder (R)
<i>Cuscuta pacifica</i> Costea & M.A.R. Wright var. <i>pacifica</i>	Pacific Saltmarsh Dodder (R)
<i>Cuscuta salina</i> Englem. in W.H. Brewer, S. Watson, & A. Gray	Saltmarsh Dodder (U)
<i>Cycladenia humilis</i> var. <i>venusta</i> (Eastwood) Munz	Elegant Cycladenia (R)
<i>Cylindropuntia californica</i> var. <i>parkeri</i> (J.M. Coulter) Pinkava	Cane or Snake Cholla (U)
<i>Cyperus acuminatus</i> Torrey & Hook.	Short-pointed Umbrella-sedge (R)
<i>Cyperus erythrorhizos</i> Muhlenb.	Red-root Flatsedge (R)
<i>Cyperus laevigatus</i> L.	Smooth Flatsedge (R)
<i>Cyperus odoratus</i> L.	Flatsedge (R)
<i>Cyperus squarrosus</i> L.	Awned Flatsedge (R)
<i>Cyperus strigosus</i> L.	False Nutsedge (R)
<i>Cystopteris fragilis</i> (L.) Bernhardt	Brittle or Fragile Fern (U)
<i>Danthonia unispicata</i> (Thurb.) Vasey	One-spike Oat Grass (R)
<u><i>Deinandra clementina</i> (Brandege) B.G. Baldwin</u>	<u>Island or Catalina Tarplant (R)</u>
<i>Deinandra kelloggii</i> (E. Greene) E. Greene	Kellogg Tarplant (R)
<i>Deinandra minthornii</i> (Jepson) B.G. Baldwin	Santa Susana Tarplant (R, Type, SR)
<i>Deinandra paniculata</i> (A. Gray) Davidson & Moxley	Paniculate Tarplant (R, CNPS 4.2)
<i>Delphinium gracilentum</i> Greene	Coast Larkspur (R)
<i>Delphinium gypsophilum</i> Ewan ssp. <i>gypsophilum</i>	Gypsum Larkspur (U, CNPS 4.2)
<i>Delphinium hesperium</i> A. Gray	Western or Coast Larkspur (R)
<i>Delphinium inopinum</i> (Jeps.) H.F. Lewis & Epling	Unexpected Larkspur (U, CNPS 4.3)
<i>Delphinium parryi</i> ssp. <i>blochmaniae</i> (Greene) F.H. Lewis & Epling	Dune Larkspur (R, CNPS 1B.2)
<i>Delphinium parryi</i> ssp. <i>purpureum</i> (F. Lewis & Epling) M.J. Warnock	Mount Piños Larkspur (CNPS 4.3, LPNF)
<i>Delphinium umbraculorum</i> F.H. Lewis & Epling	Umbrella Larkspur (R, CNPS 1B.3, LPNF)
<i>Deschampsia cespitosa</i> (L.) Beauv. ssp. <i>cespitosa</i>	Tufted Hairgrass (R)
<i>Deschampsia danthanooides</i> (Trin.) Munro ex Benth	Annual Hairgrass (U)
<i>Deschampsia elongata</i> (Hooker) Benth	Slender Hairgrass (R)
<i>Descurainia adenophora</i> (Wooton & Standley) O.E. Schulz in H.G.A. Engler	Desert Tansy Mustard (R)
<i>Descurainia californica</i> (A. Gray) O.E. Schulz	California Tansy Mustard (R)
<i>Descurainia pinnata</i> ssp. <i>glabra</i> (Wooton & Standl.) Detl.	Naken Western Tansy Mustard (U)
<i>Descurainia pinnata</i> ssp. <i>halicotorum</i> (Cockerell) Detl.	Western Tansy Mustard (R)
<i>Dicentra pauciflora</i> S. Watson	Few-flowered Bleeding Heart (R)
<u><i>Dichelostemma congestum</i> (Sm.) Kunth</u>	<u>Ookow (R)</u>
<i>Dichondra occidentalis</i> House	Western Dichondra (R, CNPS 4.2)
<i>Dieteria canescens</i> (Pursh) Torrey ssp. <i>canescens</i>	Hoary-Aster (U)
<i>Dieteria canescens</i> ssp. <i>leucanthemifolia</i> (Greene) D.R. Morgan & R.L. Hartm.	Whiteleaf Hoary-Aster (R)
<i>Dieteria canescens</i> ssp. <i>shastensis</i> (A. Gray) D.R. Morgan & R.L. Hartm.	Shasta Hoary-Aster (R)
<i>Diplacus [Mimulus] bigelovii</i> (A. Gray) Nesom var. <i>bigelovii</i>	Bigelow Monkeyflower (U)
<i>Diplacus [Mimulus] bolanderi</i> (A. Gray) Nesom	Bolander Monkeyflower (R)
<i>Diplacus [Mimulus] puniceus</i> Nuttall	Red Bush Monkeyflower (R)
<i>Diplacus congdonii</i> (B.L. Robinson) Nesom	Congdon Monkeyflower (R)
<i>Diplacus constrictus</i> (A.L. Grant) Nesom X <i>D. johnstonii</i> (A.L. Grant)	Nesom Hybrid Narrow-throated Monkeyflower (U)
<u><i>Diplacus parviflorus</i> Greene</u>	<u>Bush Monkeyflower (R)</u>
<u><i>Dithyrea maritima</i> (A. Davids.) Davidson</u>	<u>Beach Spectacle-pod (R, CNPS 1B.1)</u>
<i>Dodecatheon alpinum</i> (A. Gray) E. Greene	Alpine Shooting Star (R)
<i>Dodecatheon clevelandii</i> E. Greene ssp. <i>clevelandii</i>	Cleveland Shooting Star (R)

Scientific Name

Dodecatheon clevelandii ssp. *patulum* (Greene) Thompson
Downingia bella Hoover
Downingia pulchella (Lindl.) Torrey
Draba cuneifolia T. & G.
Draba verna L.
Drymocallis glandulosa var. *reflexa* (E. Greene) Ertter
Drymocallis glandulosa var. *viscida* (Parish) Ertter
Drymocallis glandulosa var. *wrangelliana* (Fisch. & Avé-Lall.) Ertter
Drymocallis lactea (Greene) Rydb. var. *lactea*
Dudleya parva Rose & Davids.
Dudleya blochmaniae (Eastw.) Moran ssp. *blochmaniae*
Dudleya cymosa ssp. *agourensis* K. Nakai
Dudleya cymosa (Lem.) Britton & Rose ssp. *cymosa*
Dudleya cymosa ssp. *marcescens* Moran
Dudleya cymosa ssp. *ovatifolia* (Britt.) Moran
Dudleya farinosa (Lindley) Britt. & Rose
Dudleya palmeri (S. Watson) Britt. & Rose
Dudleya pulverulenta ssp. *arizonica* (Rose) Moran
Dudleya verityi N. Nakai
Dudleya virens ssp. *insularis* (Rose) Moran
Dudleya virens (Rose) Moran ssp. *virens*
Eastwoodia elegans Brandegee
Echinochloa crus-gavonis (Kunth) Shultes
Echinodorus berteroi (Spreng.) Fassett
Eclipta prostrata (L.) L.
Ehrendorferia ochroleuca (Engelm.) Fukuhara
Elatine brachysperma Gray
Elatine californica Gray
Eleocharis acicularis var. *gracilenscens* Svenson
Eleocharis bella (Piper) Svenson
Eleocharis bernardina Munz & Johnston
Eleocharis erythropoda Steud.
Eleocharis montevidensis Kunth
Eleocharis parvula (Roemer & Schultes) Link ex Bluff, Nees, & Schauer
Eleocharis quinqueflora (Hartmann) O. Schwarz
Eleocharis rostellata (Torrey) Torrey
Eleocharis suksdorfiana Beauv.
Elodea canadensis Rich.
Elymus cinereus A. Löve
Elymus elymoides var. *brevifolius* (J.G. Sm.) Dorn
Elymus elymoides var. *californicus* (J.G. Sm.) J.P. Sm.
Elymus glaucus ssp. *jepsonii* (Burt Davy) Gould
Elymus xgouldii J.P. Sm. & Columbus
Elymus xhanseni Scribn.
Elymus smithii (Rdb.) Gould
Elymus stebbinsi (Scribner & J.G. Smith) Gould
Elymus trachycaulus ssp. *subsecundus* (Link) Gould
Elymus trachycaulus (Link) Shinn. ssp. *trachycaulus*
Emmenanthe penduliflora var. *rosea* Brand
Encelia farinosa Torrey & A. Gray
Encelia frutescens (Gray) Gray
Encelia virginensis Nelson
Enemion occidentale (H. & A.) J.R. Drummond & Hutchinson
Ephedra californica S. Watson
Ephedra nevadensis S. Watson
Epilobium campestre (Jeps.) Hoch & W.L. Wagner
Epilobium ciliatum ssp. *glandulosum* (Lehm.) P. Hoch & Raven
Epilobium densiflorum (Lindley) P. Hoch & Raven
Epilobium foliosum (T.& G.) Suksd.

Common Name

Lowland Padre Shooting Star (R)
Hoover Downingia (R)
Flat-face Downingia (R)
Wedgeleaf Draba (U)
Vernal Whitlow-grass (R)
Greene Cinquifol (U)
Sticky Cinquifol (R)
Wrangell's Cinquifol (U)
Sierra Nevada Sticky Cinquifol (U)
Conejo Live-forever (R, FT, CNPS 1B.2)
Blochman Live-forever (S, CNPS 1B.1)
Agoura Hills Live-forever (R, FT, CNPS 1B.2)
Canyon Live-forever (R)
Marcescent Live-forever (U, FT, SR, CNPS 1B.2)
Santa Monica Mtns. Live-forever (R, FT, CNPS 1B)
Farinose Live-forever (R)
Palmer Live-forever (R)
Chalky Live-forever (R)
Verity Live-forever (R, FT, CNPS 1B.2)
Island Green Live-forever (R, CNPS 1B.2)
Bright Green Live-forever (R, CNPS 1B.2)
Yellow Mock Aster (R)
Gulf Barnyard Grass (R)
Bur Head (U)
False Daisy (R)
White Eardrops (U)
Slender Waterwort (R)
California Waterwort (R)
Graceful Spikerush (R)
Bella Spikerush (R)
Few-flowered Club-rush (R)
Bald Spikerush (R)
Sand Spikerush (R)
Small Spikerush (R)
Few-flowered Spikerush (R)
Beaked Spikerush (R)
Suksdorf's Spikerush (R)
Common Waterweed (R)
Cespitose Wildrye (R)
Shortleaf Squirreltail (R)
California Squirreltail (R)
Jepson Blue or Woodland Wildrye (R)
Gould's Wildrye (R)
Hansen's Wildrye (R)
Western Wheat Grass (R)
Wheatgrass (R)
Slender Wheatgrass (R)
Slender Wheatgrass (U)
Rose Whispering Bells (R)
Brittlebush, Incienso (R)
Brittlebush, Incienso (R)
Brittlebush (R)
Western Meadow-rue (R)
California Desert Tea, Cañatillo (R)
Nevada Ephedra or Mormon-tea (R)
Smooth Spike-primrose (R)
Sticky Northern Willow-herb (R)
Dense-flowered Spike-primrose (R)
Leafy Spike-primrose (R)

Scientific Name

Epilobium glaberrimum Barbey ssp. *glaberrimum*
Epilobium minutum Lindley ex Lehm.
Epilobium oregonense Hausskn.
Epilobium torreyi (S. Watson) P. Hoch & Raven
Equisetum arvense L.
Equisetum telmateia ssp. *braunii* (Milde) R.L. Hauke
Equisetum Xferrissii Clute
Eragrostis hypnoides (Lam.) Britton, Sterns & Poggenb.
Eragrostis mexicana var. *virescens* (C. Presl) Koch & E. Sanchez
Eragrostis pentinacea var. *miserrima* (Fourn.) Reeder
Eragrostis pectinacea (Michx.) Nees var. *pectinacea*
Eremogone kingii var. *glabrescens* (S. Watson) Dorn
Eremogone macradenia (S. Watson) Ikonn. var. *macradenia*
Eremalche exilis (A. Gray) E. Greene
Eremalche parryi (E. Greene) E. Greene ssp. *parryi*
Eremocarya micrantha var. *lepida* MacBr.
Eremocarya micrantha (Torrey) E. Greene var. *micrantha*
Eriastrum densifolium ssp. *mohavense* (Craig) H. Mason
Eriastrum eremicum (Jeps.) H. Mason ssp. *eremicum*
Eriastrum filifolium (Nutt.) Wooton & Standl.
Eriastrum hooveri (Jepson) H. Mason
Eriastrum pluriflorum ssp. *sherman-hoytae* (T.T. Craig) H. Mason
Eriastrum sapphirinum ssp. *brevibracteatum* De Groot
Eriastrum sapphirinum ssp. *dasyanthem* (Brand) H. Mason
Ericameria arborescens (A. Gray) E. Greene
Ericameria cooperi (Gray) H.M. Hall var. *cooperi*
Ericameria cuneata var. *spathulata* (A. Gray) H.M. Hall
Ericameria ericoides (Less.) Jeps. ssp. *ericoides*
Ericameria nauseosa var. *bernardina* (Hall) Nesom & Baird
Ericameria nauseosa var. *speciosa* (Nutt.) Nesom & Baird
Ericameria palmeri var. *pachylepis* (H.M. Hall) Nesom
Ericameria parryi var. *aspera* (Greene) G.L. Newson & G.I. Baird
Ericameria teretifolia (Durand & Hilg.) Jepson
Erigeron breweri var. *covillei* (Greene) G. Neswom
Erigeron glaucus Ker-Gawler
Erigeron philadelphicus L.
Eriodictyon californicum (Hooker & Arnott) Torrey
Eriodictyon traskiae ssp. *smithii* Munz
Eriodictyon trichocalyx A.A. Heller var. *trichocalyx*
Eriogonum arborescens Greene
Eriogonum brachyanthum Coville
Eriogonum clavatum Small
Eriogonum covilleianum Eastw.
Eriogonum crocatum Davidson
Eriogonum deflexum var. *baratum* (Elmer) Reveal
Eriogonum elegans Greene
Eriogonum gracillimum S. Watson
Eriogonum grande Greene var. *grande*
Eriogonum grande Greene var. *rubescens* Munz
Eriogonum grande Greene var. *timorum* Reveal
Eriogonum hirtiflorum S. Watson
Eriogonum hooveri (Reveal) Reveal
Eriogonum inerme var. *hispidulum* Goodman
Eriogonum inerme (S. Watson) Jeps. var. *inerme*
Eriogonum kennedyi ssp. *alpigenum* (Munz & Johnston) Munz & Johnston
Eriogonum kennedyi var. *austromontanum* Munz & I.M. Johnston
Eriogonum latifolium Smith
Eriogonum molestum Greene
Eriogonum nudum var. *auriculatum* (Benth.) J.P. Tracy ex Jeps.

Common Name

Waxy Willow-herb (R)
 Chaparral Willowherb (R)
 Oregon Spike-primrose (R)
 Brook Spike-primrose (R)
 Common or Field Horsetail (U)
 Giant Horsetail (U)
 Ferris Horsetail (R)
 Teel Lovegrass (R)
 Orcutt Lovegrass (U)
 Spreading Tufted Lovegrass (R)
 Tufted Lovegrass (U)
 King's Sandwort (R)
 Mojave Sandwort (R)
 White-flowered Mallow (R)
 Parry Mallow (U)
 Mountain Red-root Eremocarya (R)
 Eremocarya (R)
 Mojave Woolly Star (R)
 Woolly Star (R)
 Threadleaf Woolly Star (R)
 Hoover Woolly Star (R, CNPS 4.2, LPNF)
 Mrs. Hoyt's Woolly Star (R)
 Ambiguous Short-bracted Sapphire Woolly Star (R)
 Shaggy Sapphire Woolly Star (U)
 Golden-fleece (U)
 Cooper Goldenbush (R)
 Spatulate-leaved Goldenbush (U)
 Heatherleaf Goldenbush (U)
 San Bernardino Rubber Rabbitbrush (U)
 White-stemmed Rubber Rabbitbrush (R)
 Palmer Goldenbush (U)
 Parry Rabbitbrush (R)
 Round-leaved Rabbitbrush (R)
 Fleabane Daisy (R)
 Seaside Daisy (R)
 Philadelphia Fleabane (R)
 California Yerba Santa (R)
 Smith's Yerba Santa (U)
 Yerba Santa (U)
 Arborescent Buckwheat (U)
 Shortflower Wild Buckwheat (R)
 Hoover's Little Trumpet (U)
 Coville Buckwheat (U)
 Conejo or Saffron Buckwheat (R, Type, SR)
 Flat-crown Buckwheat (R, Type)
 Elegant Buckwheat (U)
 Slender Buckwheat (R)
 Island Buckwheat (U)
 Red Island Buckwheat (U)
 San Nicolas Island Buckwheat (U)
 Hairy-flowered Buckwheat (U)
 Hoover's Little Trumpet (U)
 Goodman's Unarmed Buckwheat (R)
 Unarmed Buckwheat (U)
 Alpine Kennedy Buckwheat (R, CNPS 1B.3, LPNF)
 Southern Mountain Buckwheat (U, CNPS 1B.2)
 Coast or Seaside Buckwheat, Tibinagua (R)
 Pine Buckwheat (U)
 Big-eared Wild Buckwheat (R)

Scientific Name

Common Name

<i>Eriogonum ordii</i> S. Watson	Ord Buckwheat (U)
<i>Eriogonum ovalifolium</i> Nutt. var. <i>ovalifolium</i>	Cushion Wild Buckwheat (R)
<i>Eriogonum parvifolium</i> var. <i>paynei</i> (Wolf ex Munz) Reveal	Payne Dune Buckwheat (U, Type)
<i>Eriogonum pusillum</i> T. & G.	Puny Buckwheat (R)
<i>Eriogonum spergulinum</i> var. <i>reddingianum</i> (Jones) J.T. Howell	Redding's Wild Buckwheat (U)
<i>Eriogonum spergulinum</i> A. Gray var. <i>spergulinum</i>	Spurry Wild Buckwheat (R)
<i>Eriogonum thurberi</i> Torrey	Thurber's Wild Buckwheat (R)
<i>Eriogonum umbellatum</i> var. <i>bahiiforme</i> (T. & G.) Jepson	Sulphur-flower Buckwheat (U)
<i>Eriogonum umbellatum</i> var. <i>canifolium</i> Reveal	Sulphur Buckwheat (R)
<i>Eriogonum umbellatum</i> var. <i>furcosum</i> Reveal	Sulphur Buckwheat (R)
<i>Eriogonum umbellatum</i> var. <i>subaridum</i> S. Stokes	Sulphur Buckwheat (R)
<i>Eriogonum vimineum</i> Benth.	Wicker-stem Wild Buckwheat (U)
<i>Eriogonum viridescens</i> A. Heller	Green Buckwheat (U)
<i>Eriogonum wrightii</i> var. <i>membranaceum</i> Jeps.	Sheathed Wright Buckwheat (R)
<i>Eriogonum wrightii</i> var. <i>trachygonum</i> (Torr. ex Benth.) Jeps.	Rough-node Bastardsage (R)
<i>Eriogonum wrightii</i> Benth. var. <i>wrightii</i>	Wright's Bastardsage (R)
<i>Eriophyllum confertiflorum</i> var. <i>tanacetiflorum</i> (E. Greene) Jepson	Tansy-leaved Woolly Yarrow (O, CNPS 4.3)
<i>Eriophyllum jepsonii</i> Greene	Jepson Woolly Yarrow (R, CNPS 4.3)
<i>Eriophyllum staechadifolium</i> Lagasca	Seaside Woolly Sunflower (R)
<i>Eryngium vaseyi</i> J. Coulter & Rose	Coyote Thistle or Button-celery (R)
<i>Erysimum insulare</i> E. Greene	Island Wallflower (R, CNPS 1B.3)
<i>Erysimum moniliforme</i> Eastwood	Yellow Wallflower (R)
<i>Erysimum suffrutescens</i> (Abrams) Rossbach	Suffrutescent Wallflower (R, CNPS 4.2)
<i>Eschscholzia hypocoides</i> Bentham	Gypsum Poppy (R)
<i>Eschscholzia lemmonii</i> Greene ssp. <i>lemmonii</i>	Lemmon Poppy (R) CNPS List 4
<i>Eschscholzia minutiflora</i> S. Watson	Tiny-flowered Poppy (R)
<i>Eschscholzia ramosa</i> (Greene) Greene	Island Poppy (R)
<i>Euphorbia crenulata</i> Engelm.	Chinese Caps (R)
<i>Euphorbia palmeri</i> S. Watson var. <i>palmeri</i>	Wood Spurge (R)
<i>Euphorbia spathulata</i> Lam.	Spurge (R)
<i>Extriplex californica</i> (Moq.) E.H. Zacharias	California Saltbush (U on mainland)
<i>Festuca rubra</i> L.	Red Fescue (R)
<i>Fimbristylis thermalis</i> S. Watson	Hot-Springs Fimbristylis (R)
<i>Forestiera pubescens</i> Nutt.	Desert Olive, Dwarf Swamp Privet (U)
<i>Fraxinus latifolia</i> Bentham	Oregon Ash (R)
<i>Fraxinus velutina</i> Torrey	Velvet or Arizona Ash (U)
<i>Fritillaria agrestis</i> E. Greene	Stink Bells (R, CNPS 4.2)
<i>Fritillaria biflora</i> Lindley var. <i>biflora</i>	Chocolate Lily, Mission Bells (U)
<i>Fritillaria ojaiensis</i> A. Davidson	Ojai Fritillary (Type, CNPS 1B.2, LPNF)
<i>Fritillaria pinetorum</i> A. Davidson	Pine Fritillary (R, CNPS 4.3)
<i>Funastrum cynanchoides</i> var. <i>hartwegii</i> (Vail) Krings	Climbing Milkweed (R)
<i>Galium angustifolium</i> ssp. <i>foliosum</i> (Hilend & Howell) Dempster & Stebb.	Channel Islands Bedstraw (R, Type)
<i>Galium angustifolium</i> ssp. <i>gabrielense</i> (Munz & I.M. Johnst.) Dempster & Stebb.	San Antonio Canyon Bedstraw (R, 4.3)
<i>Galium bifolium</i> S. Watson	Low Mountain Bedstraw (R)
<i>Galium californicum</i> Hooker & Arnott ssp. <i>californicum</i>	California Bedstraw (R)
<i>Galium californicum</i> ssp. <i>flaccidum</i> (E. Greene) Dempster & Stebb.	California Bedstraw (R)
<i>Galium cliftonsmithii</i> (Dempster) Dempster & Stebb.	Santa Barbara Bedstraw (R, CNPS 4.3)
<i>Galium jepsonii</i> Hilend & J.T. Howell	Jepson's Bedstraw (R)
<i>Galium porrigens</i> var. <i>tenue</i> (Dempster) Dempster	Climbing Bedstraw (R)
<i>Galium trifidum</i> var. <i>pacificum</i> Wiegand	Coastal Bedstraw (R)
<i>Galium triflorum</i> Michaux	Sweet-scented Bedstraw (R)
<i>Gamochaeta ustulata</i> (Nutt.) Holub	Purple Everlasting (R)
<i>Garrya elliptica</i> Lindley	Silk-tassel Bush (R)
<i>Gaura coccinea</i> Pursh	Wild Honeysuckle, Linda Tarde (U)
<i>Gayophytum heterozygum</i> H. Lewis & J. Szweykowski	Hybrid Gayophytum (R)
<i>Gayophytum humile</i> A.L. Juss.	Low Gayophytum (R)
<i>Gayophytum oligospermum</i> H. Lewis & J. Szweykowski	Southern California Mountain Gayophytum (R)
<i>Gayophytum racemosum</i> T. & G.	Black-foot Gayophytum (R)
<i>Geranium californicum</i> G. Jones & F. Jones	California Geranium (R)

Scientific Name

Common Name

<i>Geranium carolinianum</i> L.	Cranesbill, Carolina Geranium (R)
<i>Geranium viscosissimum</i> Fischer & C. Meyer	Sticky Cranesbill (R)
<i>Gilia achilleifolia</i> Benth. ssp. <i>achilleifolia</i>	California or Yarrow-leaved Gilia (U)
<i>Gilia achilleifolia</i> Benth. ssp. <i>multicaulis</i> (Benth.) V. & A. Grant	Many-stemmed California Gilia (R)
<i>Gilia aliquanta</i> A. D. Grant & V. E. Grant	Puff-calyx Gilia (R)
<i>Gilia austro-occidentalis</i> (A.D. & V.E. Grant) A.D. & V.E. Grant	Southwestern Gilia (R)
<i>Gilia brecciarum</i> M.E. Jones ssp. <i>brecciarum</i>	Breccia Gilia (U)
<i>Gilia brecciarum</i> ssp. <i>jacens</i> (A. Grant & V. Grant) Day	Purple-flowered Breccia Gilia (R)
<i>Gilia capillaris</i> Kellogg	Miniature or Smooth-leaved Gilia (R)
<i>Gilia capitata</i> Sims ssp. <i>capitata</i>	Blue Field Gilia (R)
<i>Gilia capitata</i> ssp. <i>staminea</i> (Greene) V.E. Grant	Bluehead Gilia (R)
<i>Gilia interior</i> (Mason & A. Grant) A. Grant	Slender-flowered Gilia (R)
<i>Gilia latiflora</i> ssp. <i>cuyamensis</i> A. & V. Grant	Cuyama Gilia (U, CNPS 4.3)
<i>Gilia latiflora</i> ssp. <i>davyi</i> (Milliken) A. & V. Grant	Davy Broad-flowered Gilia (U)
<i>Gilia latiflora</i> (Gray) Gray ssp. <i>latiflora</i>	Broad-flowered Gilia (R)
<i>Gilia leptantha</i> ssp. <i>pinetorum</i> A. & V. Grant	Gabriel Trumpet (U, CNPS 4.3)
<i>Gilia malior</i> A.G. Day & V.E. Grant	Scrub Gilia (R)
<i>Gilia millefoliata</i> Fisch. & C. A. Mey.	Dark-eyed Gilia (R)
<i>Gilia minor</i> A.D. Grant & V.E. Grant	Little Gilia (U)
<i>Gilia modocensis</i> Eastwood	Modoc Gilia (U)
<u><i>Gilia nevinii</i> Gray</u>	<u>Nevin Gilia (U)</u>
<i>Gilia ochroleuca</i> ssp. <i>exilis</i> (Gray) A. & V. Grant	Volcanic Gilia (R)
<i>Gilia ochroleuca</i> M.E. Jones ssp. <i>ochroleuca</i>	Volcanic Gilia (R)
<i>Gilia ochroleuca</i> subsp. <i>vivida</i> (A. Grant & V. Grant) A. Grant & V. Grant	Vivid Volcanic Gilia (R)
<i>Gilia sinuata</i> Benth.	Sinuate Gilia (R)
<i>Gilia tenuiflora</i> Benth. ssp. <i>tenuiflora</i>	Greater Yellowthroat Gilia (R)
<i>Gilia transmontana</i> (H. Mason & A. Grant) A. & V. Grant	Desert Gilia (U)
<i>Githopsis diffusa</i> A. Gray ssp. <i>diffusa</i>	Southern Bluecud (R)
<i>Grayia spinosa</i> (Hook.) Moq.	Hop-sage (R)
<i>Grindelia camporum</i> E. Greene var. <i>camporum</i>	Great Valley Gumplant (R)
<i>Grindelia hirsutula</i> Hook. & Arn. var. <i>hirsutula</i>	Hirsute Gumplant (U, Type)
<u><i>Grindelia stricta</i> var. <i>platyphylla</i> (Greene) M.A. Lane</u>	<u>Island Gumplant (R)</u>
<u><i>Grindelia Xlatifolia</i> Kellogg ssp. <i>latifolia</i></u>	<u>Coastal Gumplant (R)</u>
<u><i>Hazardia cana</i> (A. Gray) E. Greene</u>	<u>San Clemente Island Gumplant (R)</u>
<u><i>Hazardia detonsa</i> (Greene) Greene</u>	<u>Island Goldenbush (U, CNPS 4.3)</u>
<i>Helenium bigelovii</i> Gray	Bigelow Sneezeweed (U)
<i>Helianthemum scoparium</i> Nutt.	Peak Rushrose (U)
<i>Helianthus gracilentus</i> Gray	Wild Mountain or Slender Sunflower (U)
<i>Hesperovax acaulis</i> var. <i>robustior</i> Morefield	Robust Dwarf Evax (R)
<i>Hesperochiron californicus</i> (Benth.) S. Watson	California Hesperochiron (R)
<i>Hesperochiron pumilus</i> (Griseb.) Porter	Hesperochiron (R)
<i>Hesperolinon micranthum</i> (A. Gray) Small	Dwarf Flax (R)
<i>Hesperoyucca</i> [<i>Yucca</i>] <i>whipplei</i> ssp. <i>intermedia</i> A.L. Haines	Intermediate Our Lord's Candle (R)
<i>Hesperoyucca whipplei</i> ssp. <i>percursa</i> (A.L. Haines) J.M. Weber	Our Lord's Candle (R)
<i>Heterocodon rariflorum</i> Nuttall	Western Pearl-flower (R)
<i>Heterotheca subaxillaris</i> ssp. <i>laxifolia</i> (Buckley) Semple	False Goldenaster (R)
<i>Heterotheca sessiliflora</i> ssp. <i>camphorata</i> (Eastw.) Semple	Camphor Goldenaster (R)
<i>Heterotheca sessiliflora</i> (Nuttall) Shinners ssp. <i>sessiliflora</i>	Beach Goldenaster (R)
<i>Heterotheca villosa</i> (Pursh) Shinners var. <i>hispidula</i> (Hook.) V. Harms	Woolly Goldenaster (R)
<i>Heuchera abramsii</i> Rydb.	Abrams Alumroot (R, CNPS 4.3, LPNF)
<i>Heuchera caespitosa</i> Eastw.	Urn-flowered Alumroot (R, CNPS 4.3)
<i>Heuchera elegans</i> Abrams	Urn-flowered Alumroot (R, LPNF)
<u><i>Heuchera maxima</i> Greene</u>	<u>Island Alumroot (R, CNPS 1B.2)</u>
<i>Hieracium albiflorum</i> Hooker	White-flowered Hawkweed (R)
<i>Hieracium horridum</i> Fries	Shaggy or Woolly Hawkweed (R)
<i>Hoffmannseggia glauca</i> (Ortega) Eifert	Pig-nut, Hog Potato (R)
<i>Hoita orbicularis</i> (Lindley) Rydb.	Round-leaved Hoita (U)
<i>Hollisteria lanata</i> S. Watson	Hollisteria (R)
<i>Holocarpha heermannii</i> (E. Greene) Keck	Heermann Tarplant (U)

Scientific Name

Common Name

<i>Holodiscus discolor</i> var. <i>macrophyllus</i> (Rydb.) Jeps.	Small-leaved Oceanspray (U)
<i>Hordeum brachyantherum</i> Nevski ssp. <i>brachyantherum</i>	Meadow Barley (U)
<i>Hordeum depressum</i> (Scribner & J.G. Smith) Rydb.	Low Barley (R)
<i>Hordeum intercedens</i> Nevski	Vernal Barley (U, CNPS 3.2)
<i>Hordeum jubatum</i> L. ssp. <i>jubatum</i>	Foxtail Barley (R)
<i>Horkelia cuneata</i> Lindley ssp. <i>cuneata</i>	Wedgeleaf Horkelia (R)
<i>Horkelia cuneata</i> ssp. <i>puberula</i> (Greene) Keck	Fuzzy Horkelia (R, CNPS 1B.1, LPNF)
<i>Horkelia rydbergii</i> Elmer	Rydberg Horkelia (U)
<i>Hosackia crassifolia</i> Benth. var. <i>crassifolia</i>	Broad-leaved Hosackia (U)
<i>Hosackia oblongifolia</i> var. <i>cuprea</i> (Greene) Brouillet	Stream Trefoil (R)
<i>Hosackia oblongifolia</i> Benth. var. <i>oblongifolia</i>	Narrow-leaved Hosackia, Stream Trefoil (U)
<i>Hosackia stipularis</i> Benth. var. <i>stipularis</i>	Balsam Lotus (R)
<i>Hulsea heterochroma</i> Gray	Red-rayed Hulsea (R)
<i>Hulsea vestita</i> ssp. <i>gabrielensis</i> Wilken	San Gabriel Hulsea (R, CNPS 4.3, LPNF)
<i>Hulsea vestita</i> ssp. <i>parryi</i> (A. Gray) Wilken	Parry's Sunflower (R, CNPS 4.3)
<i>Hutchinsia procumbens</i> (L.) Desv.	Desert Hutchinsia (U)
<i>Hydrocotyle umbellata</i> L.	Marsh Pennywort (R)
<i>Hydrocotyle verticillata</i> Thunb.	Marsh Pennywort (R)
<i>Hypericum formosum</i> var. <i>scouleri</i> (Hook.) J. Coulter	St. John's Wort (U)
<i>Imperata brevifolia</i> Vasey	Satintail (R, CNPS 2.1, LPNF)
<i>Iris hartwegii</i> ssp. <i>australis</i> (Parish) L.W. Lenz	Hartweg's Southern Iris (R)
<i>Iris missouriensis</i> Nuttall	Western Blue Flag [Iris] (U)
<i>Isocoma acradenia</i> var. <i>bracteosa</i> (E. Greene) G.L. Nesom	Desert Goldenbush (R)
<i>Isoëtes howellii</i> Engelm. var. <i>howellii</i>	Howell Quillwort (R)
<i>Isoëtes howellii</i> var. <i>minima</i> (A.A. Eaton) N.E. Pfeiffer	Small Howell Quillwort (R)
<i>Isoëtes nuttallii</i> A. Braun	Nuttall Quillwort (R)
<i>Isolepis cernua</i> (Vahl) Roemer & Schultes var. <i>cernua</i>	Low Clubrush (U)
<i>Iva hayesiana</i> A. Gray	San Diego Marsh-elder (R)
<i>Ivesia santolinoides</i> A.Gray	Mousetail Ivesia (U)
<i>Ivesia saxosa</i> (Greene) B. Ertter	Five-finger Silverweed (R)
<i>Jaumea carnosa</i> (Less.) Gray	Fleshy Jaumea (U)
<i>Jensia yosemitana</i> (Parry ex A. Gray) B.G. Baldwin	Yosemite Tarplant (R)
<i>Jepsonia malvifolia</i> (Greene) Small	Island Jepsonia (R, CNPS 4.2)
<i>Juglans californica</i> S. Watson	Southern California Black Walnut (CNPS 4.2)
<i>Juncus acutus</i> ssp. <i>leopoldii</i> (Parl.) Snogerup	Spiny Rush (U, CNPS 4.2)
<i>Juncus arcticus</i> ssp. <i>vallicola</i> (Rydb.) Lint	Valley Baltic Rush (R)
<i>Juncus balticus</i> Willd. var. <i>ater</i> (Rydb.) Snogerup	Rocky Mountain Rush (R)
<i>Juncus breweri</i> Englem.	Brewer Rush (R)
<i>Juncus bufonius</i> var. <i>congestus</i> Wahlenb.	Congested Rush (R)
<i>Juncus bufonius</i> var. <i>occidentalis</i> F.J. Hermann	Western Toad Rush (R)
<i>Juncus confusus</i> Cov.	Colorado Rush (R)
<i>Juncus covillei</i> Piper	Coville's Rush (R)
<i>Juncus effusus</i> ssp. <i>austrocalifornicus</i> H.L. Lint ex Zita	Pacific Rush (U)
<i>Juncus ensifolius</i> Wikström var. <i>ensifolius</i>	Swordleaf or Three-stamen Rush (R)
<i>Juncus lescurii</i> Bolander	Salt Rush (R)
<i>Juncus macrandrus</i> Cov.	Long-anthered Rush (R)
<i>Juncus nevadensis</i> S. Watson var. <i>nevadensis</i>	Sierra Rush (R)
<i>Juncus occidentalis</i> (Coville) Wiegand	Western Rush (R)
<i>Juncus oxymiris</i> Engelm.	Iris-leaved or Pointed Rush (U)
<i>Juncus patens</i> E. Meyer	Spreading Rush (R)
<i>Juncus phaeocephalus</i> var. <i>paniculatus</i> Engelm.	Brown-fruited Rush (R)
<i>Juncus phaeocephalus</i> Engelm. var. <i>phaeocephalus</i>	Brown-fruited Rush (R)
<i>Juncus tiehmii</i> Ertter	Tiehm's Rush (R)
<i>Juncus torreyi</i> Coville	Torrey Rush (R)
<i>Juniperus occidentalis</i> Hook.	Western Juniper (R)
<i>Keckiella breviflora</i> var. <i>glabrisepala</i> (D.D. Keck) N.H. Holmgren	Naked Stubflower Bush Penstemon (R)
<i>Krascheninnikovia lanata</i> (Pursh) A.D.J. Meeuse & Smit	Winter Fat (R)
<i>Landoltia punctata</i> (G. Mey.) Les & D.J. Crawford	Dotted Duckmeat (R)
<i>Lastarriaea coriacea</i> (Goodman) Hoover	Lastarriaea (U)

Scientific Name

Common Name

<i>Lasthenia coronaria</i> (Nutt.) Ornduff	Crown-pappus Goldfields (R)
<i>Lasthenia ferrisiae</i> Ornduff	Ferris Goldfields (R, CNPS 4.2)
<i>Lasthenia glaberrima</i> A. DC.	Rayless or Smooth Goldfields (R)
<i>Lasthenia glabrata</i> ssp. <i>coulteri</i> (Gray) Ornduff	Rayless Goldfields (R, CNPS 1B.1)
<i>Lasthenia microglossa</i> (A. DC.) E. Greene	Small-rayed Goldfields (R)
<i>Lathyrus vestitus</i> ssp. <i>alefeldii</i> (T.G. White) Broich	Alefeld's Pacific Peavine (R)
<i>Lathyrus vestitus</i> ssp. <i>bolanderi</i> (S. Watson) C. Hitchc.	White-petaled Peavine (R)
<i>Lathyrus vestitus</i> ssp. <i>laevicarpus</i> Broich	Pacific Peavine (U, Type)
<i>Lavatera assurgentiflora</i> Kellogg ssp. <i>assurgentiflora</i>	Malva Rose (R)
<i>Layia glandulosa</i> ssp. <i>lutea</i> Keck	Yellow Layia (U)
<i>Layia heterotricha</i> (DC.) Hook. & Arn.	Pale-yellow Layia (R, CNPS 1B.1, LPNF)
<i>Layia leucopappa</i> D.D. Keck	Comanche Point Layia (R, CNPS 1B.1)
<i>Layia pentachaeata</i> ssp. <i>albida</i> Keck	White Tidy Tips (U)
<i>Layia platyglossa</i> (Fischer & C. Meyer) A. Gray	Tidy Tips (U)
<i>Lemna aequinoctialis</i> Welw.	Lesser Duckweed (R)
<i>Lemna gibba</i> L.	Gibbose Duckweed (U)
<i>Lemna minor</i> L.	Duckweed (R)
<i>Lemna turionifera</i> Landolt	Duckweed (R)
<i>Lemna valdiviana</i> Philippi	Big Duckweed (U)
<i>Lepechinia fragrans</i> (E. Greene) Epling	Fragrant Pitcher Sage (U, CNPS 4.2)
<i>Lepechinia rossii</i> S. Boyd & O. Mistretta	Ross' Pitcher Sage (R, CNPS 1B.2)
<i>Lepidium densiflorum</i> Schrad.	Dense-flowered Peppergrass (R)
<i>Lepidium dictyotum</i> A. Gray	Veiny Peppergrass (R)
<i>Lepidium oblongum</i> Small	Oblong Peppergrass (U)
<i>Lepidium strictum</i> (S. Watson) Rattan	Prostrate Peppergrass (R)
<i>Lepidium virginicum</i> var. <i>menziesii</i> (DC.) Thellung	Hairy Poorman's Peppergrass (U, CNPS 1B.2)
<i>Lepidium virginicum</i> var. <i>pubescens</i> (Greene) Thell.	Hairy Poorman's Peppergrass (R)
<i>Leptodactylon pungens</i> ssp. <i>hallii</i> (Parish) H. Mason	Granite Prickly Phlox (R)
<i>Leptodactylon pungens</i> ssp. <i>pulchriflorum</i> (Brand) H. Mason	Granite Prickly Phlox (U)
<i>Leptosiphon androsaceus</i> Bentham	Baby Tears (R)
<i>Leptosiphon bicolor</i> Nuttall	Bicolored Linanthus (R)
<i>Leptosiphon breviculus</i> (A. Gray) J.M. Porter & L.A. Johnson	Short-stemmed Linanthus (R)
<i>Leptosiphon ciliatus</i> (Benth.) Jepson	Whisker Brush (U)
<i>Leptosiphon nudatus</i> (E. Greene) J.M. Porter & L.A. Johnson	Tehachapi Linanthus or Flaxflower (R)
<i>Leptosiphon pygmaeus</i> ssp. <i>continentalis</i> (Raven) Porter & Johnson	Continental Pygmy Linanthus (R)
<i>Leptosyne californica</i> Nuttall	California Coreopsis (R)
<i>Leptosyne calliopsidea</i> (DC.) A.Gray	Leafy-stemmed Coreopsis (R)
<i>Lessingia glandulifera</i> var. <i>peirsonii</i> (J.T. Howell) Markos	Peirson's Lessingia (R)
<i>Lessingia leptoclada</i> A. Gray	Sierra Lessingia (R)
<i>Lessingia tenuis</i> (Gray) Cov.	Spring Lessingia (U, Type, CNPS 4.3)
<i>Lewisia nevadensis</i> (A. Gray) Robinson	Sierra Nevada Bitterroot (R)
<i>Lewisia pygmaea</i> (A. Gray) Robinson	Pygmy Bitterroot (R)
<i>Lilium humboldtii</i> ssp. <i>ocellatum</i> (Kellogg) Thorne	Ocellated Humboldt Lily (U, CNPS 4.2)
<i>Lilium pardalinum</i> Kellogg ssp. <i>pardalinum</i>	Leopard Lily (R)
<i>Limonium californicum</i> (Boiss.) A.A. Heller	Marsh Rosemary (R)
<i>Limosella acaulis</i> Sesse & Mocino	Tufted Mudwort (R)
<i>Linanthus bigelovii</i> (Gray) Greene	Bigelow Linanthus (R)
<i>Linanthus dianthiflorus</i> (Benth.) Greene	Ground Pink (U)
<i>Linanthus parryae</i> (Gray) Greene	Parry Linanthus (R)
<i>Linanthus pungens</i> (Torr.) J.M. Porter & L.A. Johnson	Granite Prickly Phlox (U)
<i>Linaria canadensis</i> (L.) Dum.-Cours. var. <i>canadensis</i>	Toadflax (R)
<i>Linaria canadensis</i> (L.) Dum.-Cours. var. <i>texana</i> (Scheele) Pennell	Toadflax (U)
<i>Lipocarpha micrantha</i> (M. Vahl.) G.C. Tucker	Tiny Lipocarpha (R)
<i>Lithophragma glabrum</i> Nuttall	Smooth Star (R)
<i>Lithophragma heterophyllum</i> (Hook. & Arn.) T. & G.	Hill Star (R)
<i>Lithophragma parviflorum</i> (Hook.) T. & G. var. <i>parviflorum</i>	Prairie Star (U)
<i>Lobelia dunnii</i> var. <i>serrata</i> (Gray) McVaugh	Rothrock (Ojai) Lobelia (Type Locality only)
<i>Loeseliastrum schottii</i> S. Timbrook	Schott Loeseliastrum (R)
<i>Lomatium californicum</i> (T. & G.) Mathias & Constance	California Lomatium (U)

<u>Scientific Name</u>	<u>Common Name</u>
<i>Lomatium caruifolium</i> (H. & A.) J.M. Coult. & Rose var. <i>caruifolium</i>	Alkali Desertparsley (R)
<i>Lomatium dissectum</i> var. <i>multifidum</i> (T. & G.) Mathias & Constance	Carrotleaf Biscuitroot (U)
<u><i>Lomatium insulare</i> (Eastw.) Munz</u>	<u>San Nicolas Island Lomatium</u> (R)
<i>Lomatium lucidum</i> (T. & G.) Jeps.	Shiny Lomatium (U)
<i>Lomatium macrocarpum</i> (T. & G.) J. Coulter & Rose	Large-fruited Lomatium (U)
<i>Lomatium nevadense</i> var. <i>parishii</i> (J.M. Coult.) Jeps.	Parish's Lomatium (R)
<i>Lomatium parvifolium</i> (Hook. & Arn.) Jeps.	Small-leaved Lomatium (R)
<i>Lomatium utriculatum</i> (T. & G.) Coulter & Rose	Foothill Lomatium (U)
<i>Lomatium vaginatum</i> J.M. Coult. & Rose	Broadsheath Lomatium (R)
<i>Lonicera subspicata</i> Hooker & Arnott var. <i>subspicata</i>	Santa Ynez Mountains Honeysuckle (R)
<i>Ludwigia palustris</i> (L.) Elliot	Streamside Water Primrose (R)
<i>Lupinus adsurgens</i> E. Drew var. <i>adsurgens</i>	Silky Lupine (R)
<i>Lupinus adsurgens</i> var. <i>undulatus</i> C.P. Smith	Wavyleaf Silky Lupine (R)
<i>Lupinus agardhianus</i> Heller	Lupine (R)
<i>Lupinus albicaulis</i> Hooker	Whitestem Lupine (U)
<u><i>Lupinus albifrons</i> var. <i>douglasii</i> (Agardh) C.P. Smith</u>	<u>Island Silver Bush Lupine</u> (U)
<i>Lupinus arbustus</i> Douglas	Spur Lupine (R)
<i>Lupinus benthamii</i> A. Heller var. <i>benthamii</i>	Spider Lupine (R)
<i>Lupinus breweri</i> Gray var. <i>breweri</i>	Brewer Mat Lupine (U)
<i>Lupinus breweri</i> var. <i>bryoides</i> C.P. Smith	Alpine Brewer Lupine (U)
<u><i>Lupinus chamissonis</i> Eschsch.</u>	<u>Coastal Bush Lupine</u> (R)
<i>Lupinus concinnus</i> spp. <i>optatus</i> D. Dunn	Bajada Lupine (R)
<i>Lupinus concinnus</i> spp. <i>orcuttii</i> (S. Watson) D. Dunn	Orcutt Bajada Lupine (R)
<i>Lupinus elatus</i> I.M. Johnston	Silky Lupine (CNPS 4.3)
<i>Lupinus excubitus</i> var. <i>johnstonii</i> C.P. Smith	Johnston Bush Lupine (R)
<i>Lupinus formosus</i> var. <i>robustus</i> C.P. Smith	Summer Bush Lupine (U)
<i>Lupinus grayi</i> S. Watson	Gray's Lupine (R)
<i>Lupinus paynei</i> Davidson	Payne's Bush Lupine (R, Type)
<i>Lupinus polyphyllus</i> var. <i>burkei</i> (S. Watson) C. Hitchc.	Large-leaved Lupine (R)
<i>Lycium andersonii</i> Gray	Anderson Desert-thorn (R)
<u><i>Lycium californicum</i> Nuttall ex Gray</u>	<u>California Desert-thorn</u> (R)
<u><i>Lycium verrucosum</i> Eastwood</u>	<u>San Nicolas Island Desert-thorn</u> (R, Type)
<i>Madia elegans</i> ssp. <i>densifolia</i> (E. Greene) Keck	Dense-flowered Tarplant or Madia (R)
<i>Madia elegans</i> ssp. <i>vernalis</i> Keck	Vernal Tarplant or Madia (R)
<i>Madia elegans</i> ssp. <i>wheeleri</i> (A. Gray) Keck	Wheeler Tarplant or Madia (U)
<i>Madia sativa</i> Molina	Coast Tarplant (R)
<i>Maianthemum racemosum</i> ssp. <i>amplexicaule</i> (Nutt.) LaFrankie	False Solomon's Seal, Wild Lily of the Valley (R)
<i>Maianthemum stellatum</i> (L.) Link	False Solomon's Seal, Wild Lily of the Valley (R)
<i>Malacothamnus fasciculatus</i> var. <i>laxiflorus</i> (Gray) Kearney	Lax-flowered Bushmallow (R)
<i>Malacothamnus marrubioides</i> (D. & H.) Greene	Pink-flowered Bush[Globe]mallow (U)
<i>Malacothamnus nuttallii</i> Abrams	Nuttall Bushmallow (Type)
<i>Malacothamnus orbiculatus</i> (E. Greene) E. Greene	Roundleaf Bushmallow (U)
<i>Malacothrix clevelandii</i> Gray	Cleveland Cliff-aster (U)
<i>Malacothrix coulteri</i> Gray	Snake-head (R)
<u><i>Malacothrix foliosa</i> Gray ssp. <i>foliosa</i></u>	<u>Leafy Cliff-aster</u> (R, CNPS 4.2)
<u><i>Malacothrix foliosa</i> ssp. <i>crispifolia</i> W.S. Davis</u>	<u>Leafy Cliff-aster</u> (R, CNPS 1B.2)
<u><i>Malacothrix foliosa</i> ssp. <i>polycephala</i> W.S. David</u>	<u>Many-headed Leafy Cliff-aster</u> (R)
<i>Malacothrix glabrata</i> A. Gray	Desert Dandelion (R)
<i>Malacothrix incana</i> (Nuttall) Torrey & A. Gray var. <i>incana</i>	Dunedelion (U, CNPS 4.3)
<u><i>Malacothrix junakii</i> W.S. Davis</u>	<u>Junak Dandelion</u> (R, Type, CNPS 1B.1)
<i>Malacothrix phaeocarpa</i> W.S. Davis	Brown-fruited Dandelion (R, CNPS 4.3)
<i>Malacothrix saxatilis</i> var. <i>altissima</i> (Greene) Ferris	Cliff-aster (R)
<i>Malacothrix saxatilis</i> var. <i>commutata</i> Ferris	Cliff-aster (U)
<i>Malacothrix saxatilis</i> var. <i>implicata</i> (Eastw.) Hall	Implicated Cliff-aster (U, Type)
<i>Malacothrix saxatilis</i> (Nuttall) T. & G. var. <i>saxatilis</i>	Cliff-aster (CNPS 4.2)
<i>Malacothrix similis</i> Davis & Raven	Mexican Cliff-aster (R, CNPS 1A)
<u><i>Malacothrix squalida</i> Greene</u>	<u>Island Dandelion</u> (R, CNPS 1B.1)
<i>Marsilea vestita</i> Hooker & Greville ssp. <i>vestita</i>	Hairy Pepperwort, Clover Fern (R)
<i>Matricaria occidentalis</i> E. Greene	Valley Mayweed (R)

Scientific Name

Common Name

<i>Meconella denticulata</i> E. Greene	Tiny Poppy (U)
<i>Melica californica</i> Scribner var. <i>californica</i>	California Melic Grass (U)
<i>Melica frutescens</i> Scribner	Melic Grass (R)
<i>Melica stricta</i> Bolander var. <i>albicaulis</i>	Whitestem Rock Melic Grass (R)
<i>Mentha arvensis</i> L.	Field Mint (R)
<i>Mentzelia albicaulis</i> (Hook.) T. & G.	Whitestem Stickleaf (U)
<i>Mentzelia congesta</i> var. <i> davidsoniana</i> (Abrams) J.F. Macbr.	Ventana Stickleaf (R)
<i>Mentzelia eremophila</i> (Jeps.) H.J. Thomps. & J.E. Roberts	Pinyon Blazing Star (4.2, R)
<i>Mentzelia gracilentata</i> T. & G.	Slender Stickleaf (U)
<i>Micranthes bryophora</i> (A. Gray) Brouillet & Gornall	Saxifrage (R)
<u><i>Microseris douglasii</i> (DC.) Schultz-Bip. ssp. <i>douglasii</i></u>	<u>Douglas Microseris (R)</u>
<i>Microseris douglasii</i> ssp. <i>tenella</i> (A. Gray) Chambers	Slender Douglas Microseris (R)
<i>Microseris elegans</i> A. Gray	Elegant Microseris (R)
<i>Mimulus androsaceus</i> Greene	Naked Sepal Monkeyflower (U)
<i>Mimulus breweri</i> (E. Greene) Cov.	Brewer Monkeyflower (R)
<u><i>Mimulus flemingii</i> Munz</u>	<u>Island Bush Monkeyflower (R, CNPS 4.3)</u>
<i>Mimulus fremontii</i> (Benth.) Gray var. <i>fremontii</i>	Fremont Monkeyflower (U)
<i>Mimulus longiflorus</i> var. <i>rutulus</i> A. Grant	Red Sticky Bush Monkeyflower (R)
<i>Mimulus moschatus</i> var. <i>longiflorus</i> A. Gray	Musk Monkeyflower (U)
<i>Mimulus parishii</i> E. Greene	Parish's Monkeyflower (R)
<i>Mimulus primuloides</i> Benth. var. <i>primuloides</i>	Primrose Monkeyflower (U)
<i>Mimulus rattanii</i> Gray	Rattan's Monkeyflower (R)
<i>Mimulus rubellus</i> Gray	Little Redstem Monkeyflower (R)
<i>Mimulus suksdorfii</i> Gray	Suksdorf Monkeyflower (R)
<i>Mimulus tilingii</i> Regel	Creeping Monkeyflower (R)
<i>Mirabilis laevis</i> var. <i>villosa</i> (Kellogg) Spellenberg	Woolly Wishbone-bush (R)
<i>Mirabilis multiflora</i> var. <i>pubescens</i> S. Watson	Froebel Four O'Clock (R)
<i>Monanthochloe littoralis</i> Engelm.	Shoregrass (R)
<i>Monardella australis</i> Abrams ssp. <i>australis</i>	Southern Coyote Mint (R)
<i>Monardella australis</i> ssp. <i>occidentalis</i> Elvin, R.A. Burgess & A.C. Sanders	Western Coyote Mint (R)
<i>Monardella hypoleuca</i> Gray ssp. <i>hypoleuca</i>	White-veined Coyote Mint (U)
<i>Monardella linoides</i> A. Gray ssp. <i>linoides</i>	Flax-leaved Horsemint (R)
<i>Monardella linoides</i> ssp. <i>oblonga</i> (Greene) Abrams	Flax-leaved Horsemint (CNPS 1B.3, LPNF)
<i>Monardella linoides</i> ssp. <i>stricta</i> (Parish) Epling	Flax-leaved Horsemint (R)
<i>Monardella sinuata</i> ssp. <i>gerryi</i> Elvin, A.C. Sanders & R.A. Burgess	Gerry's Curly-leaved Monardella (R, CNPS 1B.1)
<i>Monolepis nuttalliana</i> (Schultes) E. Greene	Nuttall Monolepis, Poverty Weed (R)
<i>Monolopia lanceolata</i> Nuttall	Lanceleaf Hilltop Daisy (R)
<i>Monolopia major</i> DC.	Cupped Daisy (R)
<i>Montia chamissoi</i> (Ledeb. Ex Spreng.) Greene	Toad-Lily (R)
<i>Morella californica</i> (Chamisso & Schltld.) Wilbur	California Wax-Myrtle, Pacific Bayberry (R)
<i>Mucronea californica</i> Benth. var. <i>californica</i>	California Spineflower (R, CNPS 4.2)
<i>Mucronea perfoliata</i> (Gray) A.A. Heller var. <i>perfoliata</i>	Perfoliate Spineflower (R)
<i>Muhlenbergia andina</i> (Nuttall) A. Hitchc.	Foxtail Muhly (R)
<i>Muhlenbergia filiformis</i> (Thurb. ex S. Watson) Rydb. var. <i>filiformis</i>	Pull-Up Muhly (R)
<i>Muhlenbergia richardsonis</i> (Trin.) Rydberg	Mat Muhly (R)
<i>Muhlenbergia utilis</i> (Torrey) A. Hitchc.	Aparejo Grass (R)
<i>Muilla maritima</i> (Torrey) S. Watson	Common Muilla (U)
<i>Myosurus apetalus</i> var. <i>montanus</i> Whittimore	Petaless Mousetails (R)
<i>Myosurus minimus</i> L.	Common Mousetails (R)
<i>Myriophyllum hippuroides</i> Torrey & A. Gray	Western Milfoil (R)
<i>Myriopteris</i> [<i>Cheilanthes</i>] <i>clevelandii</i> (D.C. Eaton) Grusz & Windham.	Cleveland Lip-fern (R)
<i>Myriopteris</i> [<i>Cheilanthes</i>] <i>cooperae</i> (D.C. Eaton) Grusz & Windham.	Mrs. Cooper Lip-fern (R)
<i>Myriopteris</i> [<i>Cheilanthes</i>] <i>newberryi</i> (D.C. Eaton) Grusz & Windham.	Cotton Fern (U)
<i>Najas guadalupensis</i> (Sprengel) Magnus	Common Water-nymph, Southern Naiad (R)
<i>Najas marina</i> L.	Spiny Niad (R)
<i>Navarretia capillaris</i> (Kellogg) Kuntze	Miniature Gilia (R)
<i>Navarretia hamata</i> ssp. <i>leptantha</i> (Greene) H. Mason	Skunk Navarretia (R)
<i>Navarretia hamata</i> ssp. <i>parviloba</i> A.G. Day	Skunk Navarretia (R)

Scientific Name

Navarretia intertexta (Benth.) Hook.
Navarretia mellita E. Greene
Navarretia mitracarpa Greene
Navarretia ojaiensis Elvin, J.M. Porter & L.A. Johnson
Navarretia peninsularis Greene
Navarretia pubescens (Benth.) Hooker & Arnott
Navarretia squarrosa (Eschsch.) Hook. & Arn.
Nemacladus californicus (A. Gray) Morin
Nemacladus capillaris Greene
Nemacladus gracilis Eastw.
Nemacladus orientalis (McVaugh) Morin
Nemacladus ramosissimus Nuttall
Nemacladus secundiflorus var. *robbinsii* Morin
Nemacladus sigmoideus G.T. Robbins
Nemophila menziesii var. *integrifolia* Parish
Nemophila parviflora Douglas ex Benth. var. *parviflora*
Nemophila pulchella var. *fremontii* (A.D.E. Elmer) Constance
Nicotiana clevelandii A. Gray
Nicotiana quadrivalis Pursh var. *wallacei* (Gray) Mansf.
Nolina cismontana Dice
Notholeana californica D.C. Eaton ssp. *californica*
Notholithocarpus densiflorus (Hook. & Arn.) Manos, C.H. Cannon, & S. Oh var. *densiflorus*
Oenothera californica ssp. *avita* W.M. Klein
Oenothera deltoidea ssp. *cognata* (Jepson) Klein
Oenothera elata ssp. *hookeri* (Torrey & A. Gray) W. Dietr.
Oenothera longissima ssp. *clutei* (Nelson) Munz
Oligomeris linifolia (M. Vahl) J.F. Macbr.
Opuntia basilaris Engelm. & J. Bigelow var. *basilaris*
Opuntia littoralis (Engelm.) Cockerell X *O. oricola* Philbr.
Opuntia Xoccidentalis Engelm. & Bigelow
Opuntia oricola Philbr.
Opuntia Xvaseyi (J. Coulter) Britton & Rose (*O. littoralis* X *phaeacantha*)
Orcuttia californica Vasey
Orobanche californica ssp. *feudgei* (Munz) Heckard
Orobanche californica ssp. *grandis* Heckard
Orobanche californica ssp. *jepsonii* (Munz) Heckard
Orobanche parishii ssp. *brachyloba* Heckard
Orobanche parishii (Jeps.) Heckard ssp. *parishii*
Orobanche uniflora L.
Orobanche valida Jeps. ssp. *valida*
Orobanche vallicola (Jepson) Heckard
Osmadenia tenella Nutt.
Osmorhiza berteroi DC.
Oxalis albicans Kunth ssp. *albicans*
Oxalis albicans ssp. *californica* (Abrams) G. Eiten
Oxytheca perfoliata T. & G.
Oxytheca trilobata A. Gray
Packera breweri (Burt Davy) W.A. Weber & Löve
Panicum capillare ssp. *hillmanii* (Chase) Freckmann & Lelong
Papaver californicum Gray
Parietaria hespera var. *californica* B.D. Hinton
Parietaria pensylvanica Muhlenberg ex Willdenow
Parthenocissus inserta (Kerner) K. Fritsch
Paspalum distichum L.
Pectocarya heterocarpa I.M. Johnston
Pedicularis densiflora Hook.
Pedicularis semibarbata Gray
Pediomelum castoreum (S. Watson) Rydb.
Pellaea mucronata var. *californica* (Lemmon) Munz & I.M. Johnston

Common Name

Needleleaf Navarretia (R)
 Sticky Navarretia (R)
 Mitrefruit Pincushionplant (R)
 Ojai Navarretia (S, CNPS 1B.1)
 Southern California Navarretia (U, LPNF)
 Hairy Navarretia (R)
 Downy Navarretia (R)
 Parishella (R)
 Common Nemacladus (R)
 Slender Nemacladus (R)
 Western Sticky Nemacladus (R)
 Nuttall's Nemacladus (R)
 Robbins' Nemacladus (R, CNPS 1B.2)
 Thread Stem (R)
 Baby Blue-eyes (U)
 Smallflower Nemophila (R)
 Fremont Baby Blue-eyes (R)
 Cleveland Indian Tobacco (U)
 Wallace's Indian Tobacco (R)
 Chaparral Bear-grass (S, CNPS 1B.2, LPNF)
 California Cloak Fern (R)
 S. Oh var. *densiflorus* Tanbark Oak (U)
 Desert California Evening-primrose (R)
 Birdcage Evening-primrose, Devil's Lantern (R)
 Hooker Coast Evening Primrose (R)
 Evening Primrose (R)
 Narrowleaf Oligomeris (U)
 Beavertail Cactus (R)
 Coastal-Round-pad Prickly Pear Hybrid (R)
 Western Pricklypear Cactus (R)
 Round-pad Prickly Pear (U)
 Mesa Prickly Pear (R)
 California Orcutt Grass (R, FE, SE, CNPS 1B.1)
 California Sagebrush Broom-rape (R)
 Coastal California Broom-rape (R)
 Jepson Sagebrush Broom-rape (R)
 Short-lobed Broom-rape (R, CNPS 4.2)
 Parish Broom-rape (U)
 Naked Broomrape (R)
 Rock Creek Broom-rape (R, CNPS 1B.2)
 Hillside Broomrape (R)
 Osmadenia (R)
 Mountain Sweetroot (R)
 Radishroot Woodsorrel (R)
 California White Wood Sorrel (R)
 Perfoliate Oxytheca (R)
 Three-lobed Spineflower (R)
 Brewer Butterweed or Groundsel (U)
 Hillman Witchgrass (U)
 Wind or Fire Poppy (U)
 California Pellitory (U)
 Pennsylvania Pellitory (R)
 Woodbine (U)
 Joint Dallis Grass or Knotgrass (U)
 Two-faced Pectocarya (R)
 Indian Warrior (R)
 Pine-woods Lousewort (U)
 Desert Indian Breadroot (R)
 California Birdsfoot Cliffbrake or Fern (R)

Scientific Name

Penstemon gracilentus A. Gray
Penstemon grinnellii Eastwood var. *grinnellii*
Penstemon heterophyllus var. *australis* Munz & I.M. Johnston
Penstemon laetus Gray var. *laetus*
Penstemon spectabilis Thurber var. [ssp.] *spectabilis*
Penstemon spectabilis var. [ssp.] *subviscosus* (Keck) McMinn
Pentachaeta fragilis Brandegee
Pentachaeta lyonii Gray
Pentagramma triangularis ssp. *semipallida* (J.T. Howell) Yatsk., Windham, & E. Wollenw.
Pentagramma triangularis ssp. *viscosa* (D.C. Eaton) Yatsk., Windham, & E. Wollenw.
Perideridia gairdneri (Hook. & Arn.) Mathias ssp. *gairdneri*
Perideridia parishii ssp. *latifolia* (Gray) Chuang & Constance
Perideridia pringlei (J.M. Coulter & Rose) A. Nelson & J.F. Macbr.
Peritoma arborea var. *angustata* (Parish) H.H. Iltis
Perityle emoryi Torrey
Persicaria amphibia (L.) Delarbre
Persicaria hydrophoroides (Michx.) Small
Petalonyx thurberi A. Gray var. *thurberi*
Phacelia austromontana J.T. Howell
Phacelia bicolor Torrey ex S. Watson
Phacelia crenulata var. *minutiflora* (J.W. Voss ex Munz) Jepson
Phacelia cryptantha E. Greene
Phacelia exilis (Gray) G.J. Lee
Phacelia grisea Gray
Phacelia hastata var. *compacta* (Brand) Cronquist
Phacelia hastata Douglas ex Lehm. var. *hastata*
Phacelia heterophylla var. *virgata* (Greene) R.D. Dorn
Phacelia hubbyi (J.F. Macbr.) L.M. Garrison
Phacelia humilis var. *dudleyi* J. Howell
Phacelia imbricata ssp. *patula* (Brand) Heckard
Phacelia minor (Harvey) Thellung
Phacelia mohavensis A. Gray
Phacelia mutabilis Greene
Phacelia oreopola Heckard ssp. *oreopola*
Phacelia platyloba A. Gray
Phacelia ramosissima var. *austrolittoralis* Munz
Phacelia ramosissima var. *latifolia* (Torrey) Cronq.
Phacelia ramosissima var. *subsinnuata* (Greene) J.F. Macbr.
Phacelia rattanii A. Gray
Phalaris lemmonii Vasey
Phlox austromontana Coville
Phlox caespitosa Nuttall
Phlox diffusa Benth.
Phlox hoodii ssp. *canescens* (T. & G.) Wherry
Pholistoma membranaceum (Benth.) Constance
Pholistoma racemosum (Nutt. ex A. Gray) Constance
Phoradendron californicum Nutt.
Phoradendron juniperum A. Gray
Phoradendron pauciflorum Torrey
Phragmites australis (Cav.) Steudel
Phyla lanceolata (Michx.) Greene
Phyla nodiflora (L.) E. Greene var. *nodiflora*
Phyllospadix scouleri Hook.
Phyllospadix torreyi S. Watson
Pickeringia montana Nutt. var. *montana*
Pilularia americana A. Braun
Pinus contorta ssp. *murrayana* (Grev. & Balf.) Critchf.
Pinus coulteri D. Don
Pinus flexilis E. James

Common Name

Slender Beardtongue (R)
Grinnell Beardtongue (U)
Southern Mountain Penstemon (R)
Gay Penstemon (U)
Royal Penstemon (R)
Sticky Royal Penstemon (R)
Fragile Pentachaeta (R, CNPS 4.3)
Lyon's Pentachaeta (R, FE, SE, CNPS 1B.1)
Silverback Fern (R)
San Nicolas Island Fern (R)
Gairdner Yampah (R, CNPS 4.2)
Parish Yampah (R)
Adobe or Pringle Yampah (U, CNPS 4.3)
Slender Bladderpod (R)
Rock Daisy (U)
Water-smartweed (U)
Mild Water Pepper (U)
Thurber's Sandpaper Plant (R)
Low Phacelia (U)
Bicolored Phacelia (R)
Small-flowered Crenulate Phacelia (R)
Forget-Me-Not Phacelia (R)
Transverse Range Phacelia (S, CNPS 4.3, LPNF)
White-flowered Phacelia (R)
Low Silverleaf Phacelia (R)
Silverleaf Scorpionweed (R)
Virgate Varileaf Phacelia (R)
Hubby Caterpillar Phacelia (S, CNPS 4.2)
Dudley Phacelia (R)
Mountain Phacelia (R)
Wild Canterbury Bell (R)
Mojave Phacelia (R, CNPS 4.3)
Changeable Phacelia (R)
Mountain Phacelia (R)
Phacelia (R)
South Coast Branching Phacelia (R, CNPS 3.2)
Branching Phacelia (U)
Wavyleaf Branching Phacelia (R)
Brand Phacelia (R)
Lemmon Canarygrass (R)
Spreading Phlox (U)
Rigid Mat Phlox (R)
Mat Phlox (U)
Fuzzy Hood Phlox (R)
White Fiesta Flower (U)
South Coast Fiesta Flower (R)
Desert Mistletoe (R)
Incense-cedar Mistletoe (R)
Few-flowered Mistletoe (R)
Common Reed (R)
Narrowleaf Frog-fruit (R)
Common Frog-fruit (U)
Scouler Surf-grass (R)
Torrey Surf-grass (U)
Chaparral Pea (U)
American Pillwort (R)
Lodgepole Pine (R)
Coulter Pine (R)
Limber Pine (R)

Scientific Name

Pinus sabiniana Douglas
Piperia cooperi (S. Watson) Rydb.
Piperia elegans (Lindl.) Rydb. ssp. *elegans*
Piperia elongata Rydb.
Piperia michaelii (Greene) Rydb.
Piperia unalascensis (Spreng.) Rydb
Plagiobothrys acanthocarpus (Piper) I.M. Johnston
Plagiobothrys arizonicus (Gray) Gray
Plagiobothrys collinus var. *fulvescens* (I.M. Johnston) Higgins
Plagiobothrys collinus var. *gracilis* (A. Gray) Higgins
Plagiobothrys hispidulus (E. Greene) I.M. Johnston
Plagiobothrys leptocladus (E. Greene) I.M. Johnston
Plagiobothrys tenellus (Nuttall) A. Gray
Plagiobothrys trachycarpus (A. Gray) I.M. Johnst.
Plagiobothrys undulatus (Piper) I.M. Johnston
Plantago elongata Pursh
Plantago ovata var. *fastigiata* (Morris) S.C. Meyers & A. Liston
Plantago ovata var. *insularis* (Eastw.) S.C. Meyers & A. Liston
Plantago patagonica Jacq.
Plantago pusilla Nuttall
Platanthera leucostachys Lindley
Platanthera sparsiflora (S. Watson) Schltr.
Plectritis ciliosa ssp. *insignis* (Suksd.) D. Morey
Plectritis macrocera Torrey & A. Gray
Pluchea sericea (Nutt.) Coville
Poa howellii Vasey & Scribn.
Poa secunda ssp. *juncifolia* (Scribner) R. Soreng
Polemonium micranthum Benth.
Polycarpon depressum Nutt.
Polygala cornuta var. *fishiae* (C. Parry) Jeps.
Polygonum amphibium var. *emersum* Michx.
Polygonum douglasii ssp. *johnstonii* (Munz) J. Hickman
Polygonum hydropiperoides Michaux
Polygonum lapathifolium L.
Polygonum polygaloides ssp. *kelloggii* (Greene) J. Hickman
Polygonum punctatum Elliott
Polygonum sawatchense Small ssp. *sawatchense*
Polypodium calirhiza S.A. Whitmore & A.R. Sm.
Polypodium hesperium Maxon
Polystichum imbricans ssp. *curtum* (Ewan) D.H. Wagner
Polystichum imbricans (D.C. Eaton) D.H. Wagner ssp. *imbricans*
Polystichum munitum (Kaulf.) C. Presl
Populus Xparryi Sargent
Populus trichocarpa Torrey & A. Gray
Potamogeton nodosus Poiret
Potentilla biennis Greene
Potentilla gracilis var. *elmeri* (Rydb.) Jeps.
Prunus emarginata (Hooker) Walp.
Prunus ilicifolia ssp. *lyonii* (Eastw.) P. Raven

Pseudognaphalium canescens (de Candolle) Anderberg
Pseudognaphalium leucocephalum (A. Davidson) Anderberg
Pseudognaphalium ramosissimum (Nutt.) Anderberg
Pseudostellaria jamesiana (Torrey) W.A. Weber & R.I. Hartman
Psilocarphus brevissimus Nutt. var. *brevissimus*
Psilocarphus chilensis A. Gray
Pterospora andromedea Nutt.
Pyrola asarifolai Michx. ssp. *asarifolia*
Pyrola picta Smith
Pyrrocoma racemosa var. *paniculata* (Nutt.) J. Kartesz & K. Gandhi

Common Name

Foothill or Gray Pine (R)
Chaparral Rein Orchid (R, CNPS 4.2)
Elegant Rein Orchid (R)
Dense-flowered Rein Orchid (R)
Michael Piperia (R, CNPS 4.2)
Slender-spire Orchid (R)
Adobe Popcornflower (R)
Arizona Popcornflower (U)
Popcornflower (U)
Slender California Popcornflower (U)
Hispid Popcornflower (R)
Alkali Popcornflower (R)
Slender Popcornflower (R)
Rough-nutlet Popcornflower (R)
Undulate Popcornflower (R)
Coastal Plantain (R)
Ovate Plantain (U)
Ovate Plantain (U)
Patagonia Plantain (R)
Plantain (R)
White-flowered Bog-Orchid (R)
Few-flowered Rein Orchid (R)
Petite Long-spurred Plectritis (R)
White Plectritis (R)
Arrow Weed (R)
Howell's Bluegrass (R)
Rush Bluegrass (R)
Phlox (U)
California Allseed (U)
Fish Milkwort (CNPS 4.3)
Kelp, Water-Smartweed (R)
Sawatch Knotweed (R)
Mild Water Pepper, Water Smartweed (R)
Willow Weed (U)
Kellogg Knotweed (R)
Dotted Smartweed (U)
Sawatch Smartweed (R)
Netted Polypody Fern (R)
Western Polypody (R)
Imbricate Sword Fern (U)
Imbricate Sword Fern (R)
Western Sword Fern (R)
Parry's Cottonwood (R)
Black Cottonwood (Type)
Long-leaved Pondweed (R)
Biennial Cinquifol (R)
Elmer Slender Cinquifol (U, Type)
Bitter Cherry (R)
Catalina Cherry (R)
Wright's Rabbit-tobacco (R)
Whiteleaf or Sonora Everlasting (CNPS 2.2)
Pink Everlasting (U)
False Chickweed (R)
Woolly Marbles (R)
Round Woolly Marbles (R)
Woodland Pinedrops (R)
Bog Wintergreen (R)
White-veined Wintergreen (R)
Pyrrocoma (R)

Scientific Name

Quercus Xalvordiana Eastwood (*Q. douglasii* X*Q. john-tuckeri*)
Quercus douglasii H. & A.
Quercus dumosa Nutt.
Quercus Xmacdonaldii Greene
Quercus Xmoreha Kellogg
Quercus palmeri Engelm.
Quercus tomentella Engelm.
Quercus turbinella Greene ssp. *turbinella*
Ranunculus aquatilis var. *diffusus* Withering
Ranunculus canus var. *ludovicianus* (E. Greene) L.D. Benson
Ranunculus glaberrimus Hook. var. *glaberrimus*
Rhamnus tomentella ssp. *cuspidata* (Greene) Sawyer
Rhus integrifolia (Nutt.) Brewer & S. Watson XR. *ovata* S. Watson
Ribes amarum McClatchie var. *amarum*
Ribes amarum var. *hoffmannii* Munz
Ribes aureum var. *gracillimum* (Cov. & Britton) Jeps.
Ribes montigenum McClatchie
Ribes velutinum Greene
Romneya coulteri Harvey
Rorippa curvisiliqua (Hooker) Bessey ex Britton
Rorippa palustris (L.) Besser var. *palustris*
Rosa woodsii ssp. *ultramontana* (S. Watson) Roy L. Taylor & MacBryde
Rotala ramosoia (L.) Koehne
Rubus leucodermis Torrey & A. Gray
Rubus parviflorus Nuttall
Rumex californicus Rech. f.
Rumex crassus Rech. f.
Rumex fueginus Phil. var. *ovato-cordatus* Rech.f
Rumex transitorius Rech. f.
Rumex violascens Rech. f.
Rupertia physodes (Hook.) Grimes
Ruppia cirrhosa (Petagna) Grande
Ruppia maritima L.
Sabulina pusilla (S. Watson) Dellenb.& Kadereit
Sagina decumbens ssp. *occidentalis* (S. Wats.) G. Crow
Sagina saginoides (L.) H. Karst.
Sagittaria sanfordii Greene
Salicornia bigelovii Torrey
Salicornia depressa Standley
Salix gooddingii C. Ball
Salix lasiolepis var. *bigelovii* (Torrey) Bebb.
Salix melanopsis Nuttall
Saltugilia australis (H. Mason & A.E. Grant) L.A. Johnson
Saltugilia latimeri T.L. Weese & L.A. Johnson
Salvia Xbernardina Parish ex Greene
Salvia carduacea Benth.
Salvia dorrii var. *pilosa* (Gray) Strachan & Reveal
Samolus parviflorus Raf.
Sanicula bipinnatifida Hooker
Sanicula graveolens Peopp. ex DC.
Sanicula tuberosa Torrey
Saussurea americana D. Eaton
Schoenoplectus acutus var. *occidentalis* (S. Watson) S.G. Smith
Schoenoplectus californicus (C. Meyer) Soják, Čas. Nár.
Schoenoplectus pungens var. *badius* (J. Presl & C. Presl) S.G. Smith
Schoenoplectus pungens var. *longispicatus* (Britton) S.G. Smith
Schoenoplectus saximontanus (Fern.) J. Raynal
Schoenoplectus tabernaemontani (C. Gmelin) Palla
Scrophularia californica ssp. *floribunda* (E. Greene) Shaw

Common Name

Alvord Oak (R)
Blue Oak (R)
Coastal Sage Scrub Oak (R, CNPS 1B.1, LPNF)
MacDonald Oak (R)
Oracle Oak (R)
Palmer Oak (R)
Channel Island Oak (R)
Sonoran Scrub Oak (R)
White Water Crowsfoot (R)
Transverse Ranges Buttercup (R)
Sagebrush Buttercup (R)
Cuspid Hoary Coffeeberry (R)
Lemonade Berry-Sugar Bush Hybrid (R)
Bitter Gooseberry (R)
Hoffmann's Bitter Gooseberry (R, CNPS 3)
Slender Golden Currant (R)
Mountain Gooseberry (R)
Plateau Gooseberry (U)
Coulter Matilija Poppy (U, CNPS 4.2)
Curved-pod Water- cress (U)
Western Riparian Yellow-cress (R)
Interior Wild Rose (R)
Lowland Toothcup (R)
Whitebark Raspberry (U)
Thimbleberry (R)
California Dock (U)
Willow-leaved Dock (R)
Oxnard Dock (R, Type)
Transitory Dock (R)
Violet Dock (R)
Scurf-pea (R)
Spiral Wigeon-grass or Ditch-grass (R)
Wigeon-grass, Ditch-grass (R)
Sandwort (R)
Western Pearlwort (R)
Sagina, Arctic Pearlwort (R)
Sanford Arrow-head (R, CNPS 1B.2)
Bigelow Pickleweed (R)
Pickleweed (R)
Goodding Black Willow (R)
Bigelow Arroyo Willow (R)
Dusky Willow (R)
Southern Gilia (R)
Latimer's Gilia (R, 1B.2)
Bernard's Sage (R)
Thistle Sage (R)
Pilose Desert Sage (R)
Water-pimpernel (R)
Purple Sanicle (R)
Sanicle (R)
Tuberosa Sanicle (R)
American Sawwort (R)
Viscid Tule (U)
California Bulrush (U)
Common Threesquare (U)
Common Threesquare (U)
Rocky Mountain Bulrush (R)
Soft-stem Bulrush (R)
Many-flowered Figwort (R)

Scientific Name

Scutellaria antirrhinoides Benth.
Senecio aphanactis Greene
Senecio flaccidus var. *monoensis* (Greene) B.L.Turner & T.M.Barkley
Setaria gracilis Kunth
Setaria parviflora (Poir.) Kerguélen
Shepherdia argentea Nutt.
Sidalcea malviflora ssp. *dolosa* C.L. Hitchc.
Sidalcea neomexicana Gray
Sidalcea pedata Gray
Sidothea caryphylloides (C. Parry) Reveal
Silene antirrhina L.
Silene bernardina S. Watson
Silene laciniata ssp. *californica* (Durand) J.K. Morton
Silene lemmonii S. Watson
Solanum parishii A.A. Heller
Solanum umbelliferum Eschsch.
Solanum wallacei (A. Gray) Parish
Solidago guiradonis Gray
Solidago velutina ssp. *sparsiflora* (A. Gray) Semple
Spergularia macrotheca var. *leucantha* (E. Greene) Robinson
Sphaeralcea ambigua A. Gray var. *ambigua*
Sphenosciadium capitellatum Gray
Sporobolus airoides (Torey) Torrey
Sporobolus cryptandrus (Torrey) A. Gray
Stachys ajugoides Benth.
Stachys pycnantha Benth.
Stachys rigida var. *quercetorum* (A.Heller) G.A.Mulligan & D.B.Munro
Stachys rigida Bentham var. *rigida*
Stebbinsoseris heterocarpa (Nuttall) Chambers
Stephanomeria exigua Nuttall ssp. *exigua*
Stephanomeria virgata ssp. *pleurocarpa* (Greene) Gottlieb
Stillingia linearifolia S. Watson
Stillingia spinulosa Torrey
Stipa arida M.E. Jones
Stipa diegoensis Swallen

Stipa lemmonii (Vasey) Scribn. var. *lemmonii*
Stipa occidentalis S. Watson var. *occidentalis*
Stipa occidentalis var. *pubescens* (Vasey) J.R. Maze et al.
Stipa parishii Vasey var. *parishii*
Stipa thurberiana Piper
Streptanthus campestris S. Watson
Stuckenia pectinata (L.) Börner
Stutzia dioica (Nutt.) E.H. Zacharias
Stylocline gnaphaloides Nuttall
Stylomecon heterophylla (Benth.) G. Taylor
Suaeda calceoliformis (Hook.) Moq.
Suaeda californica S. Watson var. *californica*
Suaeda californica var. *pubescens* Jepson
Suaeda taxifolia (Standl.) Standl.
Suaeda esteroa Ferren & Whitmore
Suaeda nigra (Rafinesque) J.F. Macbride
Swertia neglecta (H.M. Hall) Jeps.
Symphoricarpos albus var. *laevigatus* (Fern.) S.F. Blake
Symphyotrichum ascendens (Lindl.) G.L. Nesom
Symphyotrichum greatae (Parish) G.L. Nesom
Symphyotrichum lanceolatum var. *hesperium* (A.Gray) G.L. Nesom
Syntrichopappus lemmonii (A. Gray) A. Gray
Tauschia hartwegii (A.Gray) J.F. Macbr.
Tetradymia canescens DC.

Common Name

Snapdragon Skullcap (R)
Rayless Ragwort (R)
Mono Butterweed (R)
Knotroot Bristlegrass (R)
Knotroot Bristlegrass (R)
Buffalo Berry, Silver Buffaloberry (U)
Dwarf Globemallow or Checkerbloom (R)
Salt Spring Checkermallow (U, CNPS 2.2)
Bird-footed Checkerbloom (R)
Chickweed Oxytheca (R, CNPS 4.3, LPNF)
Snapdragon Campion, Catchfly (U)
Palmer Campion (R)
California Indian Pink (R)
Lemmon Campion or Catchfly (R)
Parish Nightshade (R)
Blue Witch (U)
Wallace's Nightshade (R)
Guirado Goldenrod (R, CNPS 4.2)
Few-leaved Goldenrod (R)
White Large[-flowered] Sandspurrey (R)
Apricot Mallow (R)
Ranger Buttons, Swamp White Heads (R)
Alkali Sacaton (R)
Sand Dropseed (R)
Hedge-nettle (R)
Short-spiked Hedge-nettle (R)
Oak Rigid Hedge Nettle (R)
Rigid Hedge Nettle (U)
Chicory Microseris (U)
Small Stephanomeria (R)
Two-fruited Wreath Plant (R)
Narrowleaf Stillingia (R-extirpated?)
Annual Toothleaf (R-extirpated?)
Mormon Needlegrass (R)
San Diego Needlegrass (CNPS 4.2)
Lemmon's Needlegrass (R)
Western Needlegrass (R)
Elmer Needlegrass (R)
Parish Needlegrass (R)
Thurber Needlegrass (R)
Southern Jewelflower (R, CNPS 1B.3, LPNF)
Fennel-leaf Pondweed (R)
Thickleaf Orach (U)
Everlasting Nest Straw (U)
Wind Poppy (U)
Seablite (R)
California Seablite (R, FE, CNPS 1B.1)
Hairy California Seablite (FE, CNPS 1B.1)
Woolly Seablite (O, CNPS 4.2)
Estuary Seablite (R, CNPS 1B.2)
Bush Seepweed (R)
Pine Green Gentian (CNPS 4.3)
Snowberry (U)
Long-leaved Aster (R)
Greata's Aster (R, CNPS 1B.3)
Siskiyou Aster (R)
Lemmon's Xerasid (R, CNPS 4.3)
Hartweg Tauschia (U)
Cottonthorn, Horsebush (R)

Scientific Name

Tetradymia comosa Gray
Tetrapteron graciliflorum (Hooker & Arnott) W.L. Wagner & Hoch
Thalictrum fendleri Engelman ex Gray var. *fendleri*
Thermopsis macrophylla Hooker & Arnott var. *macrophylla*
Thermopsis macrophylla var. *venosa* (Eastwood) Isely
Thysanocarpus conchuliferus E. Greene
Trichostema austromontanum Harlan Lewis ssp. *austromontanum*
Trichostema micranthum Gray
Trichostema ovatum Curran
Trichostema parishii Vasey
Trifolium bifidum var. *decipiens* E. Greene
Trifolium cyathiferum Lindley
Trifolium depauperatum var. *amplectens* (T. & G.) L.F. McDermott
Trifolium depauperatum var. *truncatum* (Greene) Islay
Trifolium dictotomum H. & A.
Trifolium fucatum Lindley
Trifolium longipes ssp. *atrorubens* (Greene) J.M. Gillett
Trifolium microdon Hook. & Arn.
Trifolium monanthum var. *grantianum* (A.A. Heller) Parish
Trifolium monanthum Gray var. *monanthum*
Trifolium obtusiflorum Hooker & Arnott
Trifolium palmeri S. Watson
Trifolium variegatum var. *major* Lojac.
Trifolium wormskioldii Lehm.
Triglochin concinna Davy var. *concinna*
Triglochin maritima L.
Triglochin striata R. & P.
Triteleia ixioides (Aif. F.) Greene ssp. *ixioides*
Tropidocarpum gracile Hook. [var. *dubium*]
Typha angustifolia L.
Typha latifolia L.
Typha Xdomingensis Pers.
Veratrum californicum Durand var. *californicum*
Verbena bracteata Lagasca & J.D. Rodriguez
Verbena lasiostachys var. *scabrida* Mold.
Veronica peregrina ssp. *xalapensis* (Kunth) Pennell
Veronica serpyllifolia ssp. *humifusa* (Dickson) Syme
Vicia americana Willd. ssp. *americana*
Vicia hassei S. Watson
Vicia ludoviciana Nutt. var. *ludoviciana*
Viola aurea Kellogg
Viola macloskeyi F.E. Lloyd ssp. *macloskeyi*
Viola pinetorum ssp. *grisea* (Jeps.) R.J. Little
Viola pinetorum Greene ssp. *pinetorum*
Viola purpurea ssp. *mohavensis* (M. Baker & J. Clausen) J. Clausen
Viola purpurea Kellogg ssp. *purpurea*
Vitis californica Benth.
Vitis girdiana Munson
Vulpia microstachys var. *confusa* (Piper) Lonard & Gould
Yabea microcarpa (Hooker & Arnott) Koso-Pol.
Zannichellia palustris L.
Zostera marina L.

Common Name

Cottonthorn, Horsebush (R)
Hill Sun-cup (U)
Fendler Meadow-rue (U)
Santa Ynez False-Lupine (R, SR, CNPS 1B.3, LPNF)
Slender Santa Ynez False-Lupine (R)
Santa Cruz Island Fringepod (R)
San Jacinto Bluecurls (R)
Bluecurls (R)
Ovate Bluecurls (R)
Parish Bluecurls (R)
Pinole Clover (R)
Ciliate or Tree Clover (R)
Dwarf Sack Clover (R)
Truncate Dwarf Sack Clover (U)
Island Rancheria Clover (R)
Bull Clover (U)
Purple Clover (R)
Tiny-head Clover (R)
Carpet Clover (R)
Carpet Clover (R)
Creek Clover (U)
Palmer Pinpoint Clover (R)
Large Whitetip Clover (R)
Cows Clover (U)
Utah Arrow-grass (R)
Seaside Arrow-grass (R)
Three-ribbed Arrow-grass (R)
Golden Brodiaea (R)
Slender Tropidocarpum (R)
Slender Cattail (R)
Broad-leaved Cattail, Soft Flag (U)
Southern Cattail Hybrid (R)
California False Hellebore (R)
Prostrate Verbena (R)
Western Verbena (R)
Purslane Speedwell (U)
Tyme-leaved Speedwell (R)
American Vetch (U)
Hasse Vetch (R)
Vetch (R)
Golden Violet (R)
Small White Violet (R)
Gray-leaved Violet (R, CNPS 1B.3, LPNF)
Mountain Violet (U)
Mojave Yellow Violet (U)
Purple or Mountain Violet (U)
California Wild Grape (R)
Desert Wild Grape (R)
Ciliate Fescue (R)
Yabea (R)
Horned-Pondweed (R)
Eel-grass (R)

Plants Expected to Occur in Ventura County But Lacking Physical Evidence¹⁵

Scientific Name

Abronia latifolia Eschsch.
Achnatherum latiglumis (Swallen) Barkworth
Actaea rubra (Aiton) Wildenow
Adiantum aleuticum (Rupr.) C.A. Paris
Agastache urticifolia (Benth.) Kuntze var. *urticifolia*
Agrostis microphylla Steudel
Agrostis scabra Willd.
Allenrolfea occidentalis (S. Watson) Kuntze
Alopecurus aequalis Sobol. var. *aequalis*
Alopecurus geniculatus L.
Ambrosia dumosa (A. Gray) Payne
Amsinckia eastwoodae J.F. Macbr.
Anaphalis margaritacea (L.) Benth. & Hooker F. ex C.B. Clarke
Arabis platysperma Gray var. *platysperma*
Aristida purpurea var. *nealleyi* (Vasey) K.W. Allred
Aristida purpurea var. *wrightii* (A. Hitchc.) K.W. Allred
Artemisia ludoviciana ssp. *incompta* (Nuttall) Keck
Aster occidentalis (Nuttall) Torrey & A. Gray var. *occidentalis*
Athyrium filix-femina var. *californicum* Butters
Athyrium filix-femina var. *cyclosorum* Ruprecht
Azolla mexicana C. Presl
Berberis pinnata Lagasca ssp. *pinnata*
Brodiaea elegans Hoover ssp. *elegans*
Brodiaea jolonensis Eastwood
Calystegia longipes (S. Watson) Brummitt
Calystegia sepium ssp. *limnophila* (E. Greene) Brummitt
Carex serratodens W. Boott
Castilleja campestris (Benth.) Chuang & Heckard ssp. *campestris*
Castilleja densiflora ssp. *gracilis* (Benth.) Chuang & Heckard
Castilleja gyroloba Pennell
Caulanthus crassicaulis (Torrey) S. Watson var. *crassicaulis*
Celtis reticulata Torrey
Centaurium muhlenbergii (Griseb.) W. Wright ex Piper
Centromadia fitchii (A. Gray) E. Greene
Cephalanthera austiniiae (A. Gray) Heller
Chamaesyce serpyllifolia ssp. *hirtula* (S. Watson) Koutnik
Chenopodium littoreum Benet-Pierce & M.G. Simpson
Chenodium rubrum var. *humile* (Hooker) S. Watson
Chorizanthe fimbriata Nuttall var. *fimbriata*
Chorizanthe obovata Goodman
Chorizanthe wheeleri S. Watson
Circaea alpina ssp. *pacifica* (Aschers. & Magnus) Raven
Cladium californicum (S. Watson) O'Neill
Clarkia similis Harlan Lewis & Ernst
Clematis pauciflora Nuttall
Collomia linearis Nuttall
Comarostaphylis diversifolia ssp. *planifolia* (Jeps.) G.D. Wallace
Corallorhiza maculata (Raf.) Raf.
Cornus nuttallii Audubon
Cornus sericea ssp. *occidentalis* (Torrey & A. Gray) Fosberg

Common Name

Coastal or Yellow Sand-verbena Φ
Needlegrass Φ
Red Banberry Φ
Western Five-finger Fern or Maidenhair Φ
Nettleleaf Horsemint, Giant Hyssop Φ
Small-leaved Bentgrass Φ
Rough Bentgrass Φ
Iodine Bush Φ
Short-awn Foxtail Φ
Water Foxtail Φ
White Bur-sage, Burro Bush, Burro-Weed Φ
Elegant Fiddleneck Φ
Pearly Everlasting Φ
Pioneer Rock Cress Φ
Nealley Three-awn Grass Φ
Parish Three-awn Grass Φ
White Sagebrush Φ
Western Mountain Aster Φ
Southwestern Lady Fern Φ
Northwestern Lady Fern Φ
Mexican Duckweed Fern Φ
Pinnate-leaved Barberry Φ
Elegant Brodiaea Φ
Dwarf Brodiaea Φ
Morning-glory Φ
Riparian Morning-glory Φ
Sawtooth Sedge Φ
Field Owl's Clover Φ
Slender Dense-flowered Owl's Clover Φ
Indian Paintbrush Φ
Thick-stem Wild Cabbage Φ
Netleaf Hackberry Φ
Monterey Centaury Φ
Fitch Spikeweed Φ
Phantom Orchid Φ
Hairy Thyme-leaved Spurge Φ
Coastal Goosefoot Φ
Red Goosefoot Φ
Fringed Spineflower (R) – Newhall Ranch
Obovate Spineflower Φ
Wheeler Spineflower Φ
Enchanter's Nightshade Φ
Saw-grass Φ
Copy-cat Clarkia Φ
Ropevine Φ
Narrow-leaved Collomia Φ
Simpleleaf Summer Holly Φ
Spotted Coral Root Φ
Mountain Dogwood Φ
Western American Dogwood Φ

¹⁵ Taxa that are expected to occur within Ventura County but for which no vouchers have been collected or a knowledgeable botanist observed it (and documented its occurrence). If any of these taxa are found within Ventura County, they should be considered locally rare species. Plants with a "Φ" following the common name lack vouchers from Ventura County at the following herbaria (CAS, CDA, CHSC, DAV, IRVC, JEPS, NY, POM, RSA, SBBG, SD, SJSU, UC, UCI, UCR, UCSB, USSC).

Scientific Name

Crassula solieri (C. Gay) F. Meigen
Cuscuta californica var. *papillosa* Yuncker
Cyperus niger Ruiz Lopez & Pavon
Damasonium californicum Benth
Descurainia incisa (A. Gray) Britton ssp. *incisa*
Dodecatheon clevelandii E. Greene ssp. *clevelandii*
Elatine rubella Rydb.
Eleocharis parvula (Roemer & Schultes) Link
Epilobium halleianum Hausskn.
Epilobium minutum Lindl. ex. Lehm.
Eremalche parryi ssp. *kernensis* (C. Wolf) D. Bates
Erigeron foliosus var. *franciscensis* G.L. Nesom
Eriophyllum ambiguum (A. Gray) A. Gray var. *ambiguum*
Eriophyllum lanatum var. *hallii* Constance
Eschscholzia lemmonii ssp. *kernensis* (Munz) C. Clark
Eustoma exaltatum (L.) Don
Euphorbia crenulata Engelm
Galium californicum ssp. *flaccidum* (E. Greene) Dempster & Stebb.
Gayophytum humile A.L. Juss.
Geranium carolinianum L.
Geranium richardsonii Fischer & Trautv.
Gilia tricolor Benth
Glyptopleura marginata D. Eaton
Grayia polygaloides Hooker & Arnott
Helianthus californicus DC.
Hesperomecon linearis (Benth) E. Greene
Hydrocotyle ranunculoides L.f.
Hymenoclea monogyra Torrey & Gray
Hymenoclea salsola var. *pentalepis* (Rydb.) L. Benson
Iris douglasiana Herbert in W.J. Hooker and G.A.W. Arnott
Isoetes orcuttii A.A. Eaton
Juncus bryoides F.J. Hermann
Juncus falcatus E. Meyer var. *falcatus*
Juncus orthophyllus Cov.
Lasthenia fremontii (A. Gray) E. Greene
Layia hieracioides (DC.) Hooker & Arnott
Lepidium latipes Hooker var. *latipes*
Lilaea scilloides (Poir.) Haum.
Lonicera hispidula var. *vacillans* A. Gray
Lonicera interrupta Benth. X *Lonicera hispidula* var. *vacillans* Gray
Luzula comosa E. Meyer
Luzula subsessilis (S. Watson) Buchenau
Mimulus palmeri A. Gray
Minuartia californica (A. Gray) Mattf.
Monardella australis Abrams
Monardella villosa ssp. *obispoensis* (Hoover) Jokerst
Najas marina L.
Nemophila parviflora var. *quercifolia* (Eastw.) Chandler
Opuntia phaeacantha Engelm.
Orthocarpus linearilobus Benth
Osmorhiza chilensis Hooker & Arnott
Panicum acuminatum Sw. var. *acuminatum*
Parnassia californica (A. Gray) E. Greene
Phacelia congdonii Greene
Physalis acutifolia (Miers) Sandw.
Plagiobothrys collinus var. *californicus* (A. Gray) Higgins
Plectritis brachystemon Fischer & C. Meyer
Pogogyne zizyphoroides Benth
Polygonum amphibium var. *stipulaceum* Coleman

Common Name

Solier Vernal Pool Water Pigmy-weed Φ
California Dodder Φ
Black Flatsedge Φ
Fringed Water-Plantain Φ
Richardson Tansy Mustard Φ
Cleveland Shooting Star Φ
Waterwort Φ
Colorado Spike-rush Φ (CNPS 4.3)
Gland Willowherb Φ
Chaparral Willowherb Φ
Kern Mallow Φ
San Francisco Leafy Fleabane Φ
Ambiguous Woolly Daisy Φ
Fort Tejon Yarrow Φ
Tejon Poppy Φ
Catchfly Gentian Φ
Chinese Caps Φ
California Bedstraw Φ
Low Gayophytum Φ
Cransebill, Carolina Geranium Φ
Mountain Geranium Φ
Birds-eye or Tricolor Gilia Φ
Sculpted-fruit Φ
Hop-Sage Φ
California Sunflower Φ
Western Poppy Φ
False-crowfoot Pennywort Φ
Leafy Burrobrush Φ
Southern Burrobrush Φ
Mountain Iris Φ
Orcutt Quillwort Φ
Moss Rush Φ
Sickleleaf Rush Φ
Straight-leaf Rush Φ
Fremont Goldfields Φ
Tall Layia Φ
Dwarf Peppergrass Φ
Flowering Quillwort Φ
California Honeysuckle Φ
Chaparral Honeysuckle hybrid Φ
Wood Rush Φ
Wood Rush Φ
Palmer Monkeyflower Φ
California Sandwort Φ
Southern Coyote Mint Φ
San Luis Obispo Coyote Mint Φ
Spiny Naiad Φ
Oak-leaved Nemophila (R)
Engelmann Prickly Pear Φ
Pallid Owl's Clover Φ
Mountain Sweetroot or Sweet Cicely Φ
Panicgrass Φ
Grass-of-Parnassus Φ
Congdon Phacelia Φ
Ground-cherry Φ
California Popcornflower Φ
Small-flowered Pink Plectritis Φ
Sacramento Mesamint Φ
Stipuled Water-Smartweed Φ

Scientific Name

Polygonum douglasii E. Greene ssp. *douglasii*
Quercus garryana var. *breweri* (Engelm.) Jeps.
Ranunculus aquatilis var. *capillaceus* (Thuill.) DC.
Rubus leucodermis var. *bernardinus* (E. Greene) Jepson
Rubus parviflorus Nuttall
Sagittaria calycina Englemann
Sagittaria latifolia Willd.
Salix sitchensis Bong.
Sanicula hoffmannii (Munz) Stan & Constance
Scutellaria bolanderi ssp. *austromontana* Epling
Senecio californicus DC.
Spirodela polyrrhiza (L.) Schlied.
Spirodela punctata C. Thompson
Sporobolus airoides Torrey
Streptanthella longirostris Rydb.
Thelypteris puberula var. *sonorensis* A.R. Smith
Thermopsis macrophylla Hook. & Arn. var. *macrophylla*
Triteleia dudleyi Hoover
Triteleia hyacinthina (Lindley) E. Greene
Triteleia ixioides ssp. *scabra* (E. Greene) L. Lenz
Triteleia laxa Bentham
Utricularia vulgaris L.
Vaccinium ovatum Pursh
Viola sheltonii Torrey
Wolffia borealis Landolt & O. Wildi
Wolffia columbiana Karsten
Wolffia globosa Hartog & Plas
Wolffiella lingulata Hegelm.
Wolffiella oblonga (Phil.) Hegelm.
Wyethia ovata T. & G.
Yucca brevifolia var. *herbertii* (J.M. Webber) Munz

Common Name

Douglas Knotweed Φ
Brewer Oregon Oak Φ
Slender White Water Crowfoot Φ
Sticky Blackcap Raspberry Φ
Thimbleberry Φ
Hooded Arrowhead Φ
Broadleaf Arrowhead Φ
Sitka Willow Φ
Hoffmann's Sanicle Φ
Southern Skullcap Φ
California Ragwort
Duckmeat Φ
Duckmeat Φ
Alkali Sacaton Φ
Dwarf Jewelflower Φ
Sonoran Maiden Fern Φ
False-Lupine Φ
Dudley Triteleia Φ
White Triteleia Φ
Golden Brodiaea Φ
Ithuriel Spear Φ
Bladderwort Φ
California Huckleberry Φ
Shelton Violet Φ
Water-meal Φ
Coastal Water-meal Φ
Globe Water-meal Φ
Mud-midget Φ
Oblong Water-meal Φ
Mule-ears Φ
Herbert Joshua Tree Φ

Plants Recently Removed from List

Below is a list of taxa that were previously included on this list, but removed after the eleventh (presumed) extant population was found (through either direct field surveys or searches of herbaria records), or there was a taxonomic change that warranted deletion of the taxon from this list. This does not include plants listed by CNPS (2020) as rare throughout California (ranks 1 through 4). Only those taxa removed from the current edition are listed below. Consult earlier editions of this checklist for taxa removed from earlier editions.

Scientific Name

Abies lowiana (Gordon & Glendinning) A. Murray bis
Allium peninsulare Lemmon var. *peninsulare*
Atriplex watsonii Nelson
Berula erecta (Huds.) Coville
Boechera repanda (S. Watson) Al-Shehbaz
Brickellia desertorum Coville
Calystegia soldanella (L.) R. Br.
Cardamine oligosperma Torrey & Gray
Ceanothus palmeri Trel.
Chenopodium fremontii S. Watson
Collomia grandiflora Lindley
Cressa truxillensis Kunth var. *truxillensis*

Common Name

California White Fir (S, LPNF¹⁶)
Peninsular Onion (U)
Matscale (R)
Cutleaf Water-parsnip (U)
Yosemite Rockcress (U)
Desert Brickellbush (R)
Beach Morning-glory (U)
Few-seeded Bitter-cress (U)
Palmer Ceanothus (U)
Fremont Goosefoot (U)
Large-flowered Collomia (U)
Spreading Alkali-Weed (U)

¹⁶ LPNF = Los Padres National Forest Sensitive Plant List

Scientific Name

Cryptantha maritima (Greene) Greene
Cuscuta indecora var. *neuropetala* (Engelmann) Hitchc.
Descurainia pinnata ssp. *brachycarpa* (Richardson) Detling
Descurainia pinnata ssp. *menziesii* (DC.) Detl.
Dudleya caespitosa (Haw.) Britt. & Rose
Dudleya cymosa ssp. *pumila* (Rose) K. Nakai
Equisetum hyemale var. *affine* (Engelm.) Calder & R.L. Taylor
Eriastrum densifolium (Benth.) Mason ssp. *densifolium*
Eriastrum pluriflorum (A.A. Heller) H. Mason
Gilia tetrabreccia A. & V. Grant
Laënnecia coulteri (A. Gray) G.L. Nesom
Lemna minuta Kunth
Lepechinia calycina (Bentham) Epling
Lepidium lasiocarpum Nutt. var. *lasiocarpum*
Lessingia pectinata var. *tenuipes* (J.T. Howell) Markos
Linum lewisii Pursh
Loeflingia squarrosa Nuttall var. *squarrosa*
Lonicera interrupta Benth.
Lupinus andersonii S. Watson
Lupinus luteolus Kellogg
Marah macrocarpus var. *major* (Dunn) Stocking
Muhlenbergia asperifolia (Nees & Meyen) Parodi
Navarretia hamata E. Greene ssp. *hamata*
Nemacladus glandulerus var. *occidentalis* McVaugh
Oxalis albicans ssp. *pilosa* (Nuttall) G. Eiten
Peritoma arborea var. *globosa* (Coville) H.H. Iltis
Phacelia affinis Gray var. *affinis*
Phacelia cicutaria E. Greene var. *cicutaria*
Phacelia ciliata Benth. var. *ciliata*
Phacelia viscida var. *albiflora* (Nuttall) A. Gray
Plagiobothrys canescens Benth.
Pluchea odorata (L.) Cass.
Potamogeton foliosus Raf. var. *foliosus*
Pseudognaphalium beneolens (A. Gray) Anderberg
Purshia tridentata var. *glandulosa* (Curran) M.E. Jones
Rhus trilobata var. *malacophylla* (E. Greene) Jepson
Ribes cereum Douglas var. *cereum*
Ribes indecorum Eastw.
Ribes nevadense Kellogg
Ribes quercetorum Greene
Ribes roezlii Regel var. *roezlii*
Rigiopappus leptocladus Gray
Rosa woodsii ssp. *gratissima* (E. Greene) W.H. Lewis & Ertter
Rumex hymenosepalus Torrey
Sarcodes sanguinea Torrey
Stellaria nitens Nuttall
Thermopsis californica var. *argentata* (Greene) Chen & Turner

Common Name

Seaside Forget-Me-Not (R)
Pretty Dodder (R)
Short-pod Tansy Mustard (U)
Menzies Tansy Mustard (U)
Sea Lettuce (R)
Pygmy Live-forever (U)
Common or Giant Scouring Rush (U)
Woolly Star (R)
Woolly Star (R)
Mount Piños Gilia (U)
Coast Horseweed (U)
Tiny Duckweed (U)
Pitcher Sage (U)
Hairy-pod Peppergrass (U)
Sticky Lessingia (R)
Western Blue Flax (U)
California Loeflingia (U)
Chaparral Honeysuckle (U)
Anderson Lupine (U)
Butter Lupine (U)
Island Man-root (R)
Scratchgrass (U)
Skunk Navarretia (R)
Western Sticky Nemacladus (R)
Hairy White Wood Sorrel (U)
Burrow-fat Bladderpod (U)
Phacelia (R)
Caterpillar Phacelia (U)
Ciliate Phacelia (U)
White-flowered Viscid Phacelia (R)
Valley or Bracted Popcornflower (R)
Saltmarsh Fleabane (U)
Leafy Pondweed (U)
Coastal Everlasting (U)
Antelope Bush (U)
Woolly Skunkbrush (U)
Wax Currant (U)
White-flowered Currant (U)
Mountain Pink Currant (R)
Oak Gooseberry (U)
Sierra Gooseberry (U)
Rigiopappus (U)
Mojave Wild Rose (R)
Wild Rhubarb, Canaigre (U)
Snow Plant (U)
Shining Chickweed (U)
Silvery False-Lupine (U, CNPS 4.3)